

Aprēķinu modeļa ievades dati (būvniecības laikā)

Area source/ISO 9613 (8)											Variant 0	
FLQI002	Label		Eks.buld,greid,velt,velt,celt,pašizg, pāju urbsanas iekārta, kravas auto			Action radius/m			2500.00			
	Group		Group 0			D0			0.00			
	Number of nodes		24			High building/high noise source			No			
	Length/ m		882.43			Emission is			SPL per unit area (Lw/m²)			
	Length/ m (2D)		882.35			Emi. variant		Emission	Sound insul.	Correction	Lw	Lw'
	Area /m²		17899.04					dB(A)	dB	dB	dB(A)	dB(A)
						Day (12h)		67.40	-	-	109.93	67.40
						Night (8h)		-99.00	-	-	-99.00	-
						Evening (4h)		-99.00	-	-	-99.00	-
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
	Lden				0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)		n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)		12.00	Day	67.4		1.00	12.00000	0.00	67.4		
	Evening (4h)		4.00	Evening			1.00	4.00000	0.00			
Night (8h)		8.00	Night			1.00	8.00000	0.00				
FLQI003	Label		Buldozers, Greiders, Veltnis, Celtnis, pašizgāzējs			Action radius/m			2500.00			
	Group		Group 0			D0			0.00			
	Number of nodes		18			High building/high noise source			No			
	Length/ m		425.06			Emission is			SPL per unit area (Lw/m²)			
	Length/ m (2D)		425.03			Emi. variant		Emission	Sound insul.	Correction	Lw	Lw'
	Area /m²		6517.13					dB(A)	dB	dB	dB(A)	dB(A)
						Day (12h)		66.80	-	-	104.94	66.80
						Night (8h)		-99.00	-	-	-99.00	-
						Evening (4h)		-99.00	-	-	-99.00	-
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
	Lden				0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)		n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)		12.00	Day	66.8		1.00	12.00000	0.00	66.8		
	Evening (4h)		4.00	Evening			1.00	4.00000	0.00			
Night (8h)		8.00	Night			1.00	8.00000	0.00				
FLQI008	Label		Eks.buld,greid,velt,velt,front iekr.pašizg, kravas auto			Action radius/m			2500.00			
	Group		Group 0			D0			0.00			
	Number of nodes		7			High building/high noise source			No			
	Length/ m		343.42			Emission is			SPL per unit area (Lw/m²)			
	Length/ m (2D)		343.34			Emi. variant		Emission	Sound insul.	Correction	Lw	Lw'
	Area /m²		6619.40					dB(A)	dB	dB	dB(A)	dB(A)
						Day (12h)		68.20	-	-	106.41	68.20
						Night (8h)		-99.00	-	-	-99.00	-
						Evening (4h)		-99.00	-	-	-99.00	-
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
	Lden				0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)		n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)		12.00	Day	68.2		1.00	12.00000	0.00	68.2		
	Evening (4h)		4.00	Evening			1.00	4.00000	0.00			
Night (8h)		8.00	Night			1.00	8.00000	0.00				
FLQI013	Label		Eks.buld,greid,velt,pašizg			Action radius/m			2500.00			
	Group		Group 0			D0			0.00			
	Number of nodes		19			High building/high noise source			No			
	Length/ m		1156.13			Emission is			SPL per unit area (Lw/m²)			
	Length/ m (2D)		1155.91			Emi. variant		Emission	Sound insul.	Correction	Lw	Lw'
	Area /m²		22770.96					dB(A)	dB	dB	dB(A)	dB(A)
						Day (12h)		66.80	-	-	110.37	66.80
						Night (8h)		-99.00	-	-	-99.00	-
						Evening (4h)		-99.00	-	-	-99.00	-
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
	Lden				0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)		n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)		12.00	Day	66.8		1.00	12.00000	0.00	66.8		
	Evening (4h)		4.00	Evening			1.00	4.00000	0.00			
Night (8h)		8.00	Night			1.00	8.00000	0.00				
FLQI014	Label		Eks.buld,greid,velt,velt,front iekr.pašizg, kravas auto			Action radius/m			2500.00			
	Group		Group 0			D0			0.00			
	Number of nodes		8			High building/high noise source			No			
	Length/ m		257.19			Emission is			SPL per unit area (Lw/m²)			
	Length/ m (2D)		257.14			Emi. variant		Emission	Sound insul.	Correction	Lw	Lw'
	Area /m²		2619.54					dB(A)	dB	dB	dB(A)	dB(A)
						Day (12h)		68.20	-	-	102.38	68.20
						Night (8h)		-99.00	-	-	-99.00	-

				Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	68.2	1.00	12.00000	0.00	68.2	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	-	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	-	
FLQI034	Label	Eks.buld.greid.velt.celt.front iekr.pašizg, kravas auto			Action radius/m			2500.00	
	Group	Group 0			D0			0.00	
	Number of nodes	10			High building/high noise source			No	
	Length/ m	534.37			Emission is			SPL per unit area (Lw/m²)	
	Length/ m (2D)	534.31			Emi. variant	Emission	Sound insul.	Correction	Lw
	Area /m²	14288.93							Lw'
					Day (12h)	68.30	-	-	109.85
					Night (8h)	-99.00	-	-	-99.00
					Evening (4h)	-99.00	-	-	-99.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	68.3	1.00	12.00000	0.00	68.3	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	-	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	-	
FLQI035	Label	Eks.buld.greid.velt.celt.pāju urb.pašizg, kravas auto			Action radius/m			2500.00	
	Group	Group 0			D0			0.00	
	Number of nodes	17			High building/high noise source			No	
	Length/ m	565.56			Emission is			SPL per unit area (Lw/m²)	
	Length/ m (2D)	565.53			Emi. variant	Emission	Sound insul.	Correction	Lw
	Area /m²	10595.97							Lw'
					Day (12h)	67.40	-	-	107.65
					Night (8h)	-99.00	-	-	-99.00
					Evening (4h)	-99.00	-	-	-99.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	67.4	1.00	12.00000	0.00	67.4	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	-	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	-	
FLQI006	Label	Eks.buld.greid.velt.celt.front iekr.pašizg, kravas auto			Action radius/m			2500.00	
	Group	Group 0			D0			0.00	
	Number of nodes	8			High building/high noise source			No	
	Length/ m	184.66			Emission is			SPL per unit area (Lw/m²)	
	Length/ m (2D)	184.57			Emi. variant	Emission	Sound insul.	Correction	Lw
	Area /m²	1914.59							Lw'
					Day (12h)	68.20	-	-	101.02
					Night (8h)	-99.00	-	-	-99.00
					Evening (4h)	-99.00	-	-	-99.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	68.2	1.00	12.00000	0.00	68.2	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	-	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	-	

Aprēķinu modeļa ievades dati (esošā situācija)

Road /XP S 31-133 (49)										Variant 0
R96_001		No Čakstes līdz Uzvaras (pa Lielo)			Action radius/m			99999.00		
Label		Esosas ielas			Emi. variant			Emission		
Group		Esosas ielas			Emi. variant			Emission		
Number of nodes		4			dB(A)					
Length/ m		92.05			Day (12h)			65.22		
Length/ m (2D)		92.04			Night (8h)			55.73		
Area /m²		---			Evening (4h)			62.42		
					Max gradient % (z-coord.)			-3.47		
					Driving direction			2 direct./driving on the right		
					Dist.:centreline lane - road /m			0.00		
					Road surface			Asphalt (obsolete)		
Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)		Continuous flow		1697.28	70.72	50.00	50.00	67.27		
Night (8h)		Continuous flow		190.95	7.96	50.00	50.00	57.78		
Evening (4h)		Continuous flow		891.07	37.13	50.00	50.00	64.47		
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB			
Lden				-	0.0	0.0	0.0	-		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)		12.00	Day	87.3	1.00	12.00000	0.00	0.0		
Evening (4h)		4.00	Evening	84.5	1.00	4.00000	0.00	0.0		
Night (8h)		8.00	Night	77.8	1.00	8.00000	0.00	0.0		
R96_002		No Pasta līdz MĀtera (pa Lielo ielu)			Action radius/m			99999.00		
Label		Esosas ielas			Emi. variant			Emission		
Group		Esosas ielas			Emi. variant			Emission		
Number of nodes		7			dB(A)					
Length/ m		166.55			Day (12h)			63.13		
Length/ m (2D)		166.54			Night (8h)			53.65		
Area /m²		---			Evening (4h)			60.33		
					Max gradient % (z-coord.)			-1.01		
					Driving direction			2 direct./driving on the right		
					Dist.:centreline lane - road /m			0.00		
					Road surface			Asphalt (obsolete)		
Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)		Continuous flow		1049.09	43.71	50.00	50.00	65.18		
Night (8h)		Continuous flow		118.02	4.92	50.00	50.00	55.69		
Evening (4h)		Continuous flow		550.77	22.95	50.00	50.00	62.38		
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB			
Lden				-	0.0	0.0	0.0	-		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)		12.00	Day	85.2	1.00	12.00000	0.00	0.0		
Evening (4h)		4.00	Evening	82.4	1.00	4.00000	0.00	0.0		
Night (8h)		8.00	Night	75.7	1.00	8.00000	0.00	0.0		
R96_003		No Atmodas līdz Aspazijas (Liela iela)			Action radius/m			99999.00		
Label		Esosas ielas			Emi. variant			Emission		
Group		Esosas ielas			Emi. variant			Emission		
Number of nodes		7			dB(A)					
Length/ m		363.87			Day (12h)			61.78		
Length/ m (2D)		363.86			Night (8h)			52.29		
Area /m²		---			Evening (4h)			58.98		
					Max gradient % (z-coord.)			-1.27		
					Driving direction			2 direct./driving on the right		
					Dist.:centreline lane - road /m			0.00		
					Road surface			Asphalt (obsolete)		
Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)		Continuous flow		768.00	32.00	50.00	50.00	63.83		
Night (8h)		Continuous flow		86.40	3.60	50.00	50.00	54.34		
Evening (4h)		Continuous flow		403.20	16.80	50.00	50.00	61.03		
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB			
Lden				-	0.0	0.0	0.0	-		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)		12.00	Day	83.8	1.00	12.00000	0.00	0.0		
Evening (4h)		4.00	Evening	81.0	1.00	4.00000	0.00	0.0		
Night (8h)		8.00	Night	74.3	1.00	8.00000	0.00	0.0		
R96_004		Dobeles šoseja			Action radius/m			99999.00		
Label		Esosas ielas			Emi. variant			Emission		
Group		Esosas ielas			Emi. variant			Emission		
Number of nodes		12			dB(A)					
Length/ m		764.56			Day (12h)			64.18		
Length/ m (2D)		764.56			Night (8h)			54.69		
Area /m²		---			Evening (4h)			61.38		
					Max gradient % (z-coord.)			-0.26		
					Driving direction			2 direct./driving on the right		
					Dist.:centreline lane - road /m			0.00		
					Road surface			Asphalt (obsolete)		
Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)		Continuous flow		621.78	101.22	50.00	50.00	65.25		
Night (8h)		Continuous flow		69.95	11.39	50.00	50.00	55.77		
Evening (4h)		Continuous flow		326.43	53.14	50.00	50.00	62.46		
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB			
Lden				-	0.0	0.0	0.0	-		

	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	85.3	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	82.5	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	75.8	1.00	8.00000	0.00	0.0
R96_005	Label	AkadA'mijas IA«dz RaiA'ta ielai			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	10					dB(A)	
	Length/ m	420.97			Day (12h)		58.46	
	Length/ m (2D)	420.95			Night (8h)		48.97	
	Area /m²	---			Evening (4h)		55.66	
					Max gradient % (z-coord.)		1.53	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	357.44		14.89	50.00	50.00	60.50
	Night (8h)	Continuous flow	40.21		1.68	50.00	50.00	51.02
	Evening (4h)	Continuous flow	187.66		7.82	50.00	50.00	57.71
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden			0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	71.0	1.00	8.00000	0.00	0.0
R96_006	Label	No Dobeles IA«dz Lielajai (Pa pasta ielu)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	9					dB(A)	
	Length/ m	322.14			Day (12h)		58.72	
	Length/ m (2D)	322.14			Night (8h)		49.23	
	Area /m²	---			Evening (4h)		55.92	
					Max gradient % (z-coord.)		-0.88	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	379.77		15.82	50.00	50.00	60.77
	Night (8h)	Continuous flow	42.72		1.78	50.00	50.00	51.28
	Evening (4h)	Continuous flow	199.38		8.31	50.00	50.00	57.97
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden			0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.8	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	78.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	71.3	1.00	8.00000	0.00	0.0
R96_007	Label	MA'tera IA«dz RaiA'ta ielai			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	8					dB(A)	
	Length/ m	354.34			Day (12h)		58.14	
	Length/ m (2D)	354.33			Night (8h)		48.66	
	Area /m²	---			Evening (4h)		55.35	
					Max gradient % (z-coord.)		0.45	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	332.67		13.86	50.00	50.00	60.19
	Night (8h)	Continuous flow	37.43		1.56	50.00	50.00	50.71
	Evening (4h)	Continuous flow	174.65		7.28	50.00	50.00	57.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden			0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0
R96_008	Label	Kaipaka IA«dz raiA'ta			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	11					dB(A)	
	Length/ m	340.05			Day (12h)		56.70	
	Length/ m (2D)	340.05			Night (8h)		47.22	
	Area /m²	---			Evening (4h)		53.90	
					Max gradient % (z-coord.)		-1.55	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	238.66		9.95	50.00	50.00	58.75
	Night (8h)	Continuous flow	26.85		1.12	50.00	50.00	49.26
	Evening (4h)	Continuous flow	125.29		5.22	50.00	50.00	55.95
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden			0.0	0.0	0.0	0.0	

Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	78.8	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	76.0	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	69.3	1.00	8.00000	0.00	0.0
R96_009	Label	KatoA/au IA«dz RaiAĶa ielai			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	10					dB(A)	
	Length/ m	384.65			Day (12h)		54.88	
	Length/ m (2D)	384.65			Night (8h)		45.38	
	Area /m²	---			Evening (4h)		52.08	
					Max gradient % (z-coord.)		-0.75	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	156.67		6.53	50.00	50.00	56.92
	Night (8h)	Continuous flow	17.63		0.73	50.00	50.00	47.43
	Evening (4h)	Continuous flow	82.25		3.43	50.00	50.00	54.13
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB
	Lden	-	0.0	0.0	0.0			0.0
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	76.9	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	74.1	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	67.4	1.00	8.00000	0.00	0.0
R96_010	Label	Pasta iela IA«dz RaiAĶa ielai			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	12					dB(A)	
	Length/ m	359.00			Day (12h)		59.38	
	Length/ m (2D)	359.00			Night (8h)		49.89	
	Area /m²	---			Evening (4h)		56.58	
					Max gradient % (z-coord.)		-1.06	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	442.11		18.42	50.00	50.00	61.43
	Night (8h)	Continuous flow	49.74		2.07	50.00	50.00	51.94
	Evening (4h)	Continuous flow	232.11		9.67	50.00	50.00	58.63
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB
	Lden	-	0.0	0.0	0.0			0.0
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	81.4	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	78.6	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	71.9	1.00	8.00000	0.00	0.0
R96_011	Label	JAĶa AĶakstes bulvAris			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	10					dB(A)	
	Length/ m	437.25			Day (12h)		56.87	
	Length/ m (2D)	437.23			Night (8h)		47.37	
	Area /m²	---			Evening (4h)		54.07	
					Max gradient % (z-coord.)		2.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	222.85		9.29	30.00	30.00	56.87
	Night (8h)	Continuous flow	25.07		1.04	30.00	30.00	47.37
	Evening (4h)	Continuous flow	117.00		4.88	30.00	30.00	54.07
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB
	Lden	-	0.0	0.0	0.0			0.0
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	76.9	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	74.1	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	67.4	1.00	8.00000	0.00	0.0
R96_012	Label	RAĶgas iela IA«dz Loka magistralei			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	4					dB(A)	
	Length/ m	1741.87			Day (12h)		62.11	
	Length/ m (2D)	1741.87			Night (8h)		52.62	
	Area /m²	---			Evening (4h)		59.31	
					Max gradient % (z-coord.)		-0.24	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	628.37		47.30	50.00	50.00	63.74
	Night (8h)	Continuous flow	70.69		5.32	50.00	50.00	54.25
	Evening (4h)	Continuous flow	329.89		24.83	50.00	50.00	60.94
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB
	Lden	-	0.0	0.0	0.0			0.0

Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)		12.00	Day	83.7	1.00	12.00000	0.00	0.0	
Evening (4h)		4.00	Evening	80.9	1.00	4.00000	0.00	0.0	
Night (8h)		8.00	Night	74.3	1.00	8.00000	0.00	0.0	
R96_013	Label	Kalnciema ceĀ/AĀ ĀĀdz Loka maĀĀistrĀĀlei			Action radius/m			99999.00	
Group		Esosas ielas			Emi. variant			Emission	
Number of nodes		20						dB(A)	
Length/ m		1004.22			Day (12h)			57.61	
Length/ m (2D)		1004.22			Night (8h)			48.12	
Area /m²		---			Evening (4h)			54.81	
					Max gradient % (z-coord.)			0.00	
					Driving direction			2 direct./driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow			184.45	7.69	70.00	70.00	60.05	
Night (8h)	Continuous flow			20.75	0.86	70.00	70.00	50.56	
Evening (4h)	Continuous flow			96.84	4.03	70.00	70.00	57.25	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden				0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)		12.00	Day	80.1	1.00	12.00000	0.00	0.0	
Evening (4h)		4.00	Evening	77.3	1.00	4.00000	0.00	0.0	
Night (8h)		8.00	Night	70.6	1.00	8.00000	0.00	0.0	
R96_014	Label	Kalnciema ceĀ/AĀ ĀĀdz RAĀgas ielai			Action radius/m			99999.00	
Group		Esosas ielas			Emi. variant			Emission	
Number of nodes		32						dB(A)	
Length/ m		1496.47			Day (12h)			57.01	
Length/ m (2D)		1496.47			Night (8h)			47.52	
Area /m²		---			Evening (4h)			54.21	
					Max gradient % (z-coord.)			-1.46	
					Driving direction			2 direct./driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow			256.00	10.67	50.00	50.00	59.06	
Night (8h)	Continuous flow			28.80	1.20	50.00	50.00	49.57	
Evening (4h)	Continuous flow			134.40	5.60	50.00	50.00	56.26	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden				0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)		12.00	Day	79.1	1.00	12.00000	0.00	0.0	
Evening (4h)		4.00	Evening	76.3	1.00	4.00000	0.00	0.0	
Night (8h)		8.00	Night	69.6	1.00	8.00000	0.00	0.0	
R96_015	Label	Garozas iela			Action radius/m			99999.00	
Group		Esosas ielas			Emi. variant			Emission	
Number of nodes		22						dB(A)	
Length/ m		863.09			Day (12h)			58.77	
Length/ m (2D)		862.99			Night (8h)			49.28	
Area /m²		---			Evening (4h)			55.97	
					Max gradient % (z-coord.)			7.15	
					Driving direction			2 direct./driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow			384.00	16.00	50.00	50.00	60.82	
Night (8h)	Continuous flow			43.20	1.80	50.00	50.00	51.33	
Evening (4h)	Continuous flow			201.60	8.40	50.00	50.00	58.02	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden				0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)		12.00	Day	80.8	1.00	12.00000	0.00	0.0	
Evening (4h)		4.00	Evening	78.0	1.00	4.00000	0.00	0.0	
Night (8h)		8.00	Night	71.3	1.00	8.00000	0.00	0.0	
R96_016	Label	RĀĀgas iela ĀĀdz InstitĀĀta ielai			Action radius/m			99999.00	
Group		Esosas ielas			Emi. variant			Emission	
Number of nodes		20						dB(A)	
Length/ m		667.30			Day (12h)			62.99	
Length/ m (2D)		667.30			Night (8h)			53.50	
Area /m²		---			Evening (4h)			60.19	
					Max gradient % (z-coord.)			-1.06	
					Driving direction			2 direct./driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow			1015.30	42.30	50.00	50.00	65.04	
Night (8h)	Continuous flow			114.22	4.76	50.00	50.00	55.55	
Evening (4h)	Continuous flow			533.03	22.21	50.00	50.00	62.24	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden				0.0	0.0	0.0	0.0		

	Lden			0.0		0.0		0.0			0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)				
	Day (12h)	12.00	Day	85.0	1.00	12.00000	0.00	0.0				
	Evening (4h)	4.00	Evening	82.2	1.00	4.00000	0.00	0.0				
	Night (8h)	8.00	Night	75.6	1.00	8.00000	0.00	0.0				
R96_017	Label	No Lielā iela uz Dambja		Action radius/m				99999.00				
	Group	Esosas ielas		Emi. variant				Emission				
	Number of nodes	11						dB(A)				
	Length/ m	465.74		Day (12h)				58.14				
	Length/ m (2D)	465.73		Night (8h)				48.65				
	Area /m²	---		Evening (4h)				55.34				
				Max gradient % (z-coord.)				-2.92				
				Driving direction				2 direct./driving on the right				
				Dist.:centreline lane - road /m				0.00				
				Road surface				Asphalt (obsolete)				
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)				
	Day (12h)	Continuous flow		332.16	13.84	50.00	50.00	60.19				
	Night (8h)	Continuous flow		37.37	1.56	50.00	50.00	50.70				
	Evening (4h)	Continuous flow		174.38	7.27	50.00	50.00	57.39				
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB				
	Lden			0.0	0.0	0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)				
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0				
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0				
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0				
R96_018	Label	Uzvaras iela (noglejās ielās no Lielās ielas)		Action radius/m				99999.00				
	Group	Esosas ielas		Emi. variant				Emission				
	Number of nodes	18						dB(A)				
	Length/ m	411.98		Day (12h)				57.94				
	Length/ m (2D)	411.98		Night (8h)				48.45				
	Area /m²	---		Evening (4h)				55.14				
				Max gradient % (z-coord.)				0.00				
				Driving direction				2 direct./driving on the right				
				Dist.:centreline lane - road /m				0.00				
				Road surface				Asphalt (obsolete)				
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)				
	Day (12h)	Continuous flow		317.44	13.23	50.00	50.00	59.99				
	Night (8h)	Continuous flow		35.71	1.49	50.00	50.00	50.50				
	Evening (4h)	Continuous flow		166.66	6.94	50.00	50.00	57.19				
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB				
	Lden			0.0	0.0	0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)				
	Day (12h)	12.00	Day	80.0	1.00	12.00000	0.00	0.0				
	Evening (4h)	4.00	Evening	77.2	1.00	4.00000	0.00	0.0				
	Night (8h)	8.00	Night	70.5	1.00	8.00000	0.00	0.0				
R96_019	Label	Atmodas iela		Action radius/m				99999.00				
	Group	Esosas ielas		Emi. variant				Emission				
	Number of nodes	10						dB(A)				
	Length/ m	303.24		Day (12h)				65.00				
	Length/ m (2D)	303.24		Night (8h)				55.51				
	Area /m²	---		Evening (4h)				62.20				
				Max gradient % (z-coord.)				0.00				
				Driving direction				2 direct./driving on the right				
				Dist.:centreline lane - road /m				0.00				
				Road surface				Asphalt (obsolete)				
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)				
	Day (12h)	Continuous flow		720.00	80.00	70.00	70.00	66.87				
	Night (8h)	Continuous flow		81.00	9.00	70.00	70.00	57.38				
	Evening (4h)	Continuous flow		378.00	42.00	70.00	70.00	64.07				
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB				
	Lden			0.0	0.0	0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)				
	Day (12h)	12.00	Day	86.9	1.00	12.00000	0.00	0.0				
	Evening (4h)	4.00	Evening	84.1	1.00	4.00000	0.00	0.0				
	Night (8h)	8.00	Night	77.4	1.00	8.00000	0.00	0.0				
R96_020	Label	Atmodas iela		Action radius/m				99999.00				
	Group	Esosas ielas		Emi. variant				Emission				
	Number of nodes	6						dB(A)				
	Length/ m	142.78		Day (12h)				63.69				
	Length/ m (2D)	142.78		Night (8h)				54.20				
	Area /m²	---		Evening (4h)				60.89				
				Max gradient % (z-coord.)				0.84				
				Driving direction				2 direct./driving on the right				
				Dist.:centreline lane - road /m				0.00				
				Road surface				Asphalt (obsolete)				
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)				
	Day (12h)	Continuous flow		720.00	80.00	50.00	50.00	65.04				
	Night (8h)	Continuous flow		81.00	9.00	50.00	50.00	55.55				
	Evening (4h)	Continuous flow		378.00	42.00	50.00	50.00	62.24				
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB				

	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	85.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	82.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	75.6	1.00	8.00000	0.00	0.0
R96_021	Label	Akadā mījas IĀ«dz KatoĀ¼u (pa Lielo)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	5					dB(A)	
	Length/ m	189.30			Day (12h)		64.08	
	Length/ m (2D)	189.30			Night (8h)		54.60	
	Area /m²	---			Evening (4h)		61.29	
					Max gradient % (z-coord.)		0.66	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	1306.18	54.42	50.00	50.00	66.13	
	Night (8h)	Continuous flow	146.94	6.12	50.00	50.00	56.64	
	Evening (4h)	Continuous flow	685.74	28.57	50.00	50.00	63.33	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
	Lden		0.0	0.0	0.0	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	86.1	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	83.3	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	76.6	1.00	8.00000	0.00	0.0
R96_022	Label	No KatoĀ¼u IĀ«dz Pasta ielai (pa Lielo)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	2					dB(A)	
	Length/ m	147.28			Day (12h)		63.99	
	Length/ m (2D)	147.28			Night (8h)		54.50	
	Area /m²	---			Evening (4h)		61.19	
					Max gradient % (z-coord.)		0.41	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	1277.12	53.21	50.00	50.00	66.04	
	Night (8h)	Continuous flow	143.68	5.99	50.00	50.00	56.55	
	Evening (4h)	Continuous flow	670.49	27.94	50.00	50.00	63.24	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
	Lden		0.0	0.0	0.0	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	86.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	83.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	76.5	1.00	8.00000	0.00	0.0
R96_023	Label	MĀĀtera IĀ«dz PĀĀtera (pa Lielo ielu)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	16					dB(A)	
	Length/ m	187.95			Day (12h)		62.91	
	Length/ m (2D)	187.94			Night (8h)		53.42	
	Area /m²	---			Evening (4h)		60.11	
					Max gradient % (z-coord.)		1.28	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	996.54	41.52	50.00	50.00	64.96	
	Night (8h)	Continuous flow	112.11	4.67	50.00	50.00	55.47	
	Evening (4h)	Continuous flow	523.19	21.80	50.00	50.00	62.16	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
	Lden		0.0	0.0	0.0	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	85.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	82.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	75.5	1.00	8.00000	0.00	0.0
R96_024	Label	PĀĀtera IĀ«dz Kalpaka (pa Lielo ielu)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	9					dB(A)	
	Length/ m	234.31			Day (12h)		62.73	
	Length/ m (2D)	234.31			Night (8h)		53.24	
	Area /m²	---			Evening (4h)		59.93	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	956.16	39.84	50.00	50.00	64.78	
	Night (8h)	Continuous flow	107.57	4.48	50.00	50.00	55.29	
	Evening (4h)	Continuous flow	501.98	20.92	50.00	50.00	61.98	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
	Lden		0.0	0.0	0.0	0.0		

	Lden			0.0		0.0		0.0			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
	Day (12h)	12.00	Day	84.8	1.00	12.00000	0.00	0.0			0.0
	Evening (4h)	4.00	Evening	82.0	1.00	4.00000	0.00	0.0			0.0
	Night (8h)	8.00	Night	75.3	1.00	8.00000	0.00	0.0			0.0
R96_025	Label	Kalpaka IĀ«dz Dambja (pa Lielu)			Action radius/m			99999.00			
	Group	Esosas ielas			Emi. variant			Emission			
	Number of nodes	10						dB(A)			
	Length/ m	211.14			Day (12h)			62.76			
	Length/ m (2D)	211.14			Night (8h)			53.27			
	Area /m²	---			Evening (4h)			59.96			
					Max gradient % (z-coord.)			-0.88			
					Driving direction			2 direct./driving on the right			
					Dist.:centreline lane - road /m			0.00			
					Road surface			Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
	Day (12h)	Continuous flow		962.56	40.11	50.00	50.00	64.81			
	Night (8h)	Continuous flow		108.29	4.51	50.00	50.00	55.32			
	Evening (4h)	Continuous flow		505.34	21.06	50.00	50.00	62.01			
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB			
	Lden			0.0	0.0	0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
	Day (12h)	12.00	Day	84.8	1.00	12.00000	0.00	0.0			0.0
	Evening (4h)	4.00	Evening	82.0	1.00	4.00000	0.00	0.0			0.0
	Night (8h)	8.00	Night	75.3	1.00	8.00000	0.00	0.0			0.0
R96_026	Label	Aspazijas IĀ«dz Dobeles (Pa Lielu ielu)			Action radius/m			99999.00			
	Group	Esosas ielas			Emi. variant			Emission			
	Number of nodes	11						dB(A)			
	Length/ m	415.60			Day (12h)			62.13			
	Length/ m (2D)	415.59			Night (8h)			52.64			
	Area /m²	---			Evening (4h)			59.33			
					Max gradient % (z-coord.)			1.32			
					Driving direction			2 direct./driving on the right			
					Dist.:centreline lane - road /m			0.00			
					Road surface			Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
	Day (12h)	Continuous flow		832.00	34.67	50.00	50.00	64.17			
	Night (8h)	Continuous flow		93.60	3.90	50.00	50.00	54.69			
	Evening (4h)	Continuous flow		436.80	18.20	50.00	50.00	61.38			
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB			
	Lden			0.0	0.0	0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
	Day (12h)	12.00	Day	84.2	1.00	12.00000	0.00	0.0			0.0
	Evening (4h)	4.00	Evening	81.4	1.00	4.00000	0.00	0.0			0.0
	Night (8h)	8.00	Night	74.7	1.00	8.00000	0.00	0.0			0.0
R96_027	Label	Loka maĀEistrāle aiz AviĀcijas ielas			Action radius/m			99999.00			
	Group	Esosas ielas			Emi. variant			Emission			
	Number of nodes	4						dB(A)			
	Length/ m	484.35			Day (12h)			61.74			
	Length/ m (2D)	484.27			Night (8h)			52.25			
	Area /m²	---			Evening (4h)			58.94			
					Max gradient % (z-coord.)			2.29			
					Driving direction			2 direct./driving on the right			
					Dist.:centreline lane - road /m			0.00			
					Road surface			Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
	Day (12h)	Continuous flow		357.93	35.40	70.00	70.00	63.69			
	Night (8h)	Continuous flow		40.27	3.98	70.00	70.00	54.20			
	Evening (4h)	Continuous flow		187.91	18.59	70.00	70.00	60.89			
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB			
	Lden			0.0	0.0	0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
	Day (12h)	12.00	Day	83.7	1.00	12.00000	0.00	0.0			0.0
	Evening (4h)	4.00	Evening	80.9	1.00	4.00000	0.00	0.0			0.0
	Night (8h)	8.00	Night	74.2	1.00	8.00000	0.00	0.0			0.0
R96_028	Label	Loka MaĀEistrāle IĀ«dz BĀrtzu ceļā (50)			Action radius/m			99999.00			
	Group	Esosas ielas			Emi. variant			Emission			
	Number of nodes	16						dB(A)			
	Length/ m	892.60			Day (12h)			56.43			
	Length/ m (2D)	892.59			Night (8h)			46.94			
	Area /m²	---			Evening (4h)			53.63			
					Max gradient % (z-coord.)			0.86			
					Driving direction			2 direct./driving on the right			
					Dist.:centreline lane - road /m			0.00			
					Road surface			Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
	Day (12h)	Continuous flow		224.00	9.33	50.00	50.00	58.48			
	Night (8h)	Continuous flow		25.20	1.05	50.00	50.00	48.99			
	Evening (4h)	Continuous flow		117.60	4.90	50.00	50.00	55.68			

Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
Lden				0.0	0.0	0.0	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	78.5	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	75.7	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	69.0	1.00	8.00000	0.00	0.0
R96_029	Label	BĀrzu IĀdz Kalnciema ceĀm pa Loka maĀistrĀli			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	4					dB(A)	
	Length/ m	112.55			Day (12h)		53.03	
	Length/ m (2D)	112.54			Night (8h)		43.54	
	Area /m²	---			Evening (4h)		50.23	
					Max gradient % (z-coord.)		0.87	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	102.40	4.27	50.00	50.00	55.08	
	Night (8h)	Continuous flow	11.52	0.48	50.00	50.00	45.59	
	Evening (4h)	Continuous flow	53.76	2.24	50.00	50.00	52.28	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
Lden				0.0	0.0	0.0	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	75.1	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	72.3	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	65.6	1.00	8.00000	0.00	0.0
R96_030	Label	Loka MaĀistrĀle IĀdz BĀrzu ceĀm (70)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	5					dB(A)	
	Length/ m	362.41			Day (12h)		58.45	
	Length/ m (2D)	362.41			Night (8h)		48.97	
	Area /m²	---			Evening (4h)		55.66	
					Max gradient % (z-coord.)		-0.97	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	224.00	9.33	70.00	70.00	60.89	
	Night (8h)	Continuous flow	25.20	1.05	70.00	70.00	51.41	
	Evening (4h)	Continuous flow	117.60	4.90	70.00	70.00	58.10	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
Lden				0.0	0.0	0.0	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	80.9	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	78.1	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	71.4	1.00	8.00000	0.00	0.0
R96_031	Label	BĀrzu IĀdz Kalnciema ceĀm pa Loka maĀistrĀli			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	17					dB(A)	
	Length/ m	603.62			Day (12h)		55.05	
	Length/ m (2D)	603.61			Night (8h)		45.57	
	Area /m²	---			Evening (4h)		52.26	
					Max gradient % (z-coord.)		1.57	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	102.40	4.27	70.00	70.00	57.50	
	Night (8h)	Continuous flow	11.52	0.48	70.00	70.00	48.01	
	Evening (4h)	Continuous flow	53.76	2.24	70.00	70.00	54.70	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
Lden				0.0	0.0	0.0	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	77.5	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	74.7	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	68.0	1.00	8.00000	0.00	0.0
R96_032	Label	Loka maĀistrĀle IĀdz AviĀcijas ielai			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	6					dB(A)	
	Length/ m	735.20			Day (12h)		57.61	
	Length/ m (2D)	735.20			Night (8h)		48.12	
	Area /m²	---			Evening (4h)		54.81	
					Max gradient % (z-coord.)		-0.70	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	

Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)		Continuous flow		223.20	16.80	50.00	50.00	59.25	
Night (8h)		Continuous flow		25.11	1.89	50.00	50.00	49.76	
Evening (4h)		Continuous flow		117.18	8.82	50.00	50.00	56.45	
Rating method			Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden			-	0.0	0.0	0.0	-	0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)			12.00	Day	79.2	1.00	12.00000	0.00	0.0
Evening (4h)			4.00	Evening	76.4	1.00	4.00000	0.00	0.0
Night (8h)			8.00	Night	69.8	1.00	8.00000	0.00	0.0
R96_033	Label	RĀ«gas iela posma no Instituta līdz Pernavas			Action radius/m			99999.00	
	Group	Esosas ielas			Emi. variant			Emission	
	Number of nodes	12						dB(A)	
	Length/ m	799.70			Day (12h)			62.45	
	Length/ m (2D)	799.70			Night (8h)			52.96	
	Area /m²	---			Evening (4h)			59.65	
					Max gradient % (z-coord.)			0.05	
					Driving direction			2 direct./driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)		Continuous flow		896.00	37.33	50.00	50.00	64.50	
Night (8h)		Continuous flow		100.80	4.20	50.00	50.00	55.01	
Evening (4h)		Continuous flow		470.40	19.60	50.00	50.00	61.70	
Rating method			Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden			-	0.0	0.0	0.0	-	0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)			12.00	Day	84.5	1.00	12.00000	0.00	0.0
Evening (4h)			4.00	Evening	81.7	1.00	4.00000	0.00	0.0
Night (8h)			8.00	Night	75.0	1.00	8.00000	0.00	0.0
R96_034	Label	RĀ«gas iela posmā no PĀ«rnavas ĪA«dz Lmagistrale			Action radius/m			99999.00	
	Group	Esosas ielas			Emi. variant			Emission	
	Number of nodes	6						dB(A)	
	Length/ m	346.07			Day (12h)			61.78	
	Length/ m (2D)	346.07			Night (8h)			52.29	
	Area /m²	---			Evening (4h)			58.98	
					Max gradient % (z-coord.)			1.54	
					Driving direction			2 direct./driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)		Continuous flow		768.00	32.00	50.00	50.00	63.83	
Night (8h)		Continuous flow		86.40	3.60	50.00	50.00	54.34	
Evening (4h)		Continuous flow		403.20	16.80	50.00	50.00	61.03	
Rating method			Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden			-	0.0	0.0	0.0	-	0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)			12.00	Day	83.8	1.00	12.00000	0.00	0.0
Evening (4h)			4.00	Evening	81.0	1.00	4.00000	0.00	0.0
Night (8h)			8.00	Night	74.3	1.00	8.00000	0.00	0.0
R96_035	Label	RĀ«gas iela posmā no Cukura līdz Kalnciema celam			Action radius/m			99999.00	
	Group	Esosas ielas			Emi. variant			Emission	
	Number of nodes	13						dB(A)	
	Length/ m	376.47			Day (12h)			65.11	
	Length/ m (2D)	376.45			Night (8h)			55.63	
	Area /m²	---			Evening (4h)			62.32	
					Max gradient % (z-coord.)			-3.42	
					Driving direction			2 direct./driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)		Continuous flow		1655.30	68.97	50.00	50.00	67.16	
Night (8h)		Continuous flow		186.22	7.76	50.00	50.00	57.67	
Evening (4h)		Continuous flow		869.03	36.21	50.00	50.00	64.36	
Rating method			Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden			-	0.0	0.0	0.0	-	0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)			12.00	Day	87.2	1.00	12.00000	0.00	0.0
Evening (4h)			4.00	Evening	84.4	1.00	4.00000	0.00	0.0
Night (8h)			8.00	Night	77.7	1.00	8.00000	0.00	0.0
R96_036	Label	Lielā iela uz tilta starp nobrauktuvām			Action radius/m			99999.00	
	Group	Esosas ielas			Emi. variant			Emission	
	Number of nodes	2						dB(A)	
	Length/ m	171.92			Day (12h)			65.03	
	Length/ m (2D)	171.91			Night (8h)			55.54	
	Area /m²	---			Evening (4h)			62.23	
					Max gradient % (z-coord.)			1.16	

				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)	Continuous flow	1623.30	67.64	50.00	50.00	67.08		
Night (8h)	Continuous flow	182.62	7.61	50.00	50.00	57.59		
Evening (4h)	Continuous flow	852.23	35.51	50.00	50.00	64.28		
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden		-	0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	87.1	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	84.3	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	77.6	1.00	8.00000	0.00	0.0
R96_037	Label	Tilts IA«dz Cukura ielai		Action radius/m		99999.00		
	Group	Esosas ielas		Emi. variant		Emission		
	Number of nodes	4				dB(A)		
	Length/ m	107.82		Day (12h)		65.28		
	Length/ m (2D)	107.80		Night (8h)		55.79		
	Area /m²	---		Evening (4h)		62.48		
				Max gradient % (z-coord.)		-2.80		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)	Continuous flow	1719.30	71.64	50.00	50.00	67.33		
Night (8h)	Continuous flow	193.42	8.06	50.00	50.00	57.84		
Evening (4h)	Continuous flow	902.63	37.61	50.00	50.00	64.53		
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden		-	0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	87.3	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	84.5	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	77.8	1.00	8.00000	0.00	0.0
R96_038	Label	Dambja uz Dobeles pusi - provizorsiski		Action radius/m		99999.00		
	Group	Esosas ielas		Emi. variant		Emission		
	Number of nodes	15				dB(A)		
	Length/ m	420.08		Day (12h)		62.45		
	Length/ m (2D)	420.07		Night (8h)		52.96		
	Area /m²	---		Evening (4h)		59.65		
				Max gradient % (z-coord.)		0.94		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)	Continuous flow	896.26	37.34	50.00	50.00	64.50		
Night (8h)	Continuous flow	100.83	4.20	50.00	50.00	55.01		
Evening (4h)	Continuous flow	470.53	19.61	50.00	50.00	61.70		
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden		-	0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	84.5	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	81.7	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	75.0	1.00	8.00000	0.00	0.0
R96_039	Label	No Uzvaras Bulvāra IA«dz Akadēmijas (pa Lielo iel)		Action radius/m		99999.00		
	Group	Esosas ielas		Emi. variant		Emission		
	Number of nodes	5				dB(A)		
	Length/ m	61.92		Day (12h)		64.44		
	Length/ m (2D)	61.92		Night (8h)		54.95		
	Area /m²	---		Evening (4h)		61.64		
				Max gradient % (z-coord.)		0.00		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)	Continuous flow	1417.79	59.07	50.00	50.00	66.49		
Night (8h)	Continuous flow	159.50	6.65	50.00	50.00	57.00		
Evening (4h)	Continuous flow	744.34	31.01	50.00	50.00	63.69		
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden		-	0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	86.5	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	83.7	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	77.0	1.00	8.00000	0.00	0.0
R96_040	Label	1 tilta dala		Action radius/m		99999.00		
	Group	Esosas ielas		Emi. variant		Emission		
	Number of nodes	2				dB(A)		
	Length/ m	48.63		Day (12h)		65.95		
	Length/ m (2D)	48.63		Night (8h)		56.46		
	Area /m²	---		Evening (4h)		63.15		

							Max gradient % (z-coord.)	0.00
							Driving direction	2 direct./driving on the right
							Dist.:centreline lane - road /m	0.00
							Road surface	Asphalt (obsolete)
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	2007.36		83.64	50.00	50.00	68.00	
Night (8h)	Continuous flow	225.83		9.41	50.00	50.00	58.51	
Evening (4h)	Continuous flow	1053.86		43.91	50.00	50.00	65.20	
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden		-	0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	88.0	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	85.2	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	78.5	1.00	8.00000	0.00	0.0
R96_041	Label	2 tilta daĀ/4a		Action radius/m		99999.00		
	Group	Esosas ielas		Emi. variant		Emission		
	Number of nodes	14				dB(A)		
	Length/ m	210.06		Day (12h)		65.28		
	Length/ m (2D)	210.06		Night (8h)		55.79		
	Area /m²	---		Evening (4h)		62.48		
				Max gradient % (z-coord.)		0.00		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	1719.30		71.64	50.00	50.00	67.33	
Night (8h)	Continuous flow	193.42		8.06	50.00	50.00	57.84	
Evening (4h)	Continuous flow	902.63		37.61	50.00	50.00	64.53	
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden		-	0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	87.3	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	84.5	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	77.8	1.00	8.00000	0.00	0.0
R96_042	Label	LĀdz tiltam no Ārakstes		Action radius/m		99999.00		
	Group	Esosas ielas		Emi. variant		Emission		
	Number of nodes	2				dB(A)		
	Length/ m	9.90		Day (12h)		65.95		
	Length/ m (2D)	9.90		Night (8h)		56.46		
	Area /m²	---		Evening (4h)		63.15		
				Max gradient % (z-coord.)		2.06		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	2007.34		83.64	50.00	50.00	68.00	
Night (8h)	Continuous flow	225.83		9.41	50.00	50.00	58.51	
Evening (4h)	Continuous flow	1053.85		43.91	50.00	50.00	65.20	
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden		-	0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	88.0	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	85.2	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	78.5	1.00	8.00000	0.00	0.0
R96_043	Label	No tilta 1 daĀ/4as lĀdz lĀdz Pasta sala (no centr		Action radius/m		99999.00		
	Group	Esosas ielas		Emi. variant		Emission		
	Number of nodes	2				dB(A)		
	Length/ m	44.83		Day (12h)		65.95		
	Length/ m (2D)	44.83		Night (8h)		56.46		
	Area /m²	---		Evening (4h)		63.15		
				Max gradient % (z-coord.)		0.00		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	2007.34		83.64	50.00	50.00	68.00	
Night (8h)	Continuous flow	225.83		9.41	50.00	50.00	58.51	
Evening (4h)	Continuous flow	1053.85		43.91	50.00	50.00	65.20	
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden		-	0.0	0.0	0.0	0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)		12.00	Day	88.0	1.00	12.00000	0.00	0.0
Evening (4h)		4.00	Evening	85.2	1.00	4.00000	0.00	0.0
Night (8h)		8.00	Night	78.5	1.00	8.00000	0.00	0.0
R96_044	Label	Satiksmes iela 4		Action radius/m		99999.00		
	Group	Pievienotas ielas		Emi. variant		Emission		
	Number of nodes	13				dB(A)		
	Length/ m	528.23		Day (12h)		60.47		
	Length/ m (2D)	528.23		Night (8h)		50.98		

	Area /m²	---		Evening (4h)			57.67
				Max gradient % (z-coord.)			0.23
				Driving direction			2 direct./driving on the right
				Dist.:centreline lane - road /m			0.00
				Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	326.47	18.33	50.00	50.00	60.47
	Night (8h)	Continuous flow	36.73	2.06	50.00	50.00	50.98
	Evening (4h)	Continuous flow	171.40	9.63	50.00	50.00	57.67
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	80.5	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	77.7	1.00	4.00000	0.0
	Night (8h)	8.00	Night	71.0	1.00	8.00000	0.0
R96_045	Label	Satiksmes iela aiz Meiju ceļa 20%		Action radius/m			99999.00
	Group	Pievienotas ielas		Emi. variant			Emission
	Number of nodes	10					dB(A)
	Length/ m	463.48		Day (12h)			53.48
	Length/ m (2D)	463.48		Night (8h)			43.98
	Area /m²	---		Evening (4h)			50.68
				Max gradient % (z-coord.)			-0.86
				Driving direction			2 direct./driving on the right
				Dist.:centreline lane - road /m			0.00
				Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	65.29	3.67	50.00	50.00	53.48
	Night (8h)	Continuous flow	7.35	0.41	50.00	50.00	43.98
	Evening (4h)	Continuous flow	34.28	1.93	50.00	50.00	50.68
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	73.5	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	70.7	1.00	4.00000	0.0
	Night (8h)	8.00	Night	64.0	1.00	8.00000	0.0
R96_046	Label	Meiju ceļš 70%		Action radius/m			99999.00
	Group	Pievienotas ielas		Emi. variant			Emission
	Number of nodes	48					dB(A)
	Length/ m	890.37		Day (12h)			58.92
	Length/ m (2D)	890.34		Night (8h)			49.43
	Area /m²	---		Evening (4h)			56.12
				Max gradient % (z-coord.)			-1.97
				Driving direction			2 direct./driving on the right
				Dist.:centreline lane - road /m			0.00
				Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	228.53	12.83	50.00	50.00	58.92
	Night (8h)	Continuous flow	25.71	1.44	50.00	50.00	49.43
	Evening (4h)	Continuous flow	119.98	6.74	50.00	50.00	56.12
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	78.9	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	76.1	1.00	4.00000	0.0
	Night (8h)	8.00	Night	69.4	1.00	8.00000	0.0
R96_047	Label	Satiksmes iela 1		Action radius/m			99999.00
	Group	Pievienotas ielas		Emi. variant			Emission
	Number of nodes	8					dB(A)
	Length/ m	270.38		Day (12h)			60.47
	Length/ m (2D)	270.37		Night (8h)			50.98
	Area /m²	---		Evening (4h)			57.67
				Max gradient % (z-coord.)			-4.22
				Driving direction			2 direct./driving on the right
				Dist.:centreline lane - road /m			0.00
				Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	326.47	18.33	50.00	50.00	60.47
	Night (8h)	Continuous flow	36.73	2.06	50.00	50.00	50.98
	Evening (4h)	Continuous flow	171.40	9.63	50.00	50.00	57.67
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	80.5	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	77.7	1.00	4.00000	0.0
	Night (8h)	8.00	Night	71.0	1.00	8.00000	0.0
R96_048	Label	Satiksmes iela 2		Action radius/m			99999.00
	Group	Pievienotas ielas		Emi. variant			Emission
	Number of nodes	15					dB(A)
	Length/ m	237.35		Day (12h)			59.35
	Length/ m (2D)	237.35		Night (8h)			49.86

Area /m²		---		Evening (4h)		56.56	
				Max gradient % (z-coord.)		0.75	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		0.00	
				Road surface		Asphalt (obsolete)	
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	326.47	18.33	30.00	30.00	59.35	
Night (8h)	Continuous flow	36.73	2.06	30.00	30.00	49.86	
Evening (4h)	Continuous flow	171.40	9.63	30.00	30.00	56.56	
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
Lden		-	0.0	0.0	0.0	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
Day (12h)		12.00	Day	79.4	1.00	12.00000	0.00
Evening (4h)		4.00	Evening	76.6	1.00	4.00000	0.00
Night (8h)		8.00	Night	69.9	1.00	8.00000	0.00
R96_049 Label		Satiksmes iela 3		Action radius/m		99999.00	
Group		Pievienotas ielas		Emi. variant		Emission	
Number of nodes		6				dB(A)	
Length/ m		40.07		Day (12h)		59.35	
Length/ m (2D)		40.07		Night (8h)		49.86	
Area /m²		---		Evening (4h)		56.56	
				Max gradient % (z-coord.)		-1.04	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		0.00	
				Road surface		Asphalt (obsolete)	
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	326.47	18.33	30.00	30.00	59.35	
Night (8h)	Continuous flow	36.73	2.06	30.00	30.00	49.86	
Evening (4h)	Continuous flow	171.40	9.63	30.00	30.00	56.56	
Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
Lden		-	0.0	0.0	0.0	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
Day (12h)		12.00	Day	79.4	1.00	12.00000	0.00
Evening (4h)		4.00	Evening	76.6	1.00	4.00000	0.00
Night (8h)		8.00	Night	69.9	1.00	8.00000	0.00

Gradients and gradient correction DStg for roads

Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Dstg /dB	Dstg /dB	Dstg /dB	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening (4h)	
R96_001	No Ārakstes IĀ«dz AkadĀmijas (pa Lielo)	1	0.00	14.27	-3.47	-3.47	0.00	0.00	0.00	Max.
		2	14.27	17.79	-1.69	-1.69	0.00	0.00	0.00	
		3	32.06	59.98	0.00	0.00	0.00	0.00	0.00	
R96_002	No Pasta IĀ«dz MĀķera (pa Lielo ielu)	1	0.00	25.83	-0.36	-0.36	0.00	0.00	0.00	
		2	25.83	4.32	-0.95	-0.95	0.00	0.00	0.00	
		3	30.14	11.30	-0.51	-0.51	0.00	0.00	0.00	
		4	41.45	120.96	-0.69	-0.69	0.00	0.00	0.00	
		5	162.41	2.13	-1.01	-1.01	0.00	0.00	0.00	
		6	164.53	2.01	-1.01	-1.01	0.00	0.00	0.00	Max.
R96_003	No Atmodas līdz Aspazijas (Lielo iela)	1	0.00	65.31	-0.69	-0.69	0.00	0.00	0.00	
		2	65.31	116.96	0.10	0.10	0.00	0.00	0.00	
		3	182.27	49.35	-1.27	-1.27	0.00	0.00	0.00	Max.
		4	231.62	27.13	0.10	0.10	0.00	0.00	0.00	
		5	258.75	75.82	0.20	0.20	0.00	0.00	0.00	
		6	334.57	29.29	0.06	0.06	0.00	0.00	0.00	
R96_004	Dobeles Ārīseja	1	0.00	1.91	0.06	0.06	0.00	0.00	0.00	
		2	1.91	91.23	-0.26	-0.26	0.00	0.00	0.00	Max.
		3	93.14	54.59	0.00	0.00	0.00	0.00	0.00	
		4	147.73	5.25	0.00	0.00	0.00	0.00	0.00	
		5	152.97	55.31	0.00	0.00	0.00	0.00	0.00	
		6	208.28	166.56	0.00	0.00	0.00	0.00	0.00	
		7	374.84	24.81	0.00	0.00	0.00	0.00	0.00	
		8	399.65	119.16	0.00	0.00	0.00	0.00	0.00	
		9	518.81	188.99	0.00	0.00	0.00	0.00	0.00	
		10	707.80	24.96	0.00	0.00	0.00	0.00	0.00	
		11	732.76	31.80	0.00	0.00	0.00	0.00	0.00	
R96_005	AkadĀmijas IĀ«dz RaiĀļa ielai	1	0.00	121.70	-0.57	-0.57	0.00	0.00	0.00	
		2	121.70	40.84	-0.56	-0.56	0.00	0.00	0.00	
		3	162.53	41.23	1.53	1.53	0.00	0.00	0.00	Max.

		4	203.76	85.03	0.33	0.33	0.00	0.00	0.00	
		5	288.79	20.63	0.00	0.00	0.00	0.00	0.00	
		6	309.42	1.94	0.00	0.00	0.00	0.00	0.00	
		7	311.35	10.79	0.00	0.00	0.00	0.00	0.00	
		8	322.14	34.74	-0.43	-0.43	0.00	0.00	0.00	
		9	356.88	64.08	-1.33	-1.33	0.00	0.00	0.00	
R96_006	No Dobeles IĀ«dz Lielajai (Pa pasta ielu)	1	0.00	3.08	-0.88	-0.88	0.00	0.00	0.00	Max.
		2	3.08	69.14	-0.87	-0.87	0.00	0.00	0.00	
		3	72.22	64.25	-0.06	-0.06	0.00	0.00	0.00	
		4	136.47	41.78	-0.49	-0.49	0.00	0.00	0.00	
		5	178.26	68.06	-0.08	-0.08	0.00	0.00	0.00	
		6	246.32	63.56	0.00	0.00	0.00	0.00	0.00	
		7	309.88	10.09	0.00	0.00	0.00	0.00	0.00	
		8	319.96	2.17	0.00	0.00	0.00	0.00	0.00	
R96_007	MĀ«tera IĀ«dz RaiĀ«ta ielai	1	0.00	32.83	0.45	0.45	0.00	0.00	0.00	Max.
		2	32.83	54.95	-0.04	-0.04	0.00	0.00	0.00	
		3	87.78	32.41	-0.10	-0.10	0.00	0.00	0.00	
		4	120.19	35.41	-0.08	-0.08	0.00	0.00	0.00	
		5	155.60	46.02	0.07	0.07	0.00	0.00	0.00	
		6	201.63	9.28	0.36	0.36	0.00	0.00	0.00	
		7	210.91	143.43	0.01	0.01	0.00	0.00	0.00	
R96_008	Kalpaka IĀ«dz raiĀ«ta	1	0.00	65.50	0.00	0.00	0.00	0.00	0.00	
		2	65.50	86.47	0.00	0.00	0.00	0.00	0.00	
		3	151.98	35.35	0.00	0.00	0.00	0.00	0.00	
		4	187.32	21.47	0.00	0.00	0.00	0.00	0.00	
		5	208.79	16.71	0.00	0.00	0.00	0.00	0.00	
		6	225.51	10.54	0.00	0.00	0.00	0.00	0.00	
		7	236.05	9.29	0.00	0.00	0.00	0.00	0.00	
		8	245.34	18.93	-0.66	-0.66	0.00	0.00	0.00	
		9	264.27	48.87	-1.55	-1.55	0.00	0.00	0.00	Max.
		10	313.15	26.90	-0.44	-0.44	0.00	0.00	0.00	
R96_009	KatoĀ«u IĀ«dz RaiĀ«ta ielai	1	0.00	41.57	-0.75	-0.75	0.00	0.00	0.00	Max.
		2	41.57	47.43	0.00	0.00	0.00	0.00	0.00	
		3	89.00	56.20	0.00	0.00	0.00	0.00	0.00	
		4	145.20	18.98	0.00	0.00	0.00	0.00	0.00	
		5	164.18	51.23	0.00	0.00	0.00	0.00	0.00	
		6	215.41	75.19	0.00	0.00	0.00	0.00	0.00	
		7	290.60	59.45	0.00	0.00	0.00	0.00	0.00	
		8	350.05	24.52	0.00	0.00	0.00	0.00	0.00	
		9	374.56	10.08	0.00	0.00	0.00	0.00	0.00	
R96_010	Pasta iela IĀ«dz RaiĀ«ta ielai	1	0.00	47.62	-0.44	-0.44	0.00	0.00	0.00	
		2	47.62	29.13	-1.06	-1.06	0.00	0.00	0.00	
		3	76.75	14.49	-1.05	-1.05	0.00	0.00	0.00	
		4	91.24	23.49	-1.06	-1.06	0.00	0.00	0.00	Max.
		5	114.73	49.27	-0.12	-0.12	0.00	0.00	0.00	
		6	164.01	55.29	0.10	0.10	0.00	0.00	0.00	
		7	219.30	0.15	0.00	0.00	0.00	0.00	0.00	
		8	219.45	38.63	0.00	0.00	0.00	0.00	0.00	
		9	258.08	20.04	0.00	0.00	0.00	0.00	0.00	
		10	278.12	71.23	0.00	0.00	0.00	0.00	0.00	
		11	349.35	9.64	0.00	0.00	0.00	0.00	0.00	
R96_011	JĀ«Ā«ta Ā«akstes bulvĀ«ris	1	0.00	19.12	-1.08	-1.08	0.00	0.00	0.00	
		2	19.12	3.47	-1.84	-1.84	0.00	0.00	0.00	
		3	22.59	27.57	-0.78	-0.78	0.00	0.00	0.00	
		4	50.16	84.23	0.05	0.05	0.00	0.00	0.00	
		5	134.38	12.98	0.30	0.30	0.00	0.00	0.00	
		6	147.36	93.22	0.06	0.06	0.00	0.00	0.00	
		7	240.59	94.55	0.39	0.39	0.00	0.00	0.00	
		8	335.13	86.56	2.00	2.00	3.50	3.50	3.50	Max.

		9	421.69	15.54	0.27	0.27	0.00	0.00	0.00	
R96_012	RĀ«gas iela IĀ«dz Loka magistralei	1	0.00	1088.95	0.00	0.00	0.00	0.00	0.00	
		2	1088.95	232.32	0.00	0.00	0.00	0.00	0.00	
		3	1321.27	420.60	-0.24	-0.24	0.00	0.00	0.00	Max.
R96_013	Kalnciema ceĀ¼Ā IĀ«dz Loka maĀCietrĀ«lei	1	0.00	45.34	0.00	0.00	0.00	0.00	0.00	Max.
		2	45.34	128.25	0.00	0.00	0.00	0.00	0.00	
		3	173.59	11.00	0.00	0.00	0.00	0.00	0.00	
		4	184.59	3.11	0.00	0.00	0.00	0.00	0.00	
		5	187.70	47.08	0.00	0.00	0.00	0.00	0.00	
		6	234.78	41.56	0.00	0.00	0.00	0.00	0.00	
		7	276.34	42.39	0.00	0.00	0.00	0.00	0.00	
		8	318.73	21.49	0.00	0.00	0.00	0.00	0.00	
		9	340.22	83.77	0.00	0.00	0.00	0.00	0.00	
		10	423.99	30.22	0.00	0.00	0.00	0.00	0.00	
		11	454.21	79.38	0.00	0.00	0.00	0.00	0.00	
		12	533.59	68.96	0.00	0.00	0.00	0.00	0.00	
		13	602.55	62.13	0.00	0.00	0.00	0.00	0.00	
		14	664.68	58.22	0.00	0.00	0.00	0.00	0.00	
		15	722.90	56.42	0.00	0.00	0.00	0.00	0.00	
		16	779.32	79.00	0.00	0.00	0.00	0.00	0.00	
		17	858.32	1.66	0.00	0.00	0.00	0.00	0.00	
		18	859.98	133.72	0.00	0.00	0.00	0.00	0.00	
		19	993.71	10.51	0.00	0.00	0.00	0.00	0.00	
R96_014	Kalnciema ceĀ¼Ā IĀ«dz RĀ«gas ielai	1	0.00	86.64	0.00	0.00	0.00	0.00	0.00	
		2	86.64	55.31	0.00	0.00	0.00	0.00	0.00	
		3	141.94	83.89	0.00	0.00	0.00	0.00	0.00	
		4	225.83	44.33	0.00	0.00	0.00	0.00	0.00	
		5	270.17	255.91	0.17	0.17	0.00	0.00	0.00	
		6	526.08	29.94	-1.46	-1.46	0.00	0.00	0.00	Max.
		7	556.01	115.17	0.00	0.00	0.00	0.00	0.00	
		8	671.18	16.33	0.00	0.00	0.00	0.00	0.00	
		9	687.51	19.56	0.00	0.00	0.00	0.00	0.00	
		10	707.07	25.35	0.00	0.00	0.00	0.00	0.00	
		11	732.42	3.87	0.00	0.00	0.00	0.00	0.00	
		12	736.30	33.92	0.00	0.00	0.00	0.00	0.00	
		13	770.22	39.81	0.00	0.00	0.00	0.00	0.00	
		14	810.03	1.79	0.00	0.00	0.00	0.00	0.00	
		15	811.83	0.05	0.00	0.00	0.00	0.00	0.00	
		16	811.88	65.22	0.00	0.00	0.00	0.00	0.00	
		17	877.09	81.34	0.00	0.00	0.00	0.00	0.00	
		18	958.44	28.38	0.00	0.00	0.00	0.00	0.00	
		19	986.82	103.83	0.00	0.00	0.00	0.00	0.00	
		20	1090.65	105.15	0.00	0.00	0.00	0.00	0.00	
		21	1195.80	5.96	0.00	0.00	0.00	0.00	0.00	
		22	1201.76	26.20	0.00	0.00	0.00	0.00	0.00	
		23	1227.96	31.81	0.00	0.00	0.00	0.00	0.00	
		24	1259.77	17.36	0.00	0.00	0.00	0.00	0.00	
		25	1277.13	28.99	0.00	0.00	0.00	0.00	0.00	
		26	1306.12	28.51	0.00	0.00	0.00	0.00	0.00	
		27	1334.63	21.25	0.00	0.00	0.00	0.00	0.00	
		28	1355.89	33.95	0.00	0.00	0.00	0.00	0.00	
		29	1389.83	69.28	0.00	0.00	0.00	0.00	0.00	
		30	1459.12	26.64	0.00	0.00	0.00	0.00	0.00	
		31	1485.75	10.72	0.00	0.00	0.00	0.00	0.00	
R96_015	Garozas iela	1	0.00	38.65	-1.52	-1.52	0.00	0.00	0.00	
		2	38.65	6.11	-1.34	-1.34	0.00	0.00	0.00	
		3	44.75	2.27	-0.31	-0.31	0.00	0.00	0.00	
		4	47.03	2.02	0.26	0.26	0.00	0.00	0.00	
		5	49.05	44.31	-0.01	-0.01	0.00	0.00	0.00	

		6	93.36	47.78	-0.30	-0.30	0.00	0.00	0.00	
		7	141.14	23.88	-5.88	-5.88	0.00	0.00	0.00	
		8	165.02	19.09	7.15	7.15	2.74	2.74	2.74	Max.
		9	184.11	16.77	1.16	1.16	0.00	0.00	0.00	
		10	200.88	39.55	1.15	1.15	0.00	0.00	0.00	
		11	240.43	61.70	0.34	0.34	0.00	0.00	0.00	
		12	302.13	99.02	0.82	0.82	0.00	0.00	0.00	
		13	401.15	40.99	0.45	0.45	0.00	0.00	0.00	
		14	442.14	44.18	0.00	0.00	0.00	0.00	0.00	
		15	486.32	28.51	0.00	0.00	0.00	0.00	0.00	
		16	514.83	90.72	0.00	0.00	0.00	0.00	0.00	
		17	605.55	39.57	0.00	0.00	0.00	0.00	0.00	
		18	645.12	55.55	0.00	0.00	0.00	0.00	0.00	
		19	700.67	65.29	0.00	0.00	0.00	0.00	0.00	
		20	765.96	76.00	0.00	0.00	0.00	0.00	0.00	
		21	841.97	21.02	0.00	0.00	0.00	0.00	0.00	
R96_016	RĀ«gas iela IĀ«dz InstiĀ«ta ielai	1	0.00	16.09	0.00	0.00	0.00	0.00	0.00	
		2	16.09	15.08	0.00	0.00	0.00	0.00	0.00	
		3	31.17	13.24	0.00	0.00	0.00	0.00	0.00	
		4	44.41	4.94	0.00	0.00	0.00	0.00	0.00	
		5	49.35	23.62	0.00	0.00	0.00	0.00	0.00	
		6	72.97	37.21	0.00	0.00	0.00	0.00	0.00	
		7	110.18	54.34	0.00	0.00	0.00	0.00	0.00	
		8	164.52	94.41	-1.06	-1.06	0.00	0.00	0.00	Max.
		9	258.94	13.84	0.00	0.00	0.00	0.00	0.00	
		10	272.78	6.81	0.00	0.00	0.00	0.00	0.00	
		11	279.59	1.27	0.00	0.00	0.00	0.00	0.00	
		12	280.85	66.40	0.00	0.00	0.00	0.00	0.00	
		13	347.25	138.02	0.00	0.00	0.00	0.00	0.00	
		14	485.28	8.44	0.00	0.00	0.00	0.00	0.00	
		15	493.72	2.30	0.00	0.00	0.00	0.00	0.00	
		16	496.02	70.91	0.00	0.00	0.00	0.00	0.00	
		17	566.93	85.01	0.00	0.00	0.00	0.00	0.00	
		18	651.94	14.24	0.00	0.00	0.00	0.00	0.00	
		19	666.18	1.12	0.00	0.00	0.00	0.00	0.00	
R96_017	No LielĀ«s uz Dambja	1	0.00	93.69	0.46	0.46	0.00	0.00	0.00	
		2	93.69	74.86	-0.87	-0.87	0.00	0.00	0.00	
		3	168.55	79.57	0.64	0.64	0.00	0.00	0.00	
		4	248.12	75.73	-0.14	-0.14	0.00	0.00	0.00	
		5	323.85	7.18	-2.92	-2.92	0.00	0.00	0.00	Max.
		6	331.03	22.98	-0.94	-0.94	0.00	0.00	0.00	
		7	354.01	5.13	0.00	0.00	0.00	0.00	0.00	
		8	359.14	35.15	0.00	0.00	0.00	0.00	0.00	
		9	394.29	21.59	0.00	0.00	0.00	0.00	0.00	
		10	415.88	49.85	0.86	0.86	0.00	0.00	0.00	
R96_018	Uzvaras iela (nogrieĀ«oties no LielĀ«s)	1	0.00	7.70	0.00	0.00	0.00	0.00	0.00	Max.
		2	7.70	62.91	0.00	0.00	0.00	0.00	0.00	
		3	70.61	40.63	0.00	0.00	0.00	0.00	0.00	
		4	111.24	43.47	0.00	0.00	0.00	0.00	0.00	
		5	154.70	0.11	0.00	0.00	0.00	0.00	0.00	
		6	154.82	20.79	0.00	0.00	0.00	0.00	0.00	
		7	175.61	24.50	0.00	0.00	0.00	0.00	0.00	
		8	200.11	38.69	0.00	0.00	0.00	0.00	0.00	
		9	238.80	28.27	0.00	0.00	0.00	0.00	0.00	
		10	267.08	12.06	0.00	0.00	0.00	0.00	0.00	
		11	279.14	13.48	0.00	0.00	0.00	0.00	0.00	
		12	292.62	12.04	0.00	0.00	0.00	0.00	0.00	
		13	304.66	32.87	0.00	0.00	0.00	0.00	0.00	
		14	337.53	22.47	0.00	0.00	0.00	0.00	0.00	

		15	360.00	19.59	0.00	0.00	0.00	0.00	0.00	
		16	379.59	2.48	0.00	0.00	0.00	0.00	0.00	
		17	382.07	29.91	0.00	0.00	0.00	0.00	0.00	
R96_019	Atmodas iela	1	0.00	24.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	24.03	24.06	0.00	0.00	0.00	0.00	0.00	
		3	48.08	28.69	0.00	0.00	0.00	0.00	0.00	
		4	76.78	34.15	0.00	0.00	0.00	0.00	0.00	
		5	110.93	23.36	0.00	0.00	0.00	0.00	0.00	
		6	134.28	20.61	0.00	0.00	0.00	0.00	0.00	
		7	154.89	40.48	0.00	0.00	0.00	0.00	0.00	
		8	195.37	82.23	0.00	0.00	0.00	0.00	0.00	
		9	277.60	25.64	0.00	0.00	0.00	0.00	0.00	
R96_020	Atmodas iela	1	0.00	56.57	0.00	0.00	0.00	0.00	0.00	
		2	56.57	5.18	0.00	0.00	0.00	0.00	0.00	
		3	61.74	28.81	0.00	0.00	0.00	0.00	0.00	
		4	90.56	24.14	0.00	0.00	0.00	0.00	0.00	
		5	114.70	28.08	0.84	0.84	0.00	0.00	0.00	Max.
R96_021	Akadēmijas Iādz Katoļu (pa Lielo)	1	0.00	177.94	0.13	0.13	0.00	0.00	0.00	
		2	177.94	0.92	0.66	0.66	0.00	0.00	0.00	Max.
		3	178.86	7.21	0.63	0.63	0.00	0.00	0.00	
		4	186.07	3.23	0.63	0.63	0.00	0.00	0.00	
R96_022	No Katoļu Iādz Pasta ielai (pa Lielo)	1	0.00	147.28	0.41	0.41	0.00	0.00	0.00	Max.
R96_023	Mātera Iādz Pātera (pa Lielo ielu)	1	0.00	48.51	0.55	0.55	0.00	0.00	0.00	
		2	48.51	6.23	1.28	1.28	0.00	0.00	0.00	Max.
		3	54.74	4.57	1.04	1.04	0.00	0.00	0.00	
		4	59.31	18.49	-0.22	-0.22	0.00	0.00	0.00	
		5	77.80	9.52	-0.84	-0.84	0.00	0.00	0.00	
		6	87.32	54.29	-0.23	-0.23	0.00	0.00	0.00	
		7	141.61	31.56	0.00	0.00	0.00	0.00	0.00	
		8	173.18	1.85	0.00	0.00	0.00	0.00	0.00	
		9	175.03	4.17	0.00	0.00	0.00	0.00	0.00	
		10	179.20	1.58	0.00	0.00	0.00	0.00	0.00	
		11	180.78	0.82	0.00	0.00	0.00	0.00	0.00	
		12	181.60	1.61	0.00	0.00	0.00	0.00	0.00	
		13	183.21	0.93	0.00	0.00	0.00	0.00	0.00	
		14	184.14	0.92	0.00	0.00	0.00	0.00	0.00	
		15	185.06	2.88	0.00	0.00	0.00	0.00	0.00	
R96_024	Pātera Iādz Kalpaka (pa Lielo ielu)	1	0.00	33.95	0.00	0.00	0.00	0.00	0.00	Max.
		2	33.95	10.81	0.00	0.00	0.00	0.00	0.00	
		3	44.76	16.13	0.00	0.00	0.00	0.00	0.00	
		4	60.89	72.87	0.00	0.00	0.00	0.00	0.00	
		5	133.75	23.72	0.00	0.00	0.00	0.00	0.00	
		6	157.47	10.68	0.00	0.00	0.00	0.00	0.00	
		7	168.15	51.12	0.00	0.00	0.00	0.00	0.00	
		8	219.27	15.05	0.00	0.00	0.00	0.00	0.00	
R96_025	Kalpaka Iādz Dambja (pa Lielo)	1	0.00	14.95	0.00	0.00	0.00	0.00	0.00	
		2	14.95	30.31	0.00	0.00	0.00	0.00	0.00	
		3	45.26	24.13	0.00	0.00	0.00	0.00	0.00	
		4	69.39	18.21	0.00	0.00	0.00	0.00	0.00	
		5	87.60	37.72	-0.20	-0.20	0.00	0.00	0.00	
		6	125.32	47.27	-0.88	-0.88	0.00	0.00	0.00	Max.
		7	172.60	15.33	-0.33	-0.33	0.00	0.00	0.00	
		8	187.93	15.41	-0.22	-0.22	0.00	0.00	0.00	
		9	203.34	7.79	0.08	0.08	0.00	0.00	0.00	
R96_026	Aspazijas Iādz Dobeles (Pa Lielo ielu)	1	0.00	2.27	0.00	0.00	0.00	0.00	0.00	
		2	2.27	4.72	-0.59	-0.59	0.00	0.00	0.00	
		3	6.99	34.96	-0.84	-0.84	0.00	0.00	0.00	
		4	41.95	23.12	0.50	0.50	0.00	0.00	0.00	
		5	65.07	15.65	1.32	1.32	0.00	0.00	0.00	Max.

		6	80.72	11.94	0.00	0.00	0.00	0.00	0.00	
		7	92.66	54.11	-0.42	-0.42	0.00	0.00	0.00	
		8	146.77	78.51	-0.74	-0.74	0.00	0.00	0.00	
		9	225.29	151.52	0.27	0.27	0.00	0.00	0.00	
		10	376.80	38.79	1.04	1.04	0.00	0.00	0.00	
R96_027	Loka maĀEistrāle aiz Aviācijas ielas	1	0.00	91.83	1.75	1.75	0.00	0.00	0.00	
		2	91.83	118.70	2.29	2.29	0.71	0.71	0.71	Max.
		3	210.54	273.73	1.56	1.56	0.00	0.00	0.00	
R96_028	Loka MaĀEistrāle IĀdz BĀrzu ceĀĶā (60)	1	0.00	27.16	0.00	0.00	0.00	0.00	0.00	
		2	27.16	34.65	0.00	0.00	0.00	0.00	0.00	
		3	61.81	64.82	0.33	0.33	0.00	0.00	0.00	
		4	126.63	157.73	0.08	0.08	0.00	0.00	0.00	
		5	284.36	75.89	0.86	0.86	0.00	0.00	0.00	Max.
		6	360.25	110.60	0.00	0.00	0.00	0.00	0.00	
		7	470.85	51.23	0.00	0.00	0.00	0.00	0.00	
		8	522.07	38.97	0.00	0.00	0.00	0.00	0.00	
		9	561.05	59.54	0.00	0.00	0.00	0.00	0.00	
		10	620.59	65.62	0.00	0.00	0.00	0.00	0.00	
		11	686.21	56.31	-0.17	-0.17	0.00	0.00	0.00	
		12	742.52	31.44	0.30	0.30	0.00	0.00	0.00	
		13	773.96	51.37	0.00	0.00	0.00	0.00	0.00	
		14	825.33	54.17	0.00	0.00	0.00	0.00	0.00	
		15	879.50	13.10	0.00	0.00	0.00	0.00	0.00	
R96_029	BĀrzu IĀdz Kalnciema ceĀĶam pa Loka maĀEistrāli	1	0.00	17.57	-0.56	-0.56	0.00	0.00	0.00	
		2	17.57	58.07	0.87	0.87	0.00	0.00	0.00	Max.
		3	75.64	36.91	0.00	0.00	0.00	0.00	0.00	
R96_030	Loka MaĀEistrāle IĀdz BĀrzu ceĀĶā (70)	1	0.00	59.10	-0.97	-0.97	0.00	0.00	0.00	Max.
		2	59.10	200.15	-0.21	-0.21	0.00	0.00	0.00	
		3	259.25	87.27	0.00	0.00	0.00	0.00	0.00	
		4	346.52	15.88	0.00	0.00	0.00	0.00	0.00	
R96_031	BĀrzu IĀdz Kalnciema ceĀĶam pa Loka maĀEistrāli	1	0.00	40.21	1.57	1.57	0.00	0.00	0.00	Max.
		2	40.21	29.03	0.36	0.36	0.00	0.00	0.00	
		3	69.24	97.18	0.27	0.27	0.00	0.00	0.00	
		4	166.42	90.27	-0.51	-0.51	0.00	0.00	0.00	
		5	256.69	2.67	0.13	0.13	0.00	0.00	0.00	
		6	259.36	59.92	0.37	0.37	0.00	0.00	0.00	
		7	319.28	66.54	-0.31	-0.31	0.00	0.00	0.00	
		8	385.82	2.50	-0.76	-0.76	0.00	0.00	0.00	
		9	388.32	27.97	-0.76	-0.76	0.00	0.00	0.00	
		10	416.29	9.65	-0.76	-0.76	0.00	0.00	0.00	
		11	425.94	20.50	-0.76	-0.76	0.00	0.00	0.00	
		12	446.43	20.94	-0.45	-0.45	0.00	0.00	0.00	
		13	467.37	43.25	0.00	0.00	0.00	0.00	0.00	
		14	510.62	64.02	-0.40	-0.40	0.00	0.00	0.00	
		15	574.64	0.11	0.00	0.00	0.00	0.00	0.00	
		16	574.74	28.86	-0.54	-0.54	0.00	0.00	0.00	
R96_032	Loka maĀEistrāle IĀdz Aviācijas ielas	1	0.00	56.03	-0.70	-0.70	0.00	0.00	0.00	Max.
		2	56.03	21.62	0.00	0.00	0.00	0.00	0.00	
		3	77.64	445.17	-0.22	-0.22	0.00	0.00	0.00	
		4	522.81	88.65	-0.01	-0.01	0.00	0.00	0.00	
		5	611.46	123.74	0.00	0.00	0.00	0.00	0.00	
R96_033	RĀgās iela posma no Instituta līdz Pirmajam	1	0.00	18.34	0.00	0.00	0.00	0.00	0.00	
		2	18.34	18.04	0.00	0.00	0.00	0.00	0.00	
		3	36.38	11.18	0.00	0.00	0.00	0.00	0.00	
		4	47.56	4.91	0.00	0.00	0.00	0.00	0.00	
		5	52.47	6.08	0.00	0.00	0.00	0.00	0.00	
		6	58.55	6.05	0.00	0.00	0.00	0.00	0.00	
		7	64.60	0.36	0.00	0.00	0.00	0.00	0.00	
		8	64.96	0.46	0.00	0.00	0.00	0.00	0.00	

		9	65.42	316.28	0.00	0.00	0.00	0.00	0.00	
		10	381.70	102.30	0.00	0.00	0.00	0.00	0.00	
		11	483.99	315.71	0.05	0.05	0.00	0.00	0.00	Max.
R96_034	Rāgas iela posmā no Pārnavas Izdaļi, puscieta	1	0.00	67.86	0.00	0.00	0.00	0.00	0.00	
		2	67.86	64.96	1.54	1.54	0.00	0.00	0.00	Max.
		3	132.82	64.02	-0.36	-0.36	0.00	0.00	0.00	
		4	196.84	85.30	0.27	0.27	0.00	0.00	0.00	
		5	282.14	63.93	0.23	0.23	0.00	0.00	0.00	
R96_035	Rāgas iela posmā no Cukura līdz Koleģiema ceļam	1	0.00	21.56	-3.42	-3.42	0.00	0.00	0.00	Max.
		2	21.56	30.24	-0.87	-0.87	0.00	0.00	0.00	
		3	51.80	34.84	-0.68	-0.68	0.00	0.00	0.00	
		4	86.64	4.28	-2.40	-2.40	0.00	0.00	0.00	
		5	90.92	37.58	-1.76	-1.76	0.00	0.00	0.00	
		6	128.50	16.63	0.00	0.00	0.00	0.00	0.00	
		7	145.13	46.65	0.00	0.00	0.00	0.00	0.00	
		8	191.77	65.22	0.00	0.00	0.00	0.00	0.00	
		9	257.00	40.30	0.00	0.00	0.00	0.00	0.00	
		10	297.30	21.80	0.00	0.00	0.00	0.00	0.00	
		11	319.10	31.43	0.00	0.00	0.00	0.00	0.00	
		12	350.52	25.93	0.00	0.00	0.00	0.00	0.00	
R96_036	Lielā iela uz tilta starp nobrauktuvām	1	0.00	171.91	1.16	1.16	0.00	0.00	0.00	Max.
R96_037	Tilts Ikdz Cukura ielai	1	0.00	40.84	-0.80	-0.80	0.00	0.00	0.00	
		2	40.84	41.17	-2.31	-2.31	0.00	0.00	0.00	
		3	82.01	25.79	-2.80	-2.80	0.00	0.00	0.00	Max.
R96_038	Dambja uz Dobeles pusi - provizorski	1	0.00	26.85	0.00	0.00	0.00	0.00	0.00	
		2	26.85	1.09	0.00	0.00	0.00	0.00	0.00	
		3	27.94	7.76	0.00	0.00	0.00	0.00	0.00	
		4	35.70	62.27	0.00	0.00	0.00	0.00	0.00	
		5	97.98	65.85	-0.46	-0.46	0.00	0.00	0.00	
		6	163.82	23.32	-0.74	-0.74	0.00	0.00	0.00	
		7	187.15	69.89	-0.68	-0.68	0.00	0.00	0.00	
		8	257.04	88.24	-0.05	-0.05	0.00	0.00	0.00	
		9	345.27	0.73	0.00	0.00	0.00	0.00	0.00	
		10	346.01	11.75	0.00	0.00	0.00	0.00	0.00	
		11	357.76	42.03	0.94	0.94	0.00	0.00	0.00	Max.
		12	399.79	12.55	0.33	0.33	0.00	0.00	0.00	
		13	412.34	7.37	-0.10	-0.10	0.00	0.00	0.00	
		14	419.71	0.36	0.00	0.00	0.00	0.00	0.00	
R96_039	No Uzvaras Bulvāra Ikdz Koleģiema ceļam	1	0.00	4.79	0.00	0.00	0.00	0.00	0.00	Max.
		2	4.79	52.42	0.00	0.00	0.00	0.00	0.00	
		3	57.21	3.48	0.00	0.00	0.00	0.00	0.00	
		4	60.68	1.24	0.00	0.00	0.00	0.00	0.00	
R96_040	1 tilta daļa	1	0.00	48.63	0.00	0.00	0.00	0.00	0.00	Max.
R96_041	2 tilta daļa	1	0.00	5.59	0.00	0.00	0.00	0.00	0.00	Max.
		2	5.59	3.41	0.00	0.00	0.00	0.00	0.00	
		3	9.01	4.77	0.00	0.00	0.00	0.00	0.00	
		4	13.77	8.25	0.00	0.00	0.00	0.00	0.00	
		5	22.02	14.33	0.00	0.00	0.00	0.00	0.00	
		6	36.35	35.47	0.00	0.00	0.00	0.00	0.00	
		7	71.81	18.72	0.00	0.00	0.00	0.00	0.00	
		8	90.53	42.93	0.00	0.00	0.00	0.00	0.00	
		9	133.47	1.87	0.00	0.00	0.00	0.00	0.00	
		10	135.33	3.18	0.00	0.00	0.00	0.00	0.00	
		11	138.52	4.34	0.00	0.00	0.00	0.00	0.00	
		12	142.86	5.94	0.00	0.00	0.00	0.00	0.00	
		13	148.80	61.27	0.00	0.00	0.00	0.00	0.00	
R96_042	Lkdz tiltam no Ākstes	1	0.00	9.90	2.06	2.06	2.74	2.74	2.74	Max.
R96_043	No tilta 1 daļas Ikdz Ikdz Pasta ceļam	1	0.00	44.83	0.00	0.00	0.00	0.00	0.00	Max.
R96_044	Satiksmes iela 4	1	0.00	3.26	0.00	0.00	0.00	0.00	0.00	

		2	3.26	47.39	0.00	0.00	0.00	0.00	0.00	
		3	50.65	72.68	0.00	0.00	0.00	0.00	0.00	
		4	123.33	93.97	0.00	0.00	0.00	0.00	0.00	
		5	217.30	65.95	0.00	0.00	0.00	0.00	0.00	
		6	283.25	73.88	0.00	0.00	0.00	0.00	0.00	
		7	357.13	2.21	0.00	0.00	0.00	0.00	0.00	
		8	359.34	36.16	0.00	0.00	0.00	0.00	0.00	
		9	395.50	47.29	0.00	0.00	0.00	0.00	0.00	
		10	442.79	4.98	0.23	0.23	0.00	0.00	0.00	Max.
		11	447.77	34.32	-0.03	-0.03	0.00	0.00	0.00	
		12	482.09	46.14	0.00	0.00	0.00	0.00	0.00	
R96_045	Satiksmes iela aiz Meiju ceļa 20%	1	0.00	169.91	-0.18	-0.18	0.00	0.00	0.00	
		2	169.91	99.94	-0.30	-0.30	0.00	0.00	0.00	
		3	269.85	57.63	-0.12	-0.12	0.00	0.00	0.00	
		4	327.48	23.36	-0.81	-0.81	0.00	0.00	0.00	
		5	350.84	22.15	-0.24	-0.24	0.00	0.00	0.00	
		6	372.99	38.98	0.32	0.32	0.00	0.00	0.00	
		7	411.97	15.86	-0.50	-0.50	0.00	0.00	0.00	
		8	427.83	15.05	-0.86	-0.86	0.00	0.00	0.00	Max.
		9	442.88	20.59	-0.01	-0.01	0.00	0.00	0.00	
R96_046	Meiju cels 70%	1	0.00	12.63	0.00	0.00	0.00	0.00	0.00	
		2	12.63	15.64	0.00	0.00	0.00	0.00	0.00	
		3	28.27	29.27	0.00	0.00	0.00	0.00	0.00	
		4	57.54	34.07	0.00	0.00	0.00	0.00	0.00	
		5	91.60	24.27	0.00	0.00	0.00	0.00	0.00	
		6	115.87	8.33	0.00	0.00	0.00	0.00	0.00	
		7	124.20	10.69	0.00	0.00	0.00	0.00	0.00	
		8	134.89	25.73	0.00	0.00	0.00	0.00	0.00	
		9	160.62	12.91	0.00	0.00	0.00	0.00	0.00	
		10	173.53	4.63	0.00	0.00	0.00	0.00	0.00	
		11	178.16	17.33	0.00	0.00	0.00	0.00	0.00	
		12	195.49	30.35	0.00	0.00	0.00	0.00	0.00	
		13	225.84	0.06	0.00	0.00	0.00	0.00	0.00	
		14	225.90	24.60	0.00	0.00	0.00	0.00	0.00	
		15	250.50	40.10	0.83	0.83	0.00	0.00	0.00	
		16	290.60	7.03	0.68	0.68	0.00	0.00	0.00	
		17	297.63	36.49	0.49	0.49	0.00	0.00	0.00	
		18	334.12	31.07	-0.99	-0.99	0.00	0.00	0.00	
		19	365.19	24.24	-1.03	-1.03	0.00	0.00	0.00	
		20	389.43	33.23	0.00	0.00	0.00	0.00	0.00	
		21	422.66	17.12	-1.97	-1.97	0.00	0.00	0.00	Max.
		22	439.78	0.28	-1.81	-1.81	0.00	0.00	0.00	
		23	440.06	15.87	-1.11	-1.11	0.00	0.00	0.00	
		24	455.93	6.62	-0.79	-0.79	0.00	0.00	0.00	
		25	462.55	4.45	-0.79	-0.79	0.00	0.00	0.00	
		26	467.00	7.87	0.33	0.33	0.00	0.00	0.00	
		27	474.87	33.06	-0.61	-0.61	0.00	0.00	0.00	
		28	507.94	12.06	-0.36	-0.36	0.00	0.00	0.00	
		29	520.00	39.34	-0.24	-0.24	0.00	0.00	0.00	
		30	559.34	32.42	1.92	1.92	0.00	0.00	0.00	
		31	591.76	1.78	1.59	1.59	0.00	0.00	0.00	
		32	593.53	7.21	1.50	1.50	0.00	0.00	0.00	
		33	600.75	13.54	1.20	1.20	0.00	0.00	0.00	
		34	614.29	23.87	-1.84	-1.84	0.00	0.00	0.00	
		35	638.16	14.79	-0.30	-0.30	0.00	0.00	0.00	
		36	652.94	4.13	-0.49	-0.49	0.00	0.00	0.00	
		37	657.07	2.04	-0.49	-0.49	0.00	0.00	0.00	
		38	659.11	7.36	-0.49	-0.49	0.00	0.00	0.00	
		39	666.48	48.38	-0.44	-0.44	0.00	0.00	0.00	

		40	714.85	38.52	-0.62	-0.62	0.00	0.00	0.00	
		41	753.37	12.18	0.00	0.00	0.00	0.00	0.00	
		42	765.55	12.94	0.00	0.00	0.00	0.00	0.00	
		43	778.49	59.62	0.00	0.00	0.00	0.00	0.00	
		44	838.11	1.48	0.00	0.00	0.00	0.00	0.00	
		45	839.58	42.63	0.00	0.00	0.00	0.00	0.00	
		46	882.21	7.75	0.00	0.00	0.00	0.00	0.00	
		47	889.96	0.39	0.00	0.00	0.00	0.00	0.00	
R96_047	Satiksmes iela_1	1	0.00	34.40	0.01	0.01	0.00	0.00	0.00	
		2	34.40	27.66	0.00	0.00	0.00	0.00	0.00	
		3	62.06	99.96	-0.02	-0.02	0.00	0.00	0.00	
		4	162.02	62.03	-1.00	-1.00	0.00	0.00	0.00	
		5	224.05	4.62	-4.22	-4.22	0.00	0.00	0.00	Max.
		6	228.67	28.86	-0.58	-0.58	0.00	0.00	0.00	
		7	257.53	12.84	0.00	0.00	0.00	0.00	0.00	
R96_048	Satiksmes iela_2	1	0.00	31.19	0.00	0.00	0.00	0.00	0.00	
		2	31.19	29.33	0.00	0.00	0.00	0.00	0.00	
		3	60.52	34.40	0.00	0.00	0.00	0.00	0.00	
		4	94.92	15.37	0.00	0.00	0.00	0.00	0.00	
		5	110.29	0.08	0.00	0.00	0.00	0.00	0.00	
		6	110.38	17.49	0.00	0.00	0.00	0.00	0.00	
		7	127.87	28.48	0.67	0.67	0.00	0.00	0.00	
		8	156.34	12.80	0.75	0.75	0.00	0.00	0.00	Max.
		9	169.15	5.38	0.28	0.28	0.00	0.00	0.00	
		10	174.52	5.92	0.26	0.26	0.00	0.00	0.00	
		11	180.45	15.54	-0.10	-0.10	0.00	0.00	0.00	
		12	195.98	20.09	-0.41	-0.41	0.00	0.00	0.00	
		13	216.08	19.44	-0.29	-0.29	0.00	0.00	0.00	
		14	235.51	1.84	0.21	0.21	0.00	0.00	0.00	
R96_049	Satiksmes iela 3	1	0.00	7.66	-1.04	-1.04	0.00	0.00	0.00	Max.
		2	7.66	8.38	-1.02	-1.02	0.00	0.00	0.00	
		3	16.03	5.96	0.00	0.00	0.00	0.00	0.00	
		4	21.99	7.05	0.00	0.00	0.00	0.00	0.00	
		5	29.04	11.03	0.00	0.00	0.00	0.00	0.00	

*1): The gradient for the calculation has been entered directly.

Aprēķinu modeļa ievades dati (2021. gads realizējot paredzēto darbību)

Road /XP S 31-133 (91)										Variant 0						
R96_037 Label										99999.00						
Group										Planota plusma	Emi. variant					
Number of nodes										4	Emission					
Length/ m										107.82	dB(A)					
Length/ m (2D)										107.80	Day (12h)					
Area /m²										---	Night (8h)					
										---	Evening (4h)					
										---	Max gradient % (z-coord.)					
										---	Driving direction					
										---	2 direct/driving on the right					
										---	Dist.:centreline lane - road /m					
										---	0.00					
										---	Road surface					
										---	Asphalt (obsolete)					
Emiss. variant										Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)										Continuous flow	1578.24	65.76	50.00	50.00	66.95	
Night (8h)										Continuous flow	177.55	7.40	50.00	50.00	57.47	
Evening (4h)										Continuous flow	828.58	34.52	50.00	50.00	64.16	
Rating method										Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden										-	0.0	0.0	0.0	0.0		
Rating period / Period										Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)										12.00	Day	87.0	1.00	12.00000	0.00	0.0
Evening (4h)										4.00	Evening	84.2	1.00	4.00000	0.00	0.0
Night (8h)										8.00	Night	77.5	1.00	8.00000	0.00	0.0
R96_040 Label										Tilts pār Driksnu F K	Action radius/m	99999.00				
Group										Planota plusma	Emi. variant	Emission				
Number of nodes										2	dB(A)					
Length/ m										48.63	Day (12h)					
Length/ m (2D)										48.63	Night (8h)					
Area /m²										---	Evening (4h)					
										---	Max gradient % (z-coord.)					
										---	Driving direction					
										---	2 direct/driving on the right					
										---	Dist.:centreline lane - road /m					
										---	0.00					
										---	Road surface					
										---	Asphalt (obsolete)					
Emiss. variant										Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)										Continuous flow	1896.26	79.01	50.00	50.00	67.75	
Night (8h)										Continuous flow	213.33	8.89	50.00	50.00	58.26	
Evening (4h)										Continuous flow	995.53	41.48	50.00	50.00	64.95	
Rating method										Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden										-	0.0	0.0	0.0	0.0		
Rating period / Period										Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)										12.00	Day	87.8	1.00	12.00000	0.00	0.0
Evening (4h)										4.00	Evening	85.0	1.00	4.00000	0.00	0.0
Night (8h)										8.00	Night	78.3	1.00	8.00000	0.00	0.0
R96_041 Label										No Lielupes tilta līdz Cukura ielai F	Action radius/m	99999.00				
Group										Planota plusma	Emi. variant	Emission				
Number of nodes										2	dB(A)					
Length/ m										58.18	Day (12h)					
Length/ m (2D)										58.17	Night (8h)					
Area /m²										---	Evening (4h)					
										---	Max gradient % (z-coord.)					
										---	Driving direction					
										---	2 direct/driving on the right					
										---	Dist.:centreline lane - road /m					
										---	0.00					
										---	Road surface					
										---	Asphalt (obsolete)					
Emiss. variant										Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)										Continuous flow	1578.24	65.76	50.00	50.00	66.95	
Night (8h)										Continuous flow	177.55	7.40	50.00	50.00	57.47	
Evening (4h)										Continuous flow	828.58	34.52	50.00	50.00	64.16	
Rating method										Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden										-	0.0	0.0	0.0	0.0		
Rating period / Period										Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)										12.00	Day	87.0	1.00	12.00000	0.00	0.0
Evening (4h)										4.00	Evening	84.2	1.00	4.00000	0.00	0.0
Night (8h)										8.00	Night	77.5	1.00	8.00000	0.00	0.0
R96_042 Label										No Čakstes bulvāra līdz tiltam F	Action radius/m	99999.00				
Group										Planota plusma	Emi. variant	Emission				
Number of nodes										2	dB(A)					
Length/ m										9.90	Day (12h)					
Length/ m (2D)										9.90	Night (8h)					
Area /m²										---	Evening (4h)					
										---	Max gradient % (z-coord.)					
										---	Driving direction					
										---	2 direct/driving on the right					
										---	Dist.:centreline lane - road /m					
										---	0.00					
										---	Road surface					
										---	Asphalt (obsolete)					
Emiss. variant										Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)										Continuous flow	1896.26	79.01	50.00	50.00	67.75	
Night (8h)										Continuous flow	213.33	8.89	50.00	50.00	58.26	
Evening (4h)										Continuous flow	995.53	41.48	50.00	50.00	64.95	

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	87.8	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	85.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	78.3	1.00	8.00000	0.00	0.0
R96 043	Label	No pirmā tilta līdz Pasta salas pagriezienam (no centra) F			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	2					dB(A)	
	Length/ m	44.83			Day (12h)		65.70	
	Length/ m (2D)	44.83			Night (8h)		56.22	
	Area /m²	---			Evening (4h)		62.91	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		1896.26	79.01	50.00	50.00	67.75
	Night (8h)	Continuous flow		213.33	8.89	50.00	50.00	58.26
	Evening (4h)	Continuous flow		995.53	41.48	50.00	50.00	64.95
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	87.8	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	85.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	78.3	1.00	8.00000	0.00	0.0
R96 083	Label	Jaunais tilts pār Lielupi K			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	70					dB(A)	
	Length/ m	467.57			Day (12h)		62.66	
	Length/ m (2D)	467.56			Night (8h)		53.17	
	Area /m²	---			Evening (4h)		59.86	
					Max gradient % (z-coord.)		-0.60	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		420.00	46.67	70.00	70.00	64.53
	Night (8h)	Continuous flow		47.25	5.25	70.00	70.00	55.04
	Evening (4h)	Continuous flow		220.50	24.50	70.00	70.00	61.73
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	84.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	81.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	75.0	1.00	8.00000	0.00	0.0
R96 088	Label	Atmodas iela līdz tiltam K			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	2					dB(A)	
	Length/ m	297.43			Day (12h)		61.35	
	Length/ m (2D)	297.41			Night (8h)		51.86	
	Area /m²	---			Evening (4h)		58.55	
					Max gradient % (z-coord.)		-1.04	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		420.00	46.67	50.00	50.00	62.70
	Night (8h)	Continuous flow		47.25	5.25	50.00	50.00	53.21
	Evening (4h)	Continuous flow		220.50	24.50	50.00	50.00	59.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00	0.0
R96 089	Label	jaunais tilts pār Driksnu K			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	2					dB(A)	
	Length/ m	360.01			Day (12h)		62.66	
	Length/ m (2D)	360.00			Night (8h)		53.17	
	Area /m²	---			Evening (4h)		59.86	
					Max gradient % (z-coord.)		0.68	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	

	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	420.00	46.67	70.00	70.00	64.53	
	Night (8h)	Continuous flow	47.25	5.25	70.00	70.00	55.04	
	Evening (4h)	Continuous flow	220.50	24.50	70.00	70.00	61.73	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	84.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	81.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	75.0	1.00	8.00000	0.00	0.0
R96_108	Label	Tilts līdz Atmosdas ielas aplim K		Action radius/m		99999.00		
	Group	Planota plusma		Emi. variant		Emission		
	Number of nodes	31				dB(A)		
	Length/ m	11.63		Day (12h)		58.34		
	Length/ m (2D)	11.63		Night (8h)		48.86		
	Area /m²	---		Evening (4h)		55.54		
				Max gradient % (z-coord.)		0.00		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	210.00	23.33	50.00	50.00	59.69	
	Night (8h)	Continuous flow	23.63	2.63	50.00	50.00	50.20	
	Evening (4h)	Continuous flow	110.25	12.25	50.00	50.00	56.89	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0
R96_109	Label	Tilts līdz Atmosdas ielas aplim K		Action radius/m		99999.00		
	Group	Planota plusma		Emi. variant		Emission		
	Number of nodes	6				dB(A)		
	Length/ m	12.11		Day (12h)		58.34		
	Length/ m (2D)	12.11		Night (8h)		48.86		
	Area /m²	---		Evening (4h)		55.54		
				Max gradient % (z-coord.)		0.00		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	210.00	23.33	50.00	50.00	59.69	
	Night (8h)	Continuous flow	23.63	2.63	50.00	50.00	50.20	
	Evening (4h)	Continuous flow	110.25	12.25	50.00	50.00	56.89	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0
R96_110	Label	Atmosdas ielas aplis		Action radius/m		99999.00		
	Group	Planota plusma		Emi. variant		Emission		
	Number of nodes	8				dB(A)		
	Length/ m	21.20		Day (12h)		61.35		
	Length/ m (2D)	21.20		Night (8h)		51.86		
	Area /m²	---		Evening (4h)		58.55		
				Max gradient % (z-coord.)		0.00		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	420.00	46.67	50.00	50.00	62.70	
	Night (8h)	Continuous flow	47.25	5.25	50.00	50.00	53.21	
	Evening (4h)	Continuous flow	220.50	24.50	50.00	50.00	59.90	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00	0.0
R96_111	Label	Atmosdas ielas aplis		Action radius/m		99999.00		
	Group	Planota plusma		Emi. variant		Emission		
	Number of nodes	3				dB(A)		
	Length/ m	6.06		Day (12h)		61.35		
	Length/ m (2D)	6.06		Night (8h)		51.86		
	Area /m²	---		Evening (4h)		58.55		

										Max gradient % (z-coord.)	0.00
										Driving direction	2 direct./driving on the right
										Dist.:centreline lane - road /m	0.00
										Road surface	Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)	
	Day (12h)	Continuous flow		420.00	46.67	50.00	50.00			62.70	
	Night (8h)	Continuous flow		47.25	5.25	50.00	50.00			53.21	
	Evening (4h)	Continuous flow		220.50	24.50	50.00	50.00			59.90	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden			0.0	0.0	0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB			Lw'r /dB(A)	
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00			0.0	
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00			0.0	
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00			0.0	
R96_112	Label	Atmodas ielas aplis		Action radius/m		99999.00					
	Group	Planota plusma		Emi. variant		Emission					
	Number of nodes	3				dB(A)					
	Length/ m	6.06		Day (12h)		61.35					
	Length/ m (2D)	6.06		Night (8h)		51.86					
	Area /m²	---		Evening (4h)		58.55					
										Max gradient % (z-coord.)	0.00
										Driving direction	2 direct./driving on the right
										Dist.:centreline lane - road /m	0.00
										Road surface	Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)	
	Day (12h)	Continuous flow		420.00	46.67	50.00	50.00			62.70	
	Night (8h)	Continuous flow		47.25	5.25	50.00	50.00			53.21	
	Evening (4h)	Continuous flow		220.50	24.50	50.00	50.00			59.90	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden			0.0	0.0	0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB			Lw'r /dB(A)	
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00			0.0	
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00			0.0	
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00			0.0	
R96_113	Label	Atmodas ielas aplis		Action radius/m		99999.00					
	Group	Planota plusma		Emi. variant		Emission					
	Number of nodes	8				dB(A)					
	Length/ m	21.20		Day (12h)		61.35					
	Length/ m (2D)	21.20		Night (8h)		51.86					
	Area /m²	---		Evening (4h)		58.55					
										Max gradient % (z-coord.)	0.00
										Driving direction	2 direct./driving on the right
										Dist.:centreline lane - road /m	0.00
										Road surface	Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)	
	Day (12h)	Continuous flow		420.00	46.67	50.00	50.00			62.70	
	Night (8h)	Continuous flow		47.25	5.25	50.00	50.00			53.21	
	Evening (4h)	Continuous flow		220.50	24.50	50.00	50.00			59.90	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden			0.0	0.0	0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB			Lw'r /dB(A)	
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00			0.0	
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00			0.0	
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00			0.0	
R96_114	Label	Atmodas ielas aplis		Action radius/m		99999.00					
	Group	Planota plusma		Emi. variant		Emission					
	Number of nodes	3				dB(A)					
	Length/ m	6.07		Day (12h)		61.35					
	Length/ m (2D)	6.06		Night (8h)		51.86					
	Area /m²	---		Evening (4h)		58.55					
										Max gradient % (z-coord.)	-7.73
										Driving direction	2 direct./driving on the right
										Dist.:centreline lane - road /m	0.00
										Road surface	Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)	
	Day (12h)	Continuous flow		420.00	46.67	50.00	50.00			62.70	
	Night (8h)	Continuous flow		47.25	5.25	50.00	50.00			53.21	
	Evening (4h)	Continuous flow		220.50	24.50	50.00	50.00			59.90	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden			0.0	0.0	0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB			Lw'r /dB(A)	
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00			0.0	
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00			0.0	
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00			0.0	
R96_115	Label	Atmodas ielas aplis		Action radius/m		99999.00					
	Group	Planota plusma		Emi. variant		Emission					

	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0
R96_119	Label	Uz dienvidiem no Atmodas ielas apļa			Action radius/m			99999.00
	Group	Planota plusma			Emi. variant			Emission
	Number of nodes	12						dB(A)
	Length/ m	74.47			Day (12h)			-99.00
	Length/ m (2D)	74.46			Night (8h)			-99.00
	Area /m²	---			Evening (4h)			-99.00
					Max gradient % (z-coord.)			5.59
					Driving direction			2 direct/driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	-79.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_120	Label	Uz ziemeļiem no Atmodas ielas apļa			Action radius/m			99999.00
	Group	Planota plusma			Emi. variant			Emission
	Number of nodes	13						dB(A)
	Length/ m	73.30			Day (12h)			-99.00
	Length/ m (2D)	73.30			Night (8h)			-99.00
	Area /m²	---			Evening (4h)			-99.00
					Max gradient % (z-coord.)			0.00
					Driving direction			2 direct/driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	-79.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_121	Label	Uz ziemeļiem no Atmodas ielas apļa			Action radius/m			99999.00
	Group	Satiksmes iela			Emi. variant			Emission
	Number of nodes	50						dB(A)
	Length/ m	74.82			Day (12h)			59.52
	Length/ m (2D)	74.81			Night (8h)			50.04
	Area /m²	---			Evening (4h)			56.72
					Max gradient % (z-coord.)			4.03
					Driving direction			2 direct/driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		133.33	39.71	50.00	50.00	60.23
	Night (8h)	Continuous flow		15.00	4.47	50.00	50.00	50.74
	Evening (4h)	Continuous flow		70.00	20.85	50.00	50.00	57.43
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0
R96_122	Label	Uz ziemeļiem no Atmodas ielas apļa			Action radius/m			99999.00
	Group	Satiksmes iela			Emi. variant			Emission
	Number of nodes	16						dB(A)
	Length/ m	73.13			Day (12h)			59.52
	Length/ m (2D)	73.12			Night (8h)			50.04
	Area /m²	---			Evening (4h)			56.72
					Max gradient % (z-coord.)			2.48
					Driving direction			2 direct/driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		133.33	39.71	50.00	50.00	60.23
	Night (8h)	Continuous flow		15.00	4.47	50.00	50.00	50.74
	Evening (4h)	Continuous flow		70.00	20.85	50.00	50.00	57.43
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0

	Lden			-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0	
R96_123	Label	Plānotā Atmodas iela			Action radius/m			99999.00	
	Group	Plānotā plusma			Emi. variant			Emission	
	Number of nodes	44						dB(A)	
	Length/ m	73.73			Day (12h)			58.34	
	Length/ m (2D)	73.69			Night (8h)			48.86	
	Area /m²	---			Evening (4h)			55.54	
					Max gradient % (z-coord.)			-11.08	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		210.00	23.33	50.00	50.00	59.69	
	Night (8h)	Continuous flow		23.63	2.63	50.00	50.00	50.20	
	Evening (4h)	Continuous flow		110.25	12.25	50.00	50.00	56.89	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0	
R96_124	Label	Tilts līdz Atmodas ielas aplim K			Action radius/m			99999.00	
	Group	Plānotā plusma			Emi. variant			Emission	
	Number of nodes	9						dB(A)	
	Length/ m	62.04			Day (12h)			58.34	
	Length/ m (2D)	62.03			Night (8h)			48.86	
	Area /m²	---			Evening (4h)			55.54	
					Max gradient % (z-coord.)			-5.11	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		210.00	23.33	50.00	50.00	59.69	
	Night (8h)	Continuous flow		23.63	2.63	50.00	50.00	50.20	
	Evening (4h)	Continuous flow		110.25	12.25	50.00	50.00	56.89	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0	
R96_125	Label	Tilts līdz Atmodas ielas aplim K			Action radius/m			99999.00	
	Group	Plānotā plusma			Emi. variant			Emission	
	Number of nodes	14						dB(A)	
	Length/ m	62.03			Day (12h)			58.34	
	Length/ m (2D)	62.02			Night (8h)			48.86	
	Area /m²	---			Evening (4h)			55.54	
					Max gradient % (z-coord.)			-5.08	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		210.00	23.33	50.00	50.00	59.69	
	Night (8h)	Continuous flow		23.63	2.63	50.00	50.00	50.20	
	Evening (4h)	Continuous flow		110.25	12.25	50.00	50.00	56.89	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0	
R96_145	Label	Loka maģistrāle līdz tiltam K			Action radius/m			99999.00	
	Group	Plānotā plusma			Emi. variant			Emission	
	Number of nodes	25						dB(A)	
	Length/ m	89.70			Day (12h)			61.35	
	Length/ m (2D)	89.62			Night (8h)			51.86	
	Area /m²	---			Evening (4h)			58.55	
					Max gradient % (z-coord.)			-4.32	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		420.00	46.67	50.00	50.00	62.70	

	Night (8h)	Continuous flow		47.25	5.25		50.00	50.00	53.21
	Evening (4h)	Continuous flow		220.50	24.50		50.00	50.00	59.90
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00	0.0	
R96_149	Label	Loka maģistrāle līdz tiltam K			Action radius/m				99999.00
	Group	Planota plusma			Emi. variant				Emission
	Number of nodes	2							dB(A)
	Length/ m	47.00			Day (12h)				58.34
	Length/ m (2D)	47.00			Night (8h)				48.86
	Area /m²	---			Evening (4h)				55.54
					Max gradient % (z-coord.)				0.00
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
	Day (12h)	Continuous flow	210.00	23.33	50.00	50.00	59.69		
	Night (8h)	Continuous flow	23.63	2.63	50.00	50.00	50.20		
	Evening (4h)	Continuous flow	110.25	12.25	50.00	50.00	56.89		
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden		-	0.0	0.0	0.0	-	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0	
R96_150	Label	Loka maģistrāle līdz tiltam K			Action radius/m				99999.00
	Group	Planota plusma			Emi. variant				Emission
	Number of nodes	2							dB(A)
	Length/ m	47.00			Day (12h)				58.34
	Length/ m (2D)	47.00			Night (8h)				48.86
	Area /m²	---			Evening (4h)				55.54
					Max gradient % (z-coord.)				0.00
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
	Day (12h)	Continuous flow	210.00	23.33	50.00	50.00	59.69		
	Night (8h)	Continuous flow	23.63	2.63	50.00	50.00	50.20		
	Evening (4h)	Continuous flow	110.25	12.25	50.00	50.00	56.89		
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden		-	0.0	0.0	0.0	-	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0	
R96_151	Label	Loka maģistrāle līdz tiltam K			Action radius/m				99999.00
	Group	Planota plusma			Emi. variant				Emission
	Number of nodes	11							dB(A)
	Length/ m	24.22			Day (12h)				58.34
	Length/ m (2D)	24.22			Night (8h)				48.86
	Area /m²	---			Evening (4h)				55.54
					Max gradient % (z-coord.)				0.00
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
	Day (12h)	Continuous flow	210.00	23.33	50.00	50.00	59.69		
	Night (8h)	Continuous flow	23.63	2.63	50.00	50.00	50.20		
	Evening (4h)	Continuous flow	110.25	12.25	50.00	50.00	56.89		
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden		-	0.0	0.0	0.0	-	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0	
R96_152	Label	Loka maģistrāle līdz tiltam K			Action radius/m				99999.00
	Group	Planota plusma			Emi. variant				Emission
	Number of nodes	44							dB(A)
	Length/ m	23.25			Day (12h)				58.34
	Length/ m (2D)	23.25			Night (8h)				48.86
	Area /m²	---			Evening (4h)				55.54
					Max gradient % (z-coord.)				0.00
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00

			Road surface				Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow		210.00	23.33	50.00	50.00	59.69	
Night (8h)	Continuous flow		23.63	2.63	50.00	50.00	50.20	
Evening (4h)	Continuous flow		110.25	12.25	50.00	50.00	56.89	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden			0.0	0.0	0.0	-	0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0	
R96_153	Label		Loka maģistrāles aplis		Action radius/m		99999.00	
	Group		Planota plusma		Emiss. variant		Emission	
	Number of nodes		8				dB(A)	
	Length/ m		21.20		Day (12h)		61.96	
	Length/ m (2D)		21.20		Night (8h)		52.47	
	Area /m ²		---		Evening (4h)		59.16	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
			Road surface				Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow		519.75	51.38	50.00	50.00	63.40	
Night (8h)	Continuous flow		58.47	5.78	50.00	50.00	53.91	
Evening (4h)	Continuous flow		272.87	26.97	50.00	50.00	60.60	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden			0.0	0.0	0.0	-	0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0	
R96_154	Label		Loka maģistrāles aplis		Action radius/m		99999.00	
	Group		Planota plusma		Emiss. variant		Emission	
	Number of nodes		4				dB(A)	
	Length/ m		5.16		Day (12h)		61.96	
	Length/ m (2D)		5.16		Night (8h)		52.47	
	Area /m ²		---		Evening (4h)		59.16	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
			Road surface				Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow		519.75	51.38	50.00	50.00	63.40	
Night (8h)	Continuous flow		58.47	5.78	50.00	50.00	53.91	
Evening (4h)	Continuous flow		272.87	26.97	50.00	50.00	60.60	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden			0.0	0.0	0.0	-	0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0	
R96_155	Label		Loka maģistrāles aplis		Action radius/m		99999.00	
	Group		Planota plusma		Emiss. variant		Emission	
	Number of nodes		4				dB(A)	
	Length/ m		7.38		Day (12h)		61.96	
	Length/ m (2D)		7.38		Night (8h)		52.47	
	Area /m ²		---		Evening (4h)		59.16	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
			Road surface				Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow		519.75	51.38	50.00	50.00	63.40	
Night (8h)	Continuous flow		58.47	5.78	50.00	50.00	53.91	
Evening (4h)	Continuous flow		272.87	26.97	50.00	50.00	60.60	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden			0.0	0.0	0.0	-	0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0	
R96_156	Label		Loka maģistrāles aplis		Action radius/m		99999.00	
	Group		Planota plusma		Emiss. variant		Emission	
	Number of nodes		7				dB(A)	
	Length/ m		17.52		Day (12h)		61.96	
	Length/ m (2D)		17.52		Night (8h)		52.47	

	Area /m ²	---		Evening (4h)			59.16	
				Max gradient % (z-coord.)			0.00	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	519.75	51.38	50.00	50.00	63.40	
	Night (8h)	Continuous flow	58.47	5.78	50.00	50.00	53.91	
	Evening (4h)	Continuous flow	272.87	26.97	50.00	50.00	60.60	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0
R96_157	Label	Loka maģistrāles aplis		Action radius/m			99999.00	
	Group	Planota plusma		Emiss. variant			Emission	
	Number of nodes	5					dB(A)	
	Length/ m	9.78		Day (12h)			61.96	
	Length/ m (2D)	9.78		Night (8h)			52.47	
	Area /m²	---		Evening (4h)			59.16	
				Max gradient % (z-coord.)			0.00	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	519.75	51.38	50.00	50.00	63.40	
	Night (8h)	Continuous flow	58.47	5.78	50.00	50.00	53.91	
	Evening (4h)	Continuous flow	272.87	26.97	50.00	50.00	60.60	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0
R96_158	Label	Loka maģistrāle līdz Aplim		Action radius/m			99999.00	
	Group	Planota plusma		Emiss. variant			Emission	
	Number of nodes	31					dB(A)	
	Length/ m	72.39		Day (12h)			58.95	
	Length/ m (2D)	72.38		Night (8h)			49.46	
	Area /m²	---		Evening (4h)			56.15	
				Max gradient % (z-coord.)			-1.04	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	259.88	25.69	50.00	50.00	60.39	
	Night (8h)	Continuous flow	29.24	2.89	50.00	50.00	50.90	
	Evening (4h)	Continuous flow	136.44	13.49	50.00	50.00	57.59	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.9	1.00	8.00000	0.00	0.0
R96_159	Label	Loka maģistrāle līdz Aplim		Action radius/m			99999.00	
	Group	Planota plusma		Emiss. variant			Emission	
	Number of nodes	12					dB(A)	
	Length/ m	73.52		Day (12h)			58.95	
	Length/ m (2D)	73.51		Night (8h)			49.46	
	Area /m²	---		Evening (4h)			56.15	
				Max gradient % (z-coord.)			-1.93	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	259.88	25.69	50.00	50.00	60.39	
	Night (8h)	Continuous flow	29.24	2.89	50.00	50.00	50.90	
	Evening (4h)	Continuous flow	136.44	13.49	50.00	50.00	57.59	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.9	1.00	8.00000	0.00	0.0
R96_160	Label	Loka maģistrāles aplis		Action radius/m			99999.00	

	Group	Planota plusma		Emi. variant			Emission	
	Number of nodes	8					dB(A)	
	Length/ m	18.98		Day (12h)			61.96	
	Length/ m (2D)	18.98		Night (8h)			52.47	
	Area /m²	---		Evening (4h)			59.16	
				Max gradient % (z-coord.)			0.00	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	519.75	51.38	50.00	50.00	63.40	
	Night (8h)	Continuous flow	58.47	5.78	50.00	50.00	53.91	
	Evening (4h)	Continuous flow	272.87	26.97	50.00	50.00	60.60	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0
R96_161	Label	Loka maģistrāles aplis		Action radius/m			99999.00	
	Group	Planota plusma		Emi. variant			Emission	
	Number of nodes	6					dB(A)	
	Length/ m	9.99		Day (12h)			61.96	
	Length/ m (2D)	9.99		Night (8h)			52.47	
	Area /m²	---		Evening (4h)			59.16	
				Max gradient % (z-coord.)			0.00	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	519.75	51.38	50.00	50.00	63.40	
	Night (8h)	Continuous flow	58.47	5.78	50.00	50.00	53.91	
	Evening (4h)	Continuous flow	272.87	26.97	50.00	50.00	60.60	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0
R96_162	Label	Loka maģistrāles aplis		Action radius/m			99999.00	
	Group	Planota plusma		Emi. variant			Emission	
	Number of nodes	9					dB(A)	
	Length/ m	19.06		Day (12h)			61.96	
	Length/ m (2D)	19.06		Night (8h)			52.47	
	Area /m²	---		Evening (4h)			59.16	
				Max gradient % (z-coord.)			0.00	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	519.75	51.38	50.00	50.00	63.40	
	Night (8h)	Continuous flow	58.47	5.78	50.00	50.00	53.91	
	Evening (4h)	Continuous flow	272.87	26.97	50.00	50.00	60.60	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0
R96_163	Label	Loka maģistrāle - Rogu ceļš		Action radius/m			99999.00	
	Group	Planota plusma		Emi. variant			Emission	
	Number of nodes	13					dB(A)	
	Length/ m	63.19		Day (12h)			55.24	
	Length/ m (2D)	63.19		Night (8h)			45.76	
	Area /m²	---		Evening (4h)			52.44	
				Max gradient % (z-coord.)			0.00	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	108.49	4.24	70.00	70.00	57.71	
	Night (8h)	Continuous flow	12.21	0.48	70.00	70.00	48.23	
	Evening (4h)	Continuous flow	56.96	2.23	70.00	70.00	54.91	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)

	Day (12h)	12.00	Day	77.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	74.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	68.2	1.00	8.00000	0.00	0.0
R96 164	Label	Rīgas iela - Loka maģistrāle			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	47					dB(A)	
	Length/ m	73.01			Day (12h)		54.43	
	Length/ m (2D)	73.01			Night (8h)		44.93	
	Area /m²	---			Evening (4h)		51.63	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		141.31	5.89	50.00	50.00	56.48
	Night (8h)	Continuous flow		15.90	0.66	50.00	50.00	46.98
	Evening (4h)	Continuous flow		74.19	3.09	50.00	50.00	53.68
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	76.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	73.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	67.0	1.00	8.00000	0.00	0.0
R96 165	Label	Rīgas iela - Loka maģistrāle			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	16					dB(A)	
	Length/ m	71.35			Day (12h)		54.43	
	Length/ m (2D)	71.35			Night (8h)		44.93	
	Area /m²	---			Evening (4h)		51.63	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		141.31	5.89	50.00	50.00	56.48
	Night (8h)	Continuous flow		15.90	0.66	50.00	50.00	46.98
	Evening (4h)	Continuous flow		74.19	3.09	50.00	50.00	53.68
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	76.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	73.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	67.0	1.00	8.00000	0.00	0.0
R96 166	Label	Loka maģistrāle - Rogu ceļš			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	40					dB(A)	
	Length/ m	64.75			Day (12h)		54.73	
	Length/ m (2D)	64.75			Night (8h)		45.26	
	Area /m²	---			Evening (4h)		51.94	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		108.49	4.24	0.00	0.00	54.73
	Night (8h)	Continuous flow		12.21	0.48	0.00	0.00	45.26
	Evening (4h)	Continuous flow		56.96	2.23	0.00	0.00	51.94
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	74.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	71.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	65.3	1.00	8.00000	0.00	0.0
R96 168	Label	No Āakstes Āakdz AkadĀmijas (pa Lielo)			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	4					dB(A)	
	Length/ m	92.05			Day (12h)		64.84	
	Length/ m (2D)	92.04			Night (8h)		55.35	
	Area /m²	---			Evening (4h)		62.04	
					Max gradient % (z-coord.)		-3.47	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		1553.92	64.75	50.00	50.00	66.89
	Night (8h)	Continuous flow		174.82	7.28	50.00	50.00	57.40
	Evening (4h)	Continuous flow		815.81	33.99	50.00	50.00	64.09

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	86.9	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	84.1	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	77.4	1.00	8.00000	0.00	0.0
R96 169	Label	No Pasta IA«dz MAĶtera (pa Lielo ielu)			Action radius/m			99999.00
	Group	Planota plusma			Emiss. variant			Emission
	Number of nodes	7						dB(A)
	Length/ m	166.55			Day (12h)			62.16
	Length/ m (2D)	166.54			Night (8h)			52.67
	Area /m²	---			Evening (4h)			59.36
					Max gradient % (z-coord.)			-1.01
					Driving direction			2 direct./driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		838.27	34.93	50.00	50.00	64.21
	Night (8h)	Continuous flow		94.31	3.93	50.00	50.00	54.72
	Evening (4h)	Continuous flow		440.09	18.34	50.00	50.00	61.41
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	84.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	81.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	74.7	1.00	8.00000	0.00	0.0
R96 170	Label	No Atmodas līdz Aspazijas (Liela iela)			Action radius/m			99999.00
	Group	Planota plusma			Emiss. variant			Emission
	Number of nodes	7						dB(A)
	Length/ m	363.87			Day (12h)			60.15
	Length/ m (2D)	363.86			Night (8h)			50.66
	Area /m²	---			Evening (4h)			57.35
					Max gradient % (z-coord.)			-1.27
					Driving direction			2 direct./driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		527.94	22.00	50.00	50.00	62.20
	Night (8h)	Continuous flow		59.39	2.47	50.00	50.00	52.71
	Evening (4h)	Continuous flow		277.17	11.55	50.00	50.00	59.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	82.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	79.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	72.7	1.00	8.00000	0.00	0.0
R96 171	Label	Dobeles AĶoseja			Action radius/m			99999.00
	Group	Planota plusma			Emiss. variant			Emission
	Number of nodes	12						dB(A)
	Length/ m	764.56			Day (12h)			65.80
	Length/ m (2D)	764.56			Night (8h)			56.31
	Area /m²	---			Evening (4h)			63.00
					Max gradient % (z-coord.)			-0.26
					Driving direction			2 direct./driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		723.18	158.42	50.00	50.00	66.68
	Night (8h)	Continuous flow		81.36	17.82	50.00	50.00	57.19
	Evening (4h)	Continuous flow		379.67	83.17	50.00	50.00	63.88
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	86.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	83.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	77.2	1.00	8.00000	0.00	0.0
R96 172	Label	AkadĶmijas IA«dz RaiĶta ielai			Action radius/m			99999.00
	Group	Planota plusma			Emiss. variant			Emission
	Number of nodes	6						dB(A)
	Length/ m	298.12			Day (12h)			58.89
	Length/ m (2D)	298.11			Night (8h)			49.40
	Area /m²	---			Evening (4h)			56.09
					Max gradient % (z-coord.)			1.53
					Driving direction			2 direct./driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)

	Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)		Continuous flow		394.62	16.44	50.00	50.00	60.93
	Night (8h)		Continuous flow		44.40	1.85	50.00	50.00	51.45
	Evening (4h)		Continuous flow		207.18	8.63	50.00	50.00	58.14
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
	Lden			0.0	0.0	0.0	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	80.9	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	78.1	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	71.4	1.00	8.00000	0.00	0.0	
R96_173	Label	No Dobeles IA«dz Lielajai (Pa pasta ielu)			Action radius/m		99999.00		
	Group	Planota plusma			Emi. variant		Emission		
	Number of nodes	7					dB(A)		
	Length/ m	302.31			Day (12h)		59.15		
	Length/ m (2D)	302.31			Night (8h)		49.66		
	Area /m²	---			Evening (4h)		56.35		
					Max gradient % (z-coord.)		-0.88		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		419.33	17.47	50.00	50.00	61.20	
	Night (8h)	Continuous flow		47.17	1.97	50.00	50.00	51.71	
	Evening (4h)	Continuous flow		220.15	9.17	50.00	50.00	58.40	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
	Lden			0.0	0.0	0.0	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	81.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	78.4	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	71.7	1.00	8.00000	0.00	0.0	
R96_174	Label	MĀterā IA«dz RaiĀta ielai			Action radius/m		99999.00		
	Group	Planota plusma			Emi. variant		Emission		
	Number of nodes	8					dB(A)		
	Length/ m	302.87			Day (12h)		58.58		
	Length/ m (2D)	302.87			Night (8h)		49.09		
	Area /m²	---			Evening (4h)		55.78		
					Max gradient % (z-coord.)		0.45		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		367.30	15.30	50.00	50.00	60.62	
	Night (8h)	Continuous flow		41.32	1.72	50.00	50.00	51.13	
	Evening (4h)	Continuous flow		192.83	8.03	50.00	50.00	57.82	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
	Lden			0.0	0.0	0.0	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	80.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	77.8	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	71.1	1.00	8.00000	0.00	0.0	
R96_175	Label	Kalpaka IA«dz raiĀta			Action radius/m		99999.00		
	Group	Planota plusma			Emi. variant		Emission		
	Number of nodes	10					dB(A)		
	Length/ m	288.91			Day (12h)		57.13		
	Length/ m (2D)	288.91			Night (8h)		47.64		
	Area /m²	---			Evening (4h)		54.33		
					Max gradient % (z-coord.)		-0.77		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		263.49	10.98	50.00	50.00	59.18	
	Night (8h)	Continuous flow		29.64	1.24	50.00	50.00	49.69	
	Evening (4h)	Continuous flow		138.33	5.76	50.00	50.00	56.38	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
	Lden			0.0	0.0	0.0	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	79.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	76.4	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	69.7	1.00	8.00000	0.00	0.0	
R96_176	Label	KatoĀu IA«dz RaiĀta ielai			Action radius/m		99999.00		
	Group	Planota plusma			Emi. variant		Emission		
	Number of nodes	8					dB(A)		
	Length/ m	299.43			Day (12h)		55.31		
	Length/ m (2D)	299.43			Night (8h)		45.82		
	Area /m²	---			Evening (4h)		52.51		

					Max gradient % (z-coord.)	-0.75	
					Driving direction	2 direct./driving on the right	
					Dist.:centreline lane - road /m	0.00	
					Road surface	Asphalt (obsolete)	
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	172.99	7.21	50.00	50.00	57.35	
Night (8h)	Continuous flow	19.46	0.81	50.00	50.00	47.86	
Evening (4h)	Continuous flow	90.82	3.78	50.00	50.00	54.55	
Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden	-	0.0	0.0	0.0		0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)	12.00	Day	77.4	1.00	12.00000	0.00	0.0
Evening (4h)	4.00	Evening	74.6	1.00	4.00000	0.00	0.0
Night (8h)	8.00	Night	67.9	1.00	8.00000	0.00	0.0
R96_177	Label	Pasta iela IĀ«dz RaiĀĶa ielai			Action radius/m	99999.00	
	Group	Planota plusma			Emi. variant	Emission	
	Number of nodes	11				dB(A)	
	Length/ m	297.88			Day (12h)	59.81	
	Length/ m (2D)	297.88			Night (8h)	50.32	
	Area /m ²	---			Evening (4h)	57.01	
					Max gradient % (z-coord.)	-1.06	
					Driving direction	2 direct./driving on the right	
					Dist.:centreline lane - road /m	0.00	
					Road surface	Asphalt (obsolete)	
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	488.13	20.34	50.00	50.00	61.86	
Night (8h)	Continuous flow	54.91	2.29	50.00	50.00	52.37	
Evening (4h)	Continuous flow	256.27	10.68	50.00	50.00	59.06	
Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden	-	0.0	0.0	0.0		0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)	12.00	Day	81.9	1.00	12.00000	0.00	0.0
Evening (4h)	4.00	Evening	79.1	1.00	4.00000	0.00	0.0
Night (8h)	8.00	Night	72.4	1.00	8.00000	0.00	0.0
R96_178	Label	JĀĶa IĀĶa AĶakstes bulvĀĶis			Action radius/m	99999.00	
	Group	Planota plusma			Emi. variant	Emission	
	Number of nodes	6				dB(A)	
	Length/ m	298.04			Day (12h)	57.30	
	Length/ m (2D)	298.03			Night (8h)	47.81	
	Area /m ²	---			Evening (4h)	54.50	
					Max gradient % (z-coord.)	2.00	
					Driving direction	2 direct./driving on the right	
					Dist.:centreline lane - road /m	0.00	
					Road surface	Asphalt (obsolete)	
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	246.02	10.25	30.00	30.00	57.30	
Night (8h)	Continuous flow	27.68	1.15	30.00	30.00	47.81	
Evening (4h)	Continuous flow	129.16	5.38	30.00	30.00	54.50	
Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden	-	0.0	0.0	0.0		0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)	12.00	Day	77.3	1.00	12.00000	0.00	0.0
Evening (4h)	4.00	Evening	74.5	1.00	4.00000	0.00	0.0
Night (8h)	8.00	Night	67.8	1.00	8.00000	0.00	0.0
R96_179	Label	RĀĶas iela IĀĶdz Loka magistrālei			Action radius/m	99999.00	
	Group	Planota plusma			Emi. variant	Emission	
	Number of nodes	4				dB(A)	
	Length/ m	952.82			Day (12h)	62.64	
	Length/ m (2D)	952.82			Night (8h)	53.15	
	Area /m ²	---			Evening (4h)	59.84	
					Max gradient % (z-coord.)	0.33	
					Driving direction	2 direct./driving on the right	
					Dist.:centreline lane - road /m	0.00	
					Road surface	Asphalt (obsolete)	
Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	730.45	52.22	50.00	50.00	64.31	
Night (8h)	Continuous flow	82.18	5.87	50.00	50.00	54.83	
Evening (4h)	Continuous flow	383.48	27.42	50.00	50.00	61.52	
Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
Lden	-	0.0	0.0	0.0		0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)	12.00	Day	84.3	1.00	12.00000	0.00	0.0
Evening (4h)	4.00	Evening	81.5	1.00	4.00000	0.00	0.0
Night (8h)	8.00	Night	74.8	1.00	8.00000	0.00	0.0
R96_180	Label	Kalnciema ceĶĶa IĀĶdz Loka maĶistrālei			Action radius/m	99999.00	
	Group	Planota plusma			Emi. variant	Emission	

Number of nodes		6						dB(A)	
Length/ m		225.78		Day (12h)				58.25	
Length/ m (2D)		225.78		Night (8h)				48.76	
Area /m ²		---		Evening (4h)				55.45	
				Max gradient % (z-coord.)				0.00	
				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m				0.00	
				Road surface		Asphalt (obsolete)			
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h		v car /km/h		v HGV /km/h	Leq /dB(A)
Day (12h)	Continuous flow	216.98		8.49		70.00		70.00	60.72
Night (8h)	Continuous flow	24.41		0.95		70.00		70.00	51.23
Evening (4h)	Continuous flow	113.92		4.45		70.00		70.00	57.92
Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
Lden		0.0		0.0		0.0		0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)	12.00	Day	80.7	1.00	12.00000	0.00	0.0		
Evening (4h)	4.00	Evening	77.9	1.00	4.00000	0.00	0.0		
Night (8h)	8.00	Night	71.2	1.00	8.00000	0.00	0.0		
R96_181	Label	Kalnciema ceĀ¼ĀĀ ĀĀĀdz RĀĀgas ielai		Action radius/m		99999.00			
	Group	Planota plusma		Emi. variant		Emission			
Number of nodes		5						dB(A)	
Length/ m		220.64		Day (12h)				57.44	
Length/ m (2D)		220.64		Night (8h)				47.95	
Area /m ²		---		Evening (4h)				54.64	
				Max gradient % (z-coord.)				0.41	
				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m				0.00	
				Road surface		Asphalt (obsolete)			
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h		v car /km/h		v HGV /km/h	Leq /dB(A)
Day (12h)	Continuous flow	282.62		11.78		50.00		50.00	59.49
Night (8h)	Continuous flow	31.80		1.32		50.00		50.00	50.00
Evening (4h)	Continuous flow	148.38		6.18		50.00		50.00	56.69
Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
Lden		0.0		0.0		0.0		0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)	12.00	Day	79.5	1.00	12.00000	0.00	0.0		
Evening (4h)	4.00	Evening	76.7	1.00	4.00000	0.00	0.0		
Night (8h)	8.00	Night	70.0	1.00	8.00000	0.00	0.0		
R96_182	Label	Kalnciema ceĀ¼ĀĀ ĀĀĀdz RĀĀgas ielai		Action radius/m		99999.00			
	Group	Planota plusma		Emi. variant		Emission			
Number of nodes		13						dB(A)	
Length/ m		306.46		Day (12h)				57.44	
Length/ m (2D)		306.46		Night (8h)				47.95	
Area /m ²		---		Evening (4h)				54.64	
				Max gradient % (z-coord.)				0.00	
				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m				0.00	
				Road surface		Asphalt (obsolete)			
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h		v car /km/h		v HGV /km/h	Leq /dB(A)
Day (12h)	Continuous flow	282.62		11.78		50.00		50.00	59.49
Night (8h)	Continuous flow	31.80		1.32		50.00		50.00	50.00
Evening (4h)	Continuous flow	148.38		6.18		50.00		50.00	56.69
Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
Lden		0.0		0.0		0.0		0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)	12.00	Day	79.5	1.00	12.00000	0.00	0.0		
Evening (4h)	4.00	Evening	76.7	1.00	4.00000	0.00	0.0		
Night (8h)	8.00	Night	70.0	1.00	8.00000	0.00	0.0		
R96_183	Label	Garozas iela		Action radius/m		99999.00			
	Group	Planota plusma		Emi. variant		Emission			
Number of nodes		13						dB(A)	
Length/ m		304.77		Day (12h)				59.20	
Length/ m (2D)		304.67		Night (8h)				49.71	
Area /m ²		---		Evening (4h)				56.40	
				Max gradient % (z-coord.)				7.15	
				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m				0.00	
				Road surface		Asphalt (obsolete)			
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h		v car /km/h		v HGV /km/h	Leq /dB(A)
Day (12h)	Continuous flow	423.94		17.66		50.00		50.00	61.25
Night (8h)	Continuous flow	47.69		1.99		50.00		50.00	51.76
Evening (4h)	Continuous flow	222.57		9.27		50.00		50.00	58.45
Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
Lden		0.0		0.0		0.0		0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)	12.00	Day	81.2	1.00	12.00000	0.00	0.0		

	Evening (4h)	4.00	Evening	78.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	71.8	1.00	8.00000	0.00	0.0
R96_184	Label	RĀ«gas iela IĀ«dz InstitĀ«ta ielai			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	20					dB(A)	
	Length/ m	667.30			Day (12h)		61.96	
	Length/ m (2D)	667.30			Night (8h)		52.47	
	Area /m²	---			Evening (4h)		59.16	
					Max gradient % (z-coord.)		-1.06	
					Driving direction		2 direct/driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		800.96	33.37	50.00	50.00	64.01
	Night (8h)	Continuous flow		90.11	3.75	50.00	50.00	54.52
	Evening (4h)	Continuous flow		420.50	17.52	50.00	50.00	61.21
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	84.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	81.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	74.5	1.00	8.00000	0.00	0.0
R96_185	Label	No LielĀis uz Dambja			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	10					dB(A)	
	Length/ m	321.60			Day (12h)		58.57	
	Length/ m (2D)	321.59			Night (8h)		49.08	
	Area /m²	---			Evening (4h)		55.77	
					Max gradient % (z-coord.)		-2.92	
					Driving direction		2 direct/driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		366.72	15.28	50.00	50.00	60.62
	Night (8h)	Continuous flow		41.26	1.72	50.00	50.00	51.13
	Evening (4h)	Continuous flow		192.53	8.02	50.00	50.00	57.82
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.6	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.8	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	71.1	1.00	8.00000	0.00	0.0
R96_186	Label	Uzvaras iela (nogrieĀoties no LielĀis)			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	18					dB(A)	
	Length/ m	410.21			Day (12h)		58.37	
	Length/ m (2D)	410.21			Night (8h)		48.88	
	Area /m²	---			Evening (4h)		55.57	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct/driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		350.46	14.60	50.00	50.00	60.42
	Night (8h)	Continuous flow		39.43	1.64	50.00	50.00	50.93
	Evening (4h)	Continuous flow		183.99	7.67	50.00	50.00	57.62
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.9	1.00	8.00000	0.00	0.0
R96_187	Label	Ātmodas iela			Action radius/m		99999.00	
	Group	Planota plusma			Emi. variant		Emission	
	Number of nodes	11					dB(A)	
	Length/ m	330.31			Day (12h)		65.54	
	Length/ m (2D)	330.31			Night (8h)		56.05	
	Area /m²	---			Evening (4h)		62.74	
					Max gradient % (z-coord.)		0.84	
					Driving direction		2 direct/driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		831.61	88.33	70.00	70.00	67.43
	Night (8h)	Continuous flow		93.56	9.94	70.00	70.00	57.95
	Evening (4h)	Continuous flow		436.59	46.37	70.00	70.00	64.64
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	

	Lden			-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	87.4	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	84.6	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	77.9	1.00	8.00000	0.00	0.0	
R96_188	Label	Akadā'mijas IĀ«dz KatoĀ%u (pa Lielo)			Action radius/m			99999.00	
	Group	Pianota plusma			Emi. variant			Emission	
	Number of nodes	5						dB(A)	
	Length/ m	189.30			Day (12h)			63.43	
	Length/ m (2D)	189.30			Night (8h)			53.94	
	Area /m²	---			Evening (4h)			60.63	
					Max gradient % (z-coord.)			0.66	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		1122.11	46.75	50.00	50.00	65.47	
	Night (8h)	Continuous flow		126.24	5.26	50.00	50.00	55.98	
	Evening (4h)	Continuous flow		589.11	24.55	50.00	50.00	62.67	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	85.5	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	82.7	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	76.0	1.00	8.00000	0.00	0.0	
R96_189	Label	No KatoĀ%u IĀ«dz Pasta ielai (pa Lielo)			Action radius/m			99999.00	
	Group	Pianota plusma			Emi. variant			Emission	
	Number of nodes	2						dB(A)	
	Length/ m	147.28			Day (12h)			63.30	
	Length/ m (2D)	147.28			Night (8h)			53.81	
	Area /m²	---			Evening (4h)			60.50	
					Max gradient % (z-coord.)			0.41	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		1090.05	45.42	50.00	50.00	65.35	
	Night (8h)	Continuous flow		122.63	5.11	50.00	50.00	55.86	
	Evening (4h)	Continuous flow		572.28	23.84	50.00	50.00	62.55	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	85.3	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	82.5	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	75.9	1.00	8.00000	0.00	0.0	
R96_190	Label	MĀ"tera IĀ«dz PĀ"tera (pa Lielo ieliu)			Action radius/m			99999.00	
	Group	Pianota plusma			Emi. variant			Emission	
	Number of nodes	16						dB(A)	
	Length/ m	187.95			Day (12h)			61.85	
	Length/ m (2D)	187.94			Night (8h)			52.36	
	Area /m²	---			Evening (4h)			59.05	
					Max gradient % (z-coord.)			1.28	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		780.29	32.51	50.00	50.00	63.90	
	Night (8h)	Continuous flow		87.78	3.66	50.00	50.00	54.41	
	Evening (4h)	Continuous flow		409.65	17.07	50.00	50.00	61.10	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	83.9	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	81.1	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	74.4	1.00	8.00000	0.00	0.0	
R96_191	Label	PĀ"tera IĀ«dz Kalpaka (pa Lielo ieliu)			Action radius/m			99999.00	
	Group	Pianota plusma			Emi. variant			Emission	
	Number of nodes	9						dB(A)	
	Length/ m	234.31			Day (12h)			61.59	
	Length/ m (2D)	234.31			Night (8h)			52.10	
	Area /m²	---			Evening (4h)			58.79	
					Max gradient % (z-coord.)			0.00	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		735.68	30.65	50.00	50.00	63.64	

	Night (8h)	Continuous flow		82.76	3.45		50.00	50.00	54.15
	Evening (4h)	Continuous flow		386.23	16.09		50.00	50.00	60.84
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	83.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	80.8	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	74.2	1.00	8.00000	0.00	0.0	
R96_192	Label	Kalpaka IÅ«dz Dambja (pa Lielo)			Action radius/m				99999.00
	Group	Planota plusma			Emi. variant				Emission
	Number of nodes	10							dB(A)
	Length/ m	211.14			Day (12h)				61.63
	Length/ m (2D)	211.14			Night (8h)				52.14
	Area /m²	---			Evening (4h)				58.83
					Max gradient % (z-coord.)				-0.88
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
	Day (12h)	Continuous flow	742.72	30.95	50.00	50.00	63.68		
	Night (8h)	Continuous flow	83.56	3.48	50.00	50.00	54.19		
	Evening (4h)	Continuous flow	389.93	16.25	50.00	50.00	60.88		
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	83.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	80.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	74.2	1.00	8.00000	0.00	0.0	
R96_193	Label	Aspazijas IÅ«dz Dobeles (Pa Lielo ielu)			Action radius/m				99999.00
	Group	Planota plusma			Emi. variant				Emission
	Number of nodes	11							dB(A)
	Length/ m	415.60			Day (12h)				60.70
	Length/ m (2D)	415.59			Night (8h)				51.21
	Area /m²	---			Evening (4h)				57.90
					Max gradient % (z-coord.)				1.32
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
	Day (12h)	Continuous flow	598.59	24.94	50.00	50.00	62.74		
	Night (8h)	Continuous flow	67.34	2.81	50.00	50.00	53.26		
	Evening (4h)	Continuous flow	314.26	13.09	50.00	50.00	59.95		
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	73.3	1.00	8.00000	0.00	0.0	
R96_194	Label	Loka maÅ«strÅ«le aiz AviÅ«cijas ielas			Action radius/m				99999.00
	Group	Planota plusma			Emi. variant				Emission
	Number of nodes	4							dB(A)
	Length/ m	222.68			Day (12h)				64.12
	Length/ m (2D)	222.63			Night (8h)				54.63
	Area /m²	---			Evening (4h)				61.32
					Max gradient % (z-coord.)				2.34
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
	Day (12h)	Continuous flow	431.85	85.75	70.00	70.00	65.57		
	Night (8h)	Continuous flow	48.58	9.65	70.00	70.00	56.08		
	Evening (4h)	Continuous flow	226.72	45.02	70.00	70.00	62.77		
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	85.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	82.8	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	76.1	1.00	8.00000	0.00	0.0	
R96_195	Label	Loka MaÅ«strÅ«le IÅ«dz BA«rzu ceÅ«jÅ« (50)			Action radius/m				99999.00
	Group	Planota plusma			Emi. variant				Emission
	Number of nodes	16							dB(A)
	Length/ m	892.60			Day (12h)				62.64
	Length/ m (2D)	892.59			Night (8h)				53.15
	Area /m²	---			Evening (4h)				59.84
					Max gradient % (z-coord.)				0.86
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00

							Road surface		Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
Day (12h)	Continuous flow		653.96	56.97	50.00	50.00	64.16			
Night (8h)	Continuous flow		73.57	6.41	50.00	50.00	54.67			
Evening (4h)	Continuous flow		343.33	29.91	50.00	50.00	61.36			
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB				
Lden			0.0	0.0	0.0	0.0				
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
Day (12h)	12.00	Day	84.2	1.00	12.00000	0.00	0.0			
Evening (4h)	4.00	Evening	81.4	1.00	4.00000	0.00	0.0			
Night (8h)	8.00	Night	74.7	1.00	8.00000	0.00	0.0			
R96_196 Label	BA ² rzu IA ² dz Kalnciema ceA ² am pa Loka maA ² istrA ²		Action radius/m		99999.00		Emission			
Group	Planota plusma		Emi. variant		dB(A)					
Number of nodes	17		Day (12h)		61.96					
Length/ m	630.43		Night (8h)		52.47					
Length/ m (2D)	630.41		Evening (4h)		59.16					
Area /m ²	---		Max gradient % (z-coord.)		1.57					
Driving direction							2 direct/driving on the right			
Dist.:centreline lane - road /m							0.00			
Road surface							Asphalt (obsolete)			
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
Day (12h)	Continuous flow		519.75	51.38	50.00	50.00	63.40			
Night (8h)	Continuous flow		58.47	5.78	50.00	50.00	53.91			
Evening (4h)	Continuous flow		272.87	26.97	50.00	50.00	60.60			
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB				
Lden			0.0	0.0	0.0	0.0				
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
Day (12h)	12.00	Day	83.4	1.00	12.00000	0.00	0.0			
Evening (4h)	4.00	Evening	80.6	1.00	4.00000	0.00	0.0			
Night (8h)	8.00	Night	73.9	1.00	8.00000	0.00	0.0			
R96_197 Label	Loka MaA ² istrA ² le IA ² dz BA ² rzu ceA ² A ² (70)		Action radius/m		99999.00		Emission			
Group	Planota plusma		Emi. variant		dB(A)					
Number of nodes	5		Day (12h)		64.13					
Length/ m	362.41		Night (8h)		54.64					
Length/ m (2D)	362.41		Evening (4h)		61.33					
Area /m ²	---		Max gradient % (z-coord.)		-0.97					
Driving direction							2 direct/driving on the right			
Dist.:centreline lane - road /m							0.00			
Road surface							Asphalt (obsolete)			
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
Day (12h)	Continuous flow		653.96	56.97	70.00	70.00	66.16			
Night (8h)	Continuous flow		73.57	6.41	70.00	70.00	56.67			
Evening (4h)	Continuous flow		343.33	29.91	70.00	70.00	63.36			
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB				
Lden			0.0	0.0	0.0	0.0				
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
Day (12h)	12.00	Day	86.2	1.00	12.00000	0.00	0.0			
Evening (4h)	4.00	Evening	83.4	1.00	4.00000	0.00	0.0			
Night (8h)	8.00	Night	76.7	1.00	8.00000	0.00	0.0			
R96_198 Label	Loka maA ² istrA ² le IA ² dz AviA ² cijas ielai		Action radius/m		99999.00		Emission			
Group	Planota plusma		Emi. variant		dB(A)					
Number of nodes	6		Day (12h)		61.90					
Length/ m	735.20		Night (8h)		52.41					
Length/ m (2D)	735.20		Evening (4h)		59.10					
Area /m ²	---		Max gradient % (z-coord.)		-0.70					
Driving direction							2 direct/driving on the right			
Dist.:centreline lane - road /m							0.00			
Road surface							Asphalt (obsolete)			
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
Day (12h)	Continuous flow		283.12	65.22	50.00	50.00	62.75			
Night (8h)	Continuous flow		31.85	7.34	50.00	50.00	53.26			
Evening (4h)	Continuous flow		148.64	34.24	50.00	50.00	59.95			
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB				
Lden			0.0	0.0	0.0	0.0				
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00	0.0			
Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00	0.0			
Night (8h)	8.00	Night	73.3	1.00	8.00000	0.00	0.0			
R96_199 Label	RA ² gas iela posma no Instituta lidz Pemavas		Action radius/m		99999.00		Emission			
Group	Planota plusma		Emi. variant		dB(A)					
Number of nodes	12		Day (12h)		61.18					
Length/ m	799.70		Night (8h)		51.69					
Length/ m (2D)	799.70									

	Area /m²	---		Evening (4h)			58.38
				Max gradient % (z-coord.)			0.05
				Driving direction	2 direct./driving on the right		
				Dist.:centreline lane - road /m			0.00
				Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	669.25	27.89	50.00	50.00	63.23
	Night (8h)	Continuous flow	75.29	3.14	50.00	50.00	53.74
	Evening (4h)	Continuous flow	351.36	14.64	50.00	50.00	60.43
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	83.2	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	80.4	1.00	4.00000	0.00
	Night (8h)	8.00	Night	73.7	1.00	8.00000	0.00
R96_200	Label	RĀgas iela posmā no PĀrnavas IĀdz Lmagistrale		Action radius/m			99999.00
	Group	Planota plusma		Emiss. variant			Emission
	Number of nodes	6					dB(A)
	Length/ m	346.07		Day (12h)			60.15
	Length/ m (2D)	346.07		Night (8h)			50.66
	Area /m²	---		Evening (4h)			57.35
				Max gradient % (z-coord.)			1.54
				Driving direction	2 direct./driving on the right		
				Dist.:centreline lane - road /m			0.00
				Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	527.94	22.00	50.00	50.00	62.20
	Night (8h)	Continuous flow	59.39	2.47	50.00	50.00	52.71
	Evening (4h)	Continuous flow	277.17	11.55	50.00	50.00	59.40
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	82.2	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	79.4	1.00	4.00000	0.00
	Night (8h)	8.00	Night	72.7	1.00	8.00000	0.00
R96_201	Label	RĀgas iela posmā no Cukura līdz Kalnciema celam		Action radius/m			99999.00
	Group	Planota plusma		Emiss. variant			Emission
	Number of nodes	13					dB(A)
	Length/ m	376.47		Day (12h)			64.71
	Length/ m (2D)	376.45		Night (8h)			55.22
	Area /m²	---		Evening (4h)			61.91
				Max gradient % (z-coord.)			-3.42
				Driving direction	2 direct./driving on the right		
				Dist.:centreline lane - road /m			0.00
				Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	1507.58	62.82	50.00	50.00	66.76
	Night (8h)	Continuous flow	169.60	7.07	50.00	50.00	57.27
	Evening (4h)	Continuous flow	791.48	32.98	50.00	50.00	63.96
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	86.8	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	84.0	1.00	4.00000	0.00
	Night (8h)	8.00	Night	77.3	1.00	8.00000	0.00
R96_202	Label	Lielā iela uz tilta starp nobrauktuvēm F		Action radius/m			99999.00
	Group	Planota plusma		Emiss. variant			Emission
	Number of nodes	8					dB(A)
	Length/ m	171.94		Day (12h)			64.60
	Length/ m (2D)	171.92		Night (8h)			55.12
	Area /m²	---		Evening (4h)			61.81
				Max gradient % (z-coord.)			5.19
				Driving direction	2 direct./driving on the right		
				Dist.:centreline lane - road /m			0.00
				Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	1472.26	61.34	50.00	50.00	66.65
	Night (8h)	Continuous flow	165.63	6.90	50.00	50.00	57.16
	Evening (4h)	Continuous flow	772.93	32.21	50.00	50.00	63.85
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	86.7	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	83.9	1.00	4.00000	0.00
	Night (8h)	8.00	Night	77.2	1.00	8.00000	0.00
R96_204	Label	Dambja uz Dobeles pusi - provizorsiski		Action radius/m			99999.00

	Group	Planota plusma		Emi. variant			Emission	
	Number of nodes	15					dB(A)	
	Length/ m	420.08		Day (12h)			61.18	
	Length/ m (2D)	420.07		Night (8h)			51.69	
	Area /m²	---		Evening (4h)			58.38	
				Max gradient % (z-coord.)			0.94	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	669.57	27.90	50.00	50.00	63.23	
	Night (8h)	Continuous flow	75.33	3.14	50.00	50.00	53.74	
	Evening (4h)	Continuous flow	351.52	14.65	50.00	50.00	60.43	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	83.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	80.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.7	1.00	8.00000	0.00	0.0
R96_205	Label	No Uzvaras Bulvāra IĀ«dz Akadēmijas (pa Lielo ie		Action radius/m			99999.00	
	Group	Planota plusma		Emi. variant			Emission	
	Number of nodes	5					dB(A)	
	Length/ m	61.92		Day (12h)			63.88	
	Length/ m (2D)	61.92		Night (8h)			54.39	
	Area /m²	---		Evening (4h)			61.08	
				Max gradient % (z-coord.)			0.00	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	1245.38	51.89	50.00	50.00	65.93	
	Night (8h)	Continuous flow	140.10	5.84	50.00	50.00	56.44	
	Evening (4h)	Continuous flow	653.82	27.24	50.00	50.00	63.13	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	85.9	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	83.1	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	76.4	1.00	8.00000	0.00	0.0
R96_207	Label	Perspektīvā Atmodas iela		Action radius/m			99999.00	
	Group	Planota plusma		Emi. variant			Emission	
	Number of nodes	43					dB(A)	
	Length/ m	1790.52		Day (12h)			61.35	
	Length/ m (2D)	1790.49		Night (8h)			51.86	
	Area /m²	---		Evening (4h)			58.55	
				Max gradient % (z-coord.)			2.77	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	420.00	46.67	50.00	50.00	62.70	
	Night (8h)	Continuous flow	47.25	5.25	50.00	50.00	53.21	
	Evening (4h)	Continuous flow	220.50	24.50	50.00	50.00	59.90	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	82.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00	0.0
R96_208	Label	Otrā tīta daļa F K		Action radius/m			99999.00	
	Group	Planota plusma		Emi. variant			Emission	
	Number of nodes	2					dB(A)	
	Length/ m	151.89		Day (12h)			64.91	
	Length/ m (2D)	151.89		Night (8h)			55.42	
	Area /m²	---		Evening (4h)			62.11	
				Max gradient % (z-coord.)			0.00	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	1578.24	65.76	50.00	50.00	66.95	
	Night (8h)	Continuous flow	177.55	7.40	50.00	50.00	57.47	
	Evening (4h)	Continuous flow	828.58	34.52	50.00	50.00	64.16	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)

	Day (12h)	12.00	Day	87.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	84.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	77.5	1.00	8.00000	0.00	0.0
R96 209	Label	Satiksmes iela 3		Action radius/m		99999.00		
	Group	Satiksmes iela		Emi. variant		Emission		
	Number of nodes	6				dB(A)		
	Length/ m	40.07		Day (12h)		51.87		
	Length/ m (2D)	40.07		Night (8h)		42.38		
	Area /m²	---		Evening (4h)		49.07		
				Max gradient % (z-coord.)		-1.04		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		176.67	0.00	30.00	30.00	51.87
	Night (8h)	Continuous flow		19.88	0.00	30.00	30.00	42.38
	Evening (4h)	Continuous flow		92.75	0.00	30.00	30.00	49.07
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	71.9	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	69.1	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	62.4	1.00	8.00000	0.00	0.0
R96 210	Label	Satiksmes iela_1		Action radius/m		99999.00		
	Group	Satiksmes iela		Emi. variant		Emission		
	Number of nodes	8				dB(A)		
	Length/ m	270.38		Day (12h)		56.22		
	Length/ m (2D)	270.37		Night (8h)		46.73		
	Area /m²	---		Evening (4h)		53.42		
				Max gradient % (z-coord.)		-4.22		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		176.67	0.00	50.00	50.00	56.22
	Night (8h)	Continuous flow		19.88	0.00	50.00	50.00	46.73
	Evening (4h)	Continuous flow		92.75	0.00	50.00	50.00	53.42
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	76.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	73.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	66.7	1.00	8.00000	0.00	0.0
R96 211	Label	Satiksmes iela_2		Action radius/m		99999.00		
	Group	Satiksmes iela		Emi. variant		Emission		
	Number of nodes	15				dB(A)		
	Length/ m	237.35		Day (12h)		51.87		
	Length/ m (2D)	237.35		Night (8h)		42.38		
	Area /m²	---		Evening (4h)		49.07		
				Max gradient % (z-coord.)		0.75		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		176.67	0.00	30.00	30.00	51.87
	Night (8h)	Continuous flow		19.88	0.00	30.00	30.00	42.38
	Evening (4h)	Continuous flow		92.75	0.00	30.00	30.00	49.07
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	71.9	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	69.1	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	62.4	1.00	8.00000	0.00	0.0
R96 212	Label	Satiksmes iela 4		Action radius/m		99999.00		
	Group	Satiksmes iela		Emi. variant		Emission		
	Number of nodes	13				dB(A)		
	Length/ m	528.23		Day (12h)		56.22		
	Length/ m (2D)	528.23		Night (8h)		46.73		
	Area /m²	---		Evening (4h)		53.42		
				Max gradient % (z-coord.)		0.23		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		176.67	0.00	50.00	50.00	56.22
	Night (8h)	Continuous flow		19.88	0.00	50.00	50.00	46.73
	Evening (4h)	Continuous flow		92.75	0.00	50.00	50.00	53.42

Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
Lden			0.0	0.0	0.0	-	0.0
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)	12.00	Day	76.2	1.00	12.00000	0.00	0.0
Evening (4h)	4.00	Evening	73.4	1.00	4.00000	0.00	0.0
Night (8h)	8.00	Night	66.7	1.00	8.00000	0.00	0.0
R96_213 Label	Meiju cels 70%F		Action radius/m			99999.00	
Group	Satiksmes iela		Emi. variant			Emission	
Number of nodes	25					dB(A)	
Length/ m	433.66		Day (12h)			59.26	
Length/ m (2D)	433.65		Night (8h)			49.77	
Area /m ²	---		Evening (4h)			56.47	
			Max gradient % (z-coord.)			1.92	
			Driving direction			2 direct./driving on the right	
			Dist.:centreline lane - road /m			0.00	
			Road surface			Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
Day (12h)	Continuous flow		247.33	13.91	50.00	50.00	59.26
Night (8h)	Continuous flow		27.83	1.56	50.00	50.00	49.77
Evening (4h)	Continuous flow		129.85	7.30	50.00	50.00	56.47
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
Lden			0.0	0.0	0.0	-	0.0
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)	12.00	Day	79.3	1.00	12.00000	0.00	0.0
Evening (4h)	4.00	Evening	76.5	1.00	4.00000	0.00	0.0
Night (8h)	8.00	Night	69.8	1.00	8.00000	0.00	0.0
R96_214 Label	Satiksmes iela aiz Meiju ceļa 20%		Action radius/m			99999.00	
Group	Satiksmes iela		Emi. variant			Emission	
Number of nodes	10					dB(A)	
Length/ m	463.48		Day (12h)			49.23	
Length/ m (2D)	463.48		Night (8h)			39.74	
Area /m ²	---		Evening (4h)			46.43	
			Max gradient % (z-coord.)			-0.86	
			Driving direction			2 direct./driving on the right	
			Dist.:centreline lane - road /m			0.00	
			Road surface			Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
Day (12h)	Continuous flow		35.33	0.00	50.00	50.00	49.23
Night (8h)	Continuous flow		3.98	0.00	50.00	50.00	39.74
Evening (4h)	Continuous flow		18.55	0.00	50.00	50.00	46.43
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
Lden			0.0	0.0	0.0	-	0.0
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)	12.00	Day	69.2	1.00	12.00000	0.00	0.0
Evening (4h)	4.00	Evening	66.4	1.00	4.00000	0.00	0.0
Night (8h)	8.00	Night	59.7	1.00	8.00000	0.00	0.0
R96_215 Label	Meiju cels 70%*		Action radius/m			99999.00	
Group	Satiksmes iela		Emi. variant			Emission	
Number of nodes	25					dB(A)	
Length/ m	456.70		Day (12h)			54.67	
Length/ m (2D)	456.69		Night (8h)			45.18	
Area /m ²	---		Evening (4h)			51.87	
			Max gradient % (z-coord.)			-1.97	
			Driving direction			2 direct./driving on the right	
			Dist.:centreline lane - road /m			0.00	
			Road surface			Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
Day (12h)	Continuous flow		123.67	0.00	50.00	50.00	54.67
Night (8h)	Continuous flow		13.91	0.00	50.00	50.00	45.18
Evening (4h)	Continuous flow		64.93	0.00	50.00	50.00	51.87
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
Lden			0.0	0.0	0.0	-	0.0
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)	12.00	Day	74.7	1.00	12.00000	0.00	0.0
Evening (4h)	4.00	Evening	71.9	1.00	4.00000	0.00	0.0
Night (8h)	8.00	Night	65.2	1.00	8.00000	0.00	0.0

Gradients and gradient correction DStg for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Dstg /dB	Dstg /dB	Dstg /dB	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening	
R96_037	No Lielupes tilta līdz Cukura ielai F	1	0.00	40.84	-0.80	-0.80	0.00	0.00	0.00	
		2	40.84	41.17	-2.31	-2.31	0.00	0.00	0.00	
		3	82.01	25.79	-2.80	-2.80	0.00	0.00	0.00	Max.

R96_040	Tilts pār Driksnu F K	1	0.00	48.63	0.00	0.00	0.00	0.00	0.00	0.00	Max.
R96_041	No Lielupes tilta līdz Cukura ielai F	1	0.00	58.17	-1.72	-1.72	0.00	0.00	0.00	0.00	Max.
R96_042	No Čakstes bulvāra līdz tiltam F	1	0.00	9.90	2.06	2.06	2.74	2.74	2.74	2.74	Max.
R96_043	No pirmā tilta līdz Pasta salas pasaules ielai F	1	0.00	44.83	0.00	0.00	0.00	0.00	0.00	0.00	Max.
R96_083	Jaunais tilts pār Lielupi K	1	0.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		2	20.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		3	40.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		4	60.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		5	80.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		6	100.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		7	120.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		8	140.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		9	160.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		10	180.00	20.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		11	200.00	0.21	-0.60	-0.60	0.00	0.00	0.00	0.00	
		12	200.21	19.79	-0.60	-0.60	0.00	0.00	0.00	0.00	
		13	220.00	0.30	-0.60	-0.60	0.00	0.00	0.00	0.00	Max.
		14	220.30	14.25	-0.60	-0.60	0.00	0.00	0.00	0.00	
		15	234.55	3.13	-0.60	-0.60	0.00	0.00	0.00	0.00	
		16	237.67	2.33	-0.60	-0.60	0.00	0.00	0.00	0.00	
		17	240.00	0.38	-0.60	-0.60	0.00	0.00	0.00	0.00	
		18	240.38	0.69	-0.60	-0.60	0.00	0.00	0.00	0.00	
		19	241.07	1.71	-0.60	-0.60	0.00	0.00	0.00	0.00	
		20	242.78	0.90	-0.60	-0.60	0.00	0.00	0.00	0.00	
		21	243.68	16.32	-0.60	-0.60	0.00	0.00	0.00	0.00	
		22	260.00	0.32	-0.60	-0.60	0.00	0.00	0.00	0.00	
		23	260.32	4.76	-0.60	-0.60	0.00	0.00	0.00	0.00	
		24	265.07	8.60	-0.60	-0.60	0.00	0.00	0.00	0.00	
		25	273.68	6.32	-0.60	-0.60	0.00	0.00	0.00	0.00	
		26	280.00	0.20	-0.60	-0.60	0.00	0.00	0.00	0.00	
		27	280.20	6.52	-0.60	-0.60	0.00	0.00	0.00	0.00	
		28	286.72	6.52	-0.60	-0.60	0.00	0.00	0.00	0.00	
		29	293.24	6.52	-0.60	-0.60	0.00	0.00	0.00	0.00	
		30	299.76	0.24	-0.60	-0.60	0.00	0.00	0.00	0.00	
		31	300.00	0.36	-0.60	-0.60	0.00	0.00	0.00	0.00	
		32	300.36	1.35	-0.60	-0.60	0.00	0.00	0.00	0.00	
		33	301.71	18.29	-0.60	-0.60	0.00	0.00	0.00	0.00	
		34	320.00	0.53	-0.60	-0.60	0.00	0.00	0.00	0.00	
		35	320.53	19.47	-0.60	-0.60	0.00	0.00	0.00	0.00	
		36	340.00	0.47	-0.60	-0.60	0.00	0.00	0.00	0.00	
		37	340.47	0.81	-0.60	-0.60	0.00	0.00	0.00	0.00	
		38	341.28	14.00	-0.60	-0.60	0.00	0.00	0.00	0.00	
		39	355.28	3.18	-0.60	-0.60	0.00	0.00	0.00	0.00	
		40	358.46	1.54	-0.60	-0.60	0.00	0.00	0.00	0.00	
		41	360.00	0.51	-0.60	-0.60	0.00	0.00	0.00	0.00	
		42	360.50	4.48	-0.60	-0.60	0.00	0.00	0.00	0.00	
		43	364.98	6.52	-0.60	-0.60	0.00	0.00	0.00	0.00	
		44	371.50	6.52	-0.60	-0.60	0.00	0.00	0.00	0.00	
		45	378.02	1.97	-0.60	-0.60	0.00	0.00	0.00	0.00	
		46	380.00	0.86	-0.60	-0.60	0.00	0.00	0.00	0.00	
		47	380.86	3.68	-0.60	-0.60	0.00	0.00	0.00	0.00	
		48	384.54	15.45	-0.60	-0.60	0.00	0.00	0.00	0.00	
		49	400.00	0.85	-0.60	-0.60	0.00	0.00	0.00	0.00	
		50	400.85	5.04	-0.60	-0.60	0.00	0.00	0.00	0.00	
		51	405.89	2.47	-0.60	-0.60	0.00	0.00	0.00	0.00	
		52	408.36	3.70	-0.60	-0.60	0.00	0.00	0.00	0.00	
		53	412.06	7.39	-0.60	-0.60	0.00	0.00	0.00	0.00	
		54	419.45	0.55	-0.60	-0.60	0.00	0.00	0.00	0.00	
		55	420.00	0.76	-0.60	-0.60	0.00	0.00	0.00	0.00	

		56	420.75	11.16	-0.60	-0.60	0.00	0.00	0.00	
		57	431.92	0.27	-0.60	-0.60	0.00	0.00	0.00	
		58	432.18	6.58	-0.60	-0.60	0.00	0.00	0.00	
		59	438.76	0.39	-0.60	-0.60	0.00	0.00	0.00	
		60	439.15	0.85	-0.60	-0.60	0.00	0.00	0.00	
		61	440.00	1.68	-0.60	-0.60	0.00	0.00	0.00	
		62	441.67	3.67	-0.60	-0.60	0.00	0.00	0.00	
		63	445.34	6.58	-0.60	-0.60	0.00	0.00	0.00	
		64	451.92	0.20	-0.60	-0.60	0.00	0.00	0.00	
		65	452.12	1.44	-0.60	-0.60	0.00	0.00	0.00	
		66	453.56	2.07	-0.60	-0.60	0.00	0.00	0.00	
		67	455.63	2.87	-0.60	-0.60	0.00	0.00	0.00	
		68	458.50	1.50	-0.60	-0.60	0.00	0.00	0.00	
		69	460.00	7.57	-0.60	-0.60	0.00	0.00	0.00	
R96_088	Atmodas iela līdz tiltam K	1	0.00	297.41	-1.04	-1.04	0.00	0.00	0.00	Max.
R96_089	jaunais tilts pār Driksnu K	1	0.00	360.00	0.68	0.68	0.00	0.00	0.00	Max.
R96_108	Tilts līdz Atmodas ielas aplim K	1	0.00	1.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	1.03	0.30	0.00	0.00	0.00	0.00	0.00	
		3	1.33	0.30	0.00	0.00	0.00	0.00	0.00	
		4	1.64	0.30	0.00	0.00	0.00	0.00	0.00	
		5	1.94	0.30	0.00	0.00	0.00	0.00	0.00	
		6	2.24	0.30	0.00	0.00	0.00	0.00	0.00	
		7	2.55	0.30	0.00	0.00	0.00	0.00	0.00	
		8	2.85	0.30	0.00	0.00	0.00	0.00	0.00	
		9	3.15	0.30	0.00	0.00	0.00	0.00	0.00	
		10	3.46	0.30	0.00	0.00	0.00	0.00	0.00	
		11	3.76	0.30	0.00	0.00	0.00	0.00	0.00	
		12	4.07	0.30	0.00	0.00	0.00	0.00	0.00	
		13	4.37	0.30	0.00	0.00	0.00	0.00	0.00	
		14	4.67	0.30	0.00	0.00	0.00	0.00	0.00	
		15	4.98	0.30	0.00	0.00	0.00	0.00	0.00	
		16	5.28	0.30	0.00	0.00	0.00	0.00	0.00	
		17	5.58	0.30	0.00	0.00	0.00	0.00	0.00	
		18	5.89	0.30	0.00	0.00	0.00	0.00	0.00	
		19	6.19	0.30	0.00	0.00	0.00	0.00	0.00	
		20	6.50	0.30	0.00	0.00	0.00	0.00	0.00	
		21	6.80	0.30	0.00	0.00	0.00	0.00	0.00	
		22	7.10	0.30	0.00	0.00	0.00	0.00	0.00	
		23	7.41	0.30	0.00	0.00	0.00	0.00	0.00	
		24	7.71	0.30	0.00	0.00	0.00	0.00	0.00	
		25	8.01	0.30	0.00	0.00	0.00	0.00	0.00	
		26	8.32	0.30	0.00	0.00	0.00	0.00	0.00	
		27	8.62	0.30	0.00	0.00	0.00	0.00	0.00	
		28	8.92	0.30	0.00	0.00	0.00	0.00	0.00	
		29	9.23	0.30	0.00	0.00	0.00	0.00	0.00	
		30	9.53	2.10	0.00	0.00	0.00	0.00	0.00	
R96_109	Tilts līdz Atmodas ielas aplim K	1	0.00	2.04	0.00	0.00	0.00	0.00	0.00	Max.
		2	2.04	2.31	0.00	0.00	0.00	0.00	0.00	
		3	4.36	2.31	0.00	0.00	0.00	0.00	0.00	
		4	6.67	2.62	0.00	0.00	0.00	0.00	0.00	
		5	9.29	2.82	0.00	0.00	0.00	0.00	0.00	
R96_110	Atmodas ielas aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
		3	6.06	3.03	0.00	0.00	0.00	0.00	0.00	
		4	9.09	3.03	0.00	0.00	0.00	0.00	0.00	
		5	12.11	3.03	0.00	0.00	0.00	0.00	0.00	
		6	15.14	3.03	0.00	0.00	0.00	0.00	0.00	
		7	18.17	3.03	0.00	0.00	0.00	0.00	0.00	
R96_111	Atmodas ielas aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.

		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
R96_112	Atmodas ielas aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
R96_113	Atmodas ielas aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
		3	6.06	3.03	0.00	0.00	0.00	0.00	0.00	
		4	9.09	3.03	0.00	0.00	0.00	0.00	0.00	
		5	12.11	3.03	0.00	0.00	0.00	0.00	0.00	
		6	15.14	3.03	0.00	0.00	0.00	0.00	0.00	
		7	18.17	3.03	0.00	0.00	0.00	0.00	0.00	
R96_114	Atmodas ielas aplis	1	0.00	3.03	-5.69	-5.69	0.00	0.00	0.00	
		2	3.03	3.03	-7.73	-7.73	0.00	0.00	0.00	Max.
R96_115	Atmodas ielas aplis	1	0.00	3.03	-7.50	-7.50	0.00	0.00	0.00	
		2	3.03	3.03	-7.04	-7.04	0.00	0.00	0.00	
		3	6.06	3.03	-1.94	-1.94	0.00	0.00	0.00	
		4	9.09	3.03	-1.27	-1.27	0.00	0.00	0.00	
		5	12.11	3.03	-0.79	-0.79	0.00	0.00	0.00	
		6	15.14	3.03	0.17	0.17	0.00	0.00	0.00	
		7	18.17	3.03	2.57	2.57	2.29	2.29	2.29	Max.
R96_116	Atmodas ielas aplis	1	0.00	3.03	4.60	4.60	2.29	2.29	2.29	Max.
		2	3.03	3.03	6.00	6.00	2.29	2.29	2.29	
R96_117	Atmodas ielas aplis	1	0.00	3.03	6.19	6.19	2.29	2.29	2.29	Max.
		2	3.03	3.03	6.33	6.33	2.29	2.29	2.29	
		3	6.06	3.03	6.10	6.10	2.29	2.29	2.29	
		4	9.09	3.03	0.00	0.00	0.00	0.00	0.00	
		5	12.11	3.03	0.00	0.00	0.00	0.00	0.00	
		6	15.14	3.03	0.00	0.00	0.00	0.00	0.00	
		7	18.17	3.03	0.00	0.00	0.00	0.00	0.00	
R96_118	Plānotā Atmodas iela	1	0.00	1.81	-4.77	-4.77	0.00	0.00	0.00	
		2	1.81	1.50	-4.57	-4.57	0.00	0.00	0.00	
		3	3.31	2.33	-5.22	-5.22	0.00	0.00	0.00	Max.
		4	5.65	2.33	-3.41	-3.41	0.00	0.00	0.00	
		5	7.98	2.33	-3.32	-3.32	0.00	0.00	0.00	
		6	10.32	2.33	-0.10	-0.10	0.00	0.00	0.00	
		7	12.65	2.33	-1.45	-1.45	0.00	0.00	0.00	
		8	14.98	0.42	-2.05	-2.05	0.00	0.00	0.00	
		9	15.40	2.97	-2.48	-2.48	0.00	0.00	0.00	
		10	18.37	5.73	-4.16	-4.16	0.00	0.00	0.00	
		11	24.09	0.02	0.00	0.00	0.00	0.00	0.00	
		12	24.11	2.92	-3.08	-3.08	0.00	0.00	0.00	
		13	27.03	19.04	-1.10	-1.10	0.00	0.00	0.00	
		14	46.07	1.86	-1.34	-1.34	0.00	0.00	0.00	
		15	47.93	26.37	0.00	0.00	0.00	0.00	0.00	
R96_119	Uz dienvidiem no Atmodas ielas apļa	1	0.00	1.86	5.59	5.59	0.00	0.00	0.00	Max.
		2	1.86	1.05	4.98	4.98	0.00	0.00	0.00	
		3	2.91	2.52	4.60	4.60	0.00	0.00	0.00	
		4	5.43	2.52	3.61	3.61	0.00	0.00	0.00	
		5	7.94	2.52	0.99	0.99	0.00	0.00	0.00	
		6	10.46	2.19	1.09	1.09	0.00	0.00	0.00	
		7	12.65	0.86	0.52	0.52	0.00	0.00	0.00	
		8	13.51	1.81	0.18	0.18	0.00	0.00	0.00	
		9	15.32	22.72	0.57	0.57	0.00	0.00	0.00	
		10	38.05	2.80	0.56	0.56	0.00	0.00	0.00	
		11	40.84	33.62	0.00	0.00	0.00	0.00	0.00	
R96_120	Uz ziemeļiem no Atmodas ielas apļa	1	0.00	0.52	0.00	0.00	0.00	0.00	0.00	Max.
		2	0.52	1.82	0.00	0.00	0.00	0.00	0.00	
		3	2.34	2.33	0.00	0.00	0.00	0.00	0.00	
		4	4.67	2.33	0.00	0.00	0.00	0.00	0.00	
		5	7.00	2.33	0.00	0.00	0.00	0.00	0.00	

		6	9.33	2.33	0.00	0.00	0.00	0.00	0.00	
		7	11.66	2.16	0.00	0.00	0.00	0.00	0.00	
		8	13.82	0.79	0.00	0.00	0.00	0.00	0.00	
		9	14.61	3.58	0.00	0.00	0.00	0.00	0.00	
		10	18.19	8.53	0.00	0.00	0.00	0.00	0.00	
		11	26.72	5.59	0.00	0.00	0.00	0.00	0.00	
		12	32.31	40.99	0.00	0.00	0.00	0.00	0.00	
R96_121	Uz ziemeļiem no Atmodas ielas apļa	1	0.00	1.06	0.00	0.00	0.00	0.00	0.00	
		2	1.06	2.35	0.00	0.00	0.00	0.00	0.00	
		3	3.40	0.30	0.00	0.00	0.00	0.00	0.00	
		4	3.71	0.30	3.68	3.68	1.76	1.76	1.76	Max.
		5	4.01	0.30	-0.96	-0.96	0.00	0.00	0.00	
		6	4.31	0.30	-2.37	-2.37	0.00	0.00	0.00	
		7	4.61	0.30	-0.35	-0.35	0.00	0.00	0.00	
		8	4.91	0.30	0.00	0.00	0.00	0.00	0.00	
		9	5.21	0.30	0.00	0.00	0.00	0.00	0.00	
		10	5.52	0.30	0.00	0.00	0.00	0.00	0.00	
		11	5.82	0.30	0.00	0.00	0.00	0.00	0.00	
		12	6.12	0.30	0.00	0.00	0.00	0.00	0.00	
		13	6.42	0.30	0.00	0.00	0.00	0.00	0.00	
		14	6.72	0.30	0.00	0.00	0.00	0.00	0.00	
		15	7.03	0.30	0.00	0.00	0.00	0.00	0.00	
		16	7.33	0.30	0.00	0.00	0.00	0.00	0.00	
		17	7.63	0.30	0.00	0.00	0.00	0.00	0.00	
		18	7.93	0.30	0.00	0.00	0.00	0.00	0.00	
		19	8.23	0.30	0.00	0.00	0.00	0.00	0.00	
		20	8.54	0.30	0.00	0.00	0.00	0.00	0.00	
		21	8.84	0.30	0.34	0.34	0.00	0.00	0.00	
		22	9.14	0.30	3.32	3.32	1.76	1.76	1.76	
		23	9.44	0.30	3.52	3.52	1.76	1.76	1.76	
		24	9.74	0.30	3.71	3.71	1.76	1.76	1.76	
		25	10.05	0.30	3.90	3.90	1.76	1.76	1.76	
		26	10.35	0.30	4.03	4.03	1.76	1.76	1.76	
		27	10.65	0.30	3.83	3.83	1.76	1.76	1.76	
		28	10.95	0.30	4.02	4.02	1.76	1.76	1.76	
		29	11.25	0.30	2.39	2.39	1.76	1.76	1.76	
		30	11.56	0.30	2.19	2.19	1.76	1.76	1.76	
		31	11.86	0.30	3.17	3.17	1.76	1.76	1.76	
		32	12.16	0.30	3.33	3.33	1.76	1.76	1.76	
		33	12.46	0.30	3.51	3.51	1.76	1.76	1.76	
		34	12.76	0.30	3.68	3.68	1.76	1.76	1.76	
		35	13.07	0.30	3.41	3.41	1.76	1.76	1.76	
		36	13.37	0.30	0.00	0.00	0.00	0.00	0.00	
		37	13.67	0.30	0.00	0.00	0.00	0.00	0.00	
		38	13.97	0.30	0.34	0.34	0.00	0.00	0.00	
		39	14.27	0.30	0.53	0.53	0.00	0.00	0.00	
		40	14.58	0.30	0.70	0.70	0.00	0.00	0.00	
		41	14.88	0.30	0.88	0.88	0.00	0.00	0.00	
		42	15.18	0.30	1.06	1.06	0.00	0.00	0.00	
		43	15.48	0.29	0.00	0.00	0.00	0.00	0.00	
		44	15.77	0.01	0.00	0.00	0.00	0.00	0.00	
		45	15.79	3.01	-1.82	-1.82	0.00	0.00	0.00	
		46	18.79	4.36	-0.27	-0.27	0.00	0.00	0.00	
		47	23.16	1.46	1.92	1.92	0.00	0.00	0.00	
		48	24.62	29.24	0.37	0.37	0.00	0.00	0.00	
		49	53.86	20.96	1.12	1.12	0.00	0.00	0.00	
R96_122	Uz ziemeļiem no Atmodas ielas apļa	1	0.00	0.68	0.00	0.00	0.00	0.00	0.00	
		2	0.68	3.74	0.00	0.00	0.00	0.00	0.00	
		3	4.42	2.33	0.00	0.00	0.00	0.00	0.00	

		4	6.75	2.33	0.00	0.00	0.00	0.00	0.00	
		5	9.08	2.33	0.00	0.00	0.00	0.00	0.00	
		6	11.41	0.64	0.00	0.00	0.00	0.00	0.00	
		7	12.05	1.34	0.00	0.00	0.00	0.00	0.00	
		8	13.39	0.35	0.00	0.00	0.00	0.00	0.00	
		9	13.74	0.45	0.00	0.00	0.00	0.00	0.00	
		10	14.20	8.65	0.00	0.00	0.00	0.00	0.00	
		11	22.85	10.50	-1.42	-1.42	0.00	0.00	0.00	
		12	33.35	9.48	0.42	0.42	0.00	0.00	0.00	
		13	42.83	9.16	1.19	1.19	0.00	0.00	0.00	
		14	51.99	16.35	2.48	2.48	1.76	1.76	1.76	Max.
		15	68.33	4.79	1.11	1.11	0.00	0.00	0.00	
R96_123	Plānotā Atmodas iela	1	0.00	0.34	-7.71	-7.71	0.00	0.00	0.00	
		2	0.34	2.27	-7.71	-7.71	0.00	0.00	0.00	
		3	2.60	0.30	-7.76	-7.76	0.00	0.00	0.00	
		4	2.90	0.30	-7.75	-7.75	0.00	0.00	0.00	
		5	3.20	0.30	-7.74	-7.74	0.00	0.00	0.00	
		6	3.51	0.30	-7.73	-7.73	0.00	0.00	0.00	
		7	3.81	0.30	-7.72	-7.72	0.00	0.00	0.00	
		8	4.11	0.30	-7.70	-7.70	0.00	0.00	0.00	
		9	4.41	0.30	-8.94	-8.94	0.00	0.00	0.00	
		10	4.71	0.30	-10.45	-10.45	0.00	0.00	0.00	
		11	5.02	0.30	-10.59	-10.59	0.00	0.00	0.00	
		12	5.32	0.30	-10.72	-10.72	0.00	0.00	0.00	
		13	5.62	0.30	-10.85	-10.85	0.00	0.00	0.00	
		14	5.92	0.30	-10.98	-10.98	0.00	0.00	0.00	
		15	6.22	0.30	-11.08	-11.08	0.00	0.00	0.00	Max.
		16	6.53	0.30	-10.13	-10.13	0.00	0.00	0.00	
		17	6.83	0.30	0.00	0.00	0.00	0.00	0.00	
		18	7.13	0.30	0.00	0.00	0.00	0.00	0.00	
		19	7.43	0.30	0.00	0.00	0.00	0.00	0.00	
		20	7.73	0.30	-3.76	-3.76	0.00	0.00	0.00	
		21	8.04	0.30	-3.89	-3.89	0.00	0.00	0.00	
		22	8.34	0.30	-3.91	-3.91	0.00	0.00	0.00	
		23	8.64	0.30	-3.93	-3.93	0.00	0.00	0.00	
		24	8.94	0.30	-3.95	-3.95	0.00	0.00	0.00	
		25	9.24	0.30	-3.96	-3.96	0.00	0.00	0.00	
		26	9.55	0.30	-3.97	-3.97	0.00	0.00	0.00	
		27	9.85	0.30	-3.99	-3.99	0.00	0.00	0.00	
		28	10.15	0.30	-4.00	-4.00	0.00	0.00	0.00	
		29	10.45	0.30	-4.01	-4.01	0.00	0.00	0.00	
		30	10.75	0.30	-4.02	-4.02	0.00	0.00	0.00	
		31	11.06	0.30	-4.02	-4.02	0.00	0.00	0.00	
		32	11.36	0.30	-4.03	-4.03	0.00	0.00	0.00	
		33	11.66	0.30	-4.03	-4.03	0.00	0.00	0.00	
		34	11.96	0.30	-4.04	-4.04	0.00	0.00	0.00	
		35	12.26	0.30	-4.04	-4.04	0.00	0.00	0.00	
		36	12.57	0.30	-4.04	-4.04	0.00	0.00	0.00	
		37	12.87	0.87	-4.04	-4.04	0.00	0.00	0.00	
		38	13.74	3.20	-3.78	-3.78	0.00	0.00	0.00	
		39	16.94	0.64	-3.02	-3.02	0.00	0.00	0.00	
		40	17.58	5.97	-3.37	-3.37	0.00	0.00	0.00	
		41	23.55	36.66	-1.14	-1.14	0.00	0.00	0.00	
		42	60.21	3.08	0.00	0.00	0.00	0.00	0.00	
		43	63.29	10.40	0.00	0.00	0.00	0.00	0.00	
R96_124	Tīlts līdz Atmodas ielas apīm K	1	0.00	50.30	-1.77	-1.77	0.00	0.00	0.00	
		2	50.30	1.24	-4.04	-4.04	0.00	0.00	0.00	
		3	51.54	4.08	-1.23	-1.23	0.00	0.00	0.00	
		4	55.62	2.94	-5.11	-5.11	0.00	0.00	0.00	Max.

		5	58.55	0.89	0.00	0.00	0.00	0.00	0.00	
		6	59.44	1.21	0.00	0.00	0.00	0.00	0.00	
		7	60.65	1.10	0.00	0.00	0.00	0.00	0.00	
		8	61.75	0.27	0.00	0.00	0.00	0.00	0.00	
R96_125	Tilts līdz Atmosdas ielas aplim K	1	0.00	50.43	-1.76	-1.76	0.00	0.00	0.00	
		2	50.43	0.99	-5.08	-5.08	0.00	0.00	0.00	Max.
		3	51.42	5.70	-3.51	-3.51	0.00	0.00	0.00	
		4	57.12	1.51	0.00	0.00	0.00	0.00	0.00	
		5	58.64	1.07	0.00	0.00	0.00	0.00	0.00	
		6	59.70	0.30	0.00	0.00	0.00	0.00	0.00	
		7	60.01	0.30	0.00	0.00	0.00	0.00	0.00	
		8	60.31	0.30	0.00	0.00	0.00	0.00	0.00	
		9	60.62	0.30	0.00	0.00	0.00	0.00	0.00	
		10	60.92	0.30	0.00	0.00	0.00	0.00	0.00	
		11	61.22	0.30	0.00	0.00	0.00	0.00	0.00	
		12	61.53	0.30	0.00	0.00	0.00	0.00	0.00	
		13	61.83	0.19	0.00	0.00	0.00	0.00	0.00	
R96_145	Loka maģistrāle līdz tiltam K	1	0.00	1.40	-4.32	-4.32	0.00	0.00	0.00	
		2	1.40	2.70	-4.32	-4.32	0.00	0.00	0.00	
		3	4.10	6.58	-4.32	-4.32	0.00	0.00	0.00	
		4	10.67	1.76	-4.32	-4.32	0.00	0.00	0.00	
		5	12.43	1.08	-4.32	-4.32	0.00	0.00	0.00	
		6	13.52	3.74	-4.32	-4.32	0.00	0.00	0.00	
		7	17.25	6.58	-4.32	-4.32	0.00	0.00	0.00	
		8	23.83	6.58	-4.32	-4.32	0.00	0.00	0.00	
		9	30.41	2.02	-4.32	-4.32	0.00	0.00	0.00	
		10	32.43	1.55	-4.32	-4.32	0.00	0.00	0.00	
		11	33.98	3.01	-4.32	-4.32	0.00	0.00	0.00	
		12	36.99	6.58	-4.32	-4.32	0.00	0.00	0.00	
		13	43.57	6.58	-4.32	-4.32	0.00	0.00	0.00	
		14	50.15	2.29	-4.32	-4.32	0.00	0.00	0.00	
		15	52.43	1.99	-4.32	-4.32	0.00	0.00	0.00	
		16	54.42	2.30	-4.32	-4.32	0.00	0.00	0.00	Max.
		17	56.73	6.58	-4.32	-4.32	0.00	0.00	0.00	
		18	63.31	6.58	-4.32	-4.32	0.00	0.00	0.00	
		19	69.88	2.55	-4.32	-4.32	0.00	0.00	0.00	
		20	72.43	1.58	-4.32	-4.32	0.00	0.00	0.00	
		21	74.01	2.45	-4.32	-4.32	0.00	0.00	0.00	
		22	76.46	6.58	-4.32	-4.32	0.00	0.00	0.00	
		23	83.04	3.41	-4.32	-4.32	0.00	0.00	0.00	
		24	86.45	3.17	-4.32	-4.32	0.00	0.00	0.00	
R96_149	Loka maģistrāle līdz tiltam K	1	0.00	47.00	0.00	0.00	0.00	0.00	0.00	Max.
R96_150	Loka maģistrāle līdz tiltam K	1	0.00	47.00	0.00	0.00	0.00	0.00	0.00	Max.
R96_151	Loka maģistrāle līdz tiltam K	1	0.00	0.47	0.00	0.00	0.00	0.00	0.00	Max.
		2	0.47	5.24	0.00	0.00	0.00	0.00	0.00	
		3	5.71	3.00	0.00	0.00	0.00	0.00	0.00	
		4	8.71	0.59	0.00	0.00	0.00	0.00	0.00	
		5	9.30	2.16	0.00	0.00	0.00	0.00	0.00	
		6	11.46	2.33	0.00	0.00	0.00	0.00	0.00	
		7	13.80	2.33	0.00	0.00	0.00	0.00	0.00	
		8	16.13	2.33	0.00	0.00	0.00	0.00	0.00	
		9	18.46	2.33	0.00	0.00	0.00	0.00	0.00	
		10	20.80	3.42	0.00	0.00	0.00	0.00	0.00	
R96_152	Loka maģistrāle līdz tiltam K	1	0.00	0.17	0.00	0.00	0.00	0.00	0.00	Max.
		2	0.17	5.67	0.00	0.00	0.00	0.00	0.00	
		3	5.84	3.02	0.00	0.00	0.00	0.00	0.00	
		4	8.86	0.26	0.00	0.00	0.00	0.00	0.00	
		5	9.12	0.30	0.00	0.00	0.00	0.00	0.00	
		6	9.42	0.30	0.00	0.00	0.00	0.00	0.00	

		7	9.72	0.30	0.00	0.00	0.00	0.00	0.00	
		8	10.02	0.30	0.00	0.00	0.00	0.00	0.00	
		9	10.33	0.30	0.00	0.00	0.00	0.00	0.00	
		10	10.63	0.30	0.00	0.00	0.00	0.00	0.00	
		11	10.93	0.30	0.00	0.00	0.00	0.00	0.00	
		12	11.23	0.30	0.00	0.00	0.00	0.00	0.00	
		13	11.53	0.30	0.00	0.00	0.00	0.00	0.00	
		14	11.84	0.30	0.00	0.00	0.00	0.00	0.00	
		15	12.14	0.30	0.00	0.00	0.00	0.00	0.00	
		16	12.44	0.30	0.00	0.00	0.00	0.00	0.00	
		17	12.74	0.30	0.00	0.00	0.00	0.00	0.00	
		18	13.04	0.30	0.00	0.00	0.00	0.00	0.00	
		19	13.35	0.30	0.00	0.00	0.00	0.00	0.00	
		20	13.65	0.30	0.00	0.00	0.00	0.00	0.00	
		21	13.95	0.30	0.00	0.00	0.00	0.00	0.00	
		22	14.25	0.30	0.00	0.00	0.00	0.00	0.00	
		23	14.55	0.30	0.00	0.00	0.00	0.00	0.00	
		24	14.86	0.30	0.00	0.00	0.00	0.00	0.00	
		25	15.16	0.30	0.00	0.00	0.00	0.00	0.00	
		26	15.46	0.30	0.00	0.00	0.00	0.00	0.00	
		27	15.76	0.30	0.00	0.00	0.00	0.00	0.00	
		28	16.06	0.30	0.00	0.00	0.00	0.00	0.00	
		29	16.36	0.30	0.00	0.00	0.00	0.00	0.00	
		30	16.67	0.30	0.00	0.00	0.00	0.00	0.00	
		31	16.97	0.30	0.00	0.00	0.00	0.00	0.00	
		32	17.27	0.30	0.00	0.00	0.00	0.00	0.00	
		33	17.57	0.30	0.00	0.00	0.00	0.00	0.00	
		34	17.87	0.30	0.00	0.00	0.00	0.00	0.00	
		35	18.18	0.30	0.00	0.00	0.00	0.00	0.00	
		36	18.48	0.30	0.00	0.00	0.00	0.00	0.00	
		37	18.78	0.30	0.00	0.00	0.00	0.00	0.00	
		38	19.08	0.30	0.00	0.00	0.00	0.00	0.00	
		39	19.38	0.30	0.00	0.00	0.00	0.00	0.00	
		40	19.69	0.30	0.00	0.00	0.00	0.00	0.00	
		41	19.99	0.30	0.00	0.00	0.00	0.00	0.00	
		42	20.29	0.30	0.00	0.00	0.00	0.00	0.00	
		43	20.59	2.65	0.00	0.00	0.00	0.00	0.00	
R96_153	Loka maģistrāles aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
		3	6.06	3.03	0.00	0.00	0.00	0.00	0.00	
		4	9.09	3.03	0.00	0.00	0.00	0.00	0.00	
		5	12.11	3.03	0.00	0.00	0.00	0.00	0.00	
		6	15.14	3.03	0.00	0.00	0.00	0.00	0.00	
		7	18.17	3.03	0.00	0.00	0.00	0.00	0.00	
R96_154	Loka maģistrāles aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	1.37	0.00	0.00	0.00	0.00	0.00	
		3	4.40	0.76	0.00	0.00	0.00	0.00	0.00	
R96_155	Loka maģistrāles aplis	1	0.00	1.32	0.00	0.00	0.00	0.00	0.00	Max.
		2	1.32	3.03	0.00	0.00	0.00	0.00	0.00	
		3	4.35	3.03	0.00	0.00	0.00	0.00	0.00	
R96_156	Loka maģistrāles aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
		3	6.06	3.03	0.00	0.00	0.00	0.00	0.00	
		4	9.09	3.03	0.00	0.00	0.00	0.00	0.00	
		5	12.11	3.03	0.00	0.00	0.00	0.00	0.00	
		6	15.14	2.38	0.00	0.00	0.00	0.00	0.00	
R96_157	Loka maģistrāles aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
		3	6.06	3.03	0.00	0.00	0.00	0.00	0.00	

		4	9.09	0.69	0.00	0.00	0.00	0.00	0.00	
R96_158	Loka maģistrāle līdz Aplim	1	0.00	3.82	0.00	0.00	0.00	0.00	0.00	
		2	3.82	0.61	0.00	0.00	0.00	0.00	0.00	
		3	4.43	1.21	0.00	0.00	0.00	0.00	0.00	
		4	5.64	0.30	0.00	0.00	0.00	0.00	0.00	
		5	5.95	0.30	0.00	0.00	0.00	0.00	0.00	
		6	6.25	0.30	0.00	0.00	0.00	0.00	0.00	
		7	6.56	0.30	0.00	0.00	0.00	0.00	0.00	
		8	6.86	0.30	0.00	0.00	0.00	0.00	0.00	
		9	7.16	0.30	0.00	0.00	0.00	0.00	0.00	
		10	7.47	0.30	0.00	0.00	0.00	0.00	0.00	
		11	7.77	0.30	0.00	0.00	0.00	0.00	0.00	
		12	8.07	0.30	0.00	0.00	0.00	0.00	0.00	
		13	8.38	0.30	0.00	0.00	0.00	0.00	0.00	
		14	8.68	0.30	0.00	0.00	0.00	0.00	0.00	
		15	8.98	0.30	0.00	0.00	0.00	0.00	0.00	
		16	9.29	0.30	0.00	0.00	0.00	0.00	0.00	
		17	9.59	0.30	0.00	0.00	0.00	0.00	0.00	
		18	9.90	0.30	0.00	0.00	0.00	0.00	0.00	
		19	10.20	0.30	0.00	0.00	0.00	0.00	0.00	
		20	10.50	0.30	0.00	0.00	0.00	0.00	0.00	
		21	10.81	0.30	0.00	0.00	0.00	0.00	0.00	
		22	11.11	0.30	0.00	0.00	0.00	0.00	0.00	
		23	11.41	0.30	0.00	0.00	0.00	0.00	0.00	
		24	11.72	0.30	0.00	0.00	0.00	0.00	0.00	
		25	12.02	0.30	0.00	0.00	0.00	0.00	0.00	
		26	12.33	0.30	0.00	0.00	0.00	0.00	0.00	
		27	12.63	0.30	0.00	0.00	0.00	0.00	0.00	
		28	12.93	0.75	0.00	0.00	0.00	0.00	0.00	
		29	13.69	7.37	0.00	0.00	0.00	0.00	0.00	
		30	21.05	51.33	-1.04	-1.04	0.00	0.00	0.00	Max.
R96_159	Loka maģistrāle līdz Aplim	1	0.00	4.80	0.00	0.00	0.00	0.00	0.00	
		2	4.80	2.31	0.00	0.00	0.00	0.00	0.00	
		3	7.12	2.31	0.00	0.00	0.00	0.00	0.00	
		4	9.43	2.31	0.00	0.00	0.00	0.00	0.00	
		5	11.74	2.31	0.00	0.00	0.00	0.00	0.00	
		6	14.06	0.93	0.00	0.00	0.00	0.00	0.00	
		7	14.99	2.90	0.00	0.00	0.00	0.00	0.00	
		8	17.89	4.38	0.00	0.00	0.00	0.00	0.00	
		9	22.27	17.21	-1.93	-1.93	0.00	0.00	0.00	Max.
		10	39.48	5.38	-0.59	-0.59	0.00	0.00	0.00	
		11	44.86	28.65	-0.59	-0.59	0.00	0.00	0.00	
R96_160	Loka maģistrāles aplis	1	0.00	1.71	0.00	0.00	0.00	0.00	0.00	Max.
		2	1.71	3.03	0.00	0.00	0.00	0.00	0.00	
		3	4.74	3.03	0.00	0.00	0.00	0.00	0.00	
		4	7.77	3.03	0.00	0.00	0.00	0.00	0.00	
		5	10.80	3.03	0.00	0.00	0.00	0.00	0.00	
		6	13.82	3.03	0.00	0.00	0.00	0.00	0.00	
		7	16.85	2.12	0.00	0.00	0.00	0.00	0.00	
R96_161	Loka maģistrāles aplis	1	0.00	0.49	0.00	0.00	0.00	0.00	0.00	Max.
		2	0.49	2.54	0.00	0.00	0.00	0.00	0.00	
		3	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
		4	6.06	2.75	0.00	0.00	0.00	0.00	0.00	
		5	8.81	1.18	0.00	0.00	0.00	0.00	0.00	
R96_162	Loka maģistrāles aplis	1	0.00	1.05	0.00	0.00	0.00	0.00	0.00	Max.
		2	1.05	0.25	0.00	0.00	0.00	0.00	0.00	
		3	1.29	2.63	0.00	0.00	0.00	0.00	0.00	
		4	3.92	3.03	0.00	0.00	0.00	0.00	0.00	
		5	6.95	3.03	0.00	0.00	0.00	0.00	0.00	

		6	9.98	3.03	0.00	0.00	0.00	0.00	0.00	
		7	13.01	3.03	0.00	0.00	0.00	0.00	0.00	
		8	16.04	3.03	0.00	0.00	0.00	0.00	0.00	
R96_163	Loka maģistrāle - Rogu ceļš	1	0.00	34.58	0.00	0.00	0.00	0.00	0.00	Max.
		2	34.58	1.10	0.00	0.00	0.00	0.00	0.00	
		3	35.68	5.57	0.00	0.00	0.00	0.00	0.00	
		4	41.25	5.64	0.00	0.00	0.00	0.00	0.00	
		5	46.89	3.00	0.00	0.00	0.00	0.00	0.00	
		6	49.89	0.49	0.00	0.00	0.00	0.00	0.00	
		7	50.38	0.17	0.00	0.00	0.00	0.00	0.00	
		8	50.55	2.16	0.00	0.00	0.00	0.00	0.00	
		9	52.71	2.33	0.00	0.00	0.00	0.00	0.00	
		10	55.04	2.33	0.00	0.00	0.00	0.00	0.00	
		11	57.37	2.33	0.00	0.00	0.00	0.00	0.00	
		12	59.70	3.50	0.00	0.00	0.00	0.00	0.00	
R96_164	Rīgas iela - Loka maģistrāle	1	0.00	2.26	0.00	0.00	0.00	0.00	0.00	Max.
		2	2.26	0.60	0.00	0.00	0.00	0.00	0.00	
		3	2.87	0.30	0.00	0.00	0.00	0.00	0.00	
		4	3.17	0.30	0.00	0.00	0.00	0.00	0.00	
		5	3.47	0.30	0.00	0.00	0.00	0.00	0.00	
		6	3.77	0.30	0.00	0.00	0.00	0.00	0.00	
		7	4.08	0.30	0.00	0.00	0.00	0.00	0.00	
		8	4.38	0.30	0.00	0.00	0.00	0.00	0.00	
		9	4.68	0.30	0.00	0.00	0.00	0.00	0.00	
		10	4.98	0.30	0.00	0.00	0.00	0.00	0.00	
		11	5.28	0.30	0.00	0.00	0.00	0.00	0.00	
		12	5.58	0.30	0.00	0.00	0.00	0.00	0.00	
		13	5.89	0.30	0.00	0.00	0.00	0.00	0.00	
		14	6.19	0.30	0.00	0.00	0.00	0.00	0.00	
		15	6.49	0.30	0.00	0.00	0.00	0.00	0.00	
		16	6.79	0.30	0.00	0.00	0.00	0.00	0.00	
		17	7.09	0.30	0.00	0.00	0.00	0.00	0.00	
		18	7.40	0.30	0.00	0.00	0.00	0.00	0.00	
		19	7.70	0.30	0.00	0.00	0.00	0.00	0.00	
		20	8.00	0.30	0.00	0.00	0.00	0.00	0.00	
		21	8.30	0.30	0.00	0.00	0.00	0.00	0.00	
		22	8.60	0.30	0.00	0.00	0.00	0.00	0.00	
		23	8.91	0.30	0.00	0.00	0.00	0.00	0.00	
		24	9.21	0.30	0.00	0.00	0.00	0.00	0.00	
		25	9.51	0.30	0.00	0.00	0.00	0.00	0.00	
		26	9.81	0.30	0.00	0.00	0.00	0.00	0.00	
		27	10.11	0.30	0.00	0.00	0.00	0.00	0.00	
		28	10.42	0.30	0.00	0.00	0.00	0.00	0.00	
		29	10.72	0.30	0.00	0.00	0.00	0.00	0.00	
		30	11.02	0.30	0.00	0.00	0.00	0.00	0.00	
		31	11.32	0.30	0.00	0.00	0.00	0.00	0.00	
		32	11.62	0.30	0.00	0.00	0.00	0.00	0.00	
		33	11.93	0.30	0.00	0.00	0.00	0.00	0.00	
		34	12.23	0.30	0.00	0.00	0.00	0.00	0.00	
		35	12.53	0.30	0.00	0.00	0.00	0.00	0.00	
		36	12.83	0.30	0.00	0.00	0.00	0.00	0.00	
		37	13.13	0.30	0.00	0.00	0.00	0.00	0.00	
		38	13.44	0.30	0.00	0.00	0.00	0.00	0.00	
		39	13.74	0.29	0.00	0.00	0.00	0.00	0.00	
		40	14.03	0.01	0.00	0.00	0.00	0.00	0.00	
		41	14.04	1.63	0.00	0.00	0.00	0.00	0.00	
		42	15.67	2.74	0.00	0.00	0.00	0.00	0.00	
		43	18.42	4.71	0.00	0.00	0.00	0.00	0.00	
		44	23.13	25.30	0.00	0.00	0.00	0.00	0.00	

		45	48.42	4.65	0.00	0.00	0.00	0.00	0.00	
		46	53.08	19.94	0.00	0.00	0.00	0.00	0.00	
R96_165	Rīgas iela - Loka maģistrāle	1	0.00	9.01	0.00	0.00	0.00	0.00	0.00	Max.
		2	9.01	17.65	0.00	0.00	0.00	0.00	0.00	
		3	26.66	9.41	0.00	0.00	0.00	0.00	0.00	
		4	36.07	14.05	0.00	0.00	0.00	0.00	0.00	
		5	50.12	5.72	0.00	0.00	0.00	0.00	0.00	
		6	55.84	2.36	0.00	0.00	0.00	0.00	0.00	
		7	58.19	2.18	0.00	0.00	0.00	0.00	0.00	
		8	60.37	1.11	0.00	0.00	0.00	0.00	0.00	
		9	61.48	2.50	0.00	0.00	0.00	0.00	0.00	
		10	63.98	2.33	0.00	0.00	0.00	0.00	0.00	
		11	66.31	0.68	0.00	0.00	0.00	0.00	0.00	
		12	66.99	1.82	0.00	0.00	0.00	0.00	0.00	
		13	68.81	0.85	0.00	0.00	0.00	0.00	0.00	
		14	69.66	0.89	0.00	0.00	0.00	0.00	0.00	
		15	70.55	0.80	0.00	0.00	0.00	0.00	0.00	
R96_166	Loka maģistrāle - Rogu ceļš	1	0.00	1.39	0.00	0.00	0.00	0.00	0.00	Max.
		2	1.39	1.08	0.00	0.00	0.00	0.00	0.00	
		3	2.47	0.54	0.00	0.00	0.00	0.00	0.00	
		4	3.01	2.02	0.00	0.00	0.00	0.00	0.00	
		5	5.02	0.30	0.00	0.00	0.00	0.00	0.00	
		6	5.33	0.30	0.00	0.00	0.00	0.00	0.00	
		7	5.63	0.30	0.00	0.00	0.00	0.00	0.00	
		8	5.94	0.30	0.00	0.00	0.00	0.00	0.00	
		9	6.24	0.30	0.00	0.00	0.00	0.00	0.00	
		10	6.54	0.30	0.00	0.00	0.00	0.00	0.00	
		11	6.85	0.30	0.00	0.00	0.00	0.00	0.00	
		12	7.15	0.30	0.00	0.00	0.00	0.00	0.00	
		13	7.45	0.30	0.00	0.00	0.00	0.00	0.00	
		14	7.76	0.30	0.00	0.00	0.00	0.00	0.00	
		15	8.06	0.30	0.00	0.00	0.00	0.00	0.00	
		16	8.36	0.30	0.00	0.00	0.00	0.00	0.00	
		17	8.67	0.26	0.00	0.00	0.00	0.00	0.00	
		18	8.93	0.95	0.00	0.00	0.00	0.00	0.00	
		19	9.88	0.30	0.00	0.00	0.00	0.00	0.00	
		20	10.19	0.30	0.00	0.00	0.00	0.00	0.00	
		21	10.49	0.30	0.00	0.00	0.00	0.00	0.00	
		22	10.79	0.30	0.00	0.00	0.00	0.00	0.00	
		23	11.10	0.30	0.00	0.00	0.00	0.00	0.00	
		24	11.40	0.30	0.00	0.00	0.00	0.00	0.00	
		25	11.71	0.30	0.00	0.00	0.00	0.00	0.00	
		26	12.01	0.30	0.00	0.00	0.00	0.00	0.00	
		27	12.31	0.30	0.00	0.00	0.00	0.00	0.00	
		28	12.62	0.30	0.00	0.00	0.00	0.00	0.00	
		29	12.92	0.30	0.00	0.00	0.00	0.00	0.00	
		30	13.22	0.30	0.00	0.00	0.00	0.00	0.00	
		31	13.53	0.30	0.00	0.00	0.00	0.00	0.00	
		32	13.83	0.30	0.00	0.00	0.00	0.00	0.00	
		33	14.13	0.30	0.00	0.00	0.00	0.00	0.00	
		34	14.44	0.29	0.00	0.00	0.00	0.00	0.00	
		35	14.73	0.01	0.00	0.00	0.00	0.00	0.00	
		36	14.75	3.01	0.00	0.00	0.00	0.00	0.00	
		37	17.75	4.15	0.00	0.00	0.00	0.00	0.00	
		38	21.90	13.64	0.00	0.00	0.00	0.00	0.00	
		39	35.54	29.21	0.00	0.00	0.00	0.00	0.00	
R96_168	No Ārīkstes IĀ«dz Akadēmijas (pa Līdē)	1	0.00	14.27	-3.47	-3.47	0.00	0.00	0.00	Max.
		2	14.27	17.79	-1.69	-1.69	0.00	0.00	0.00	
		3	32.06	59.98	0.00	0.00	0.00	0.00	0.00	

R96_169	No Pasta IĀ«dz MĀ«tera (pa Lielo ielu)	1	0.00	25.83	-0.36	-0.36	0.00	0.00	0.00	
		2	25.83	4.32	-0.95	-0.95	0.00	0.00	0.00	
		3	30.14	11.30	-0.51	-0.51	0.00	0.00	0.00	
		4	41.45	120.96	-0.69	-0.69	0.00	0.00	0.00	
		5	162.41	2.13	-1.01	-1.01	0.00	0.00	0.00	
		6	164.53	2.01	-1.01	-1.01	0.00	0.00	0.00	Max.
R96_170	No Atmosas līdz Aspazijas (Liela iela)	1	0.00	65.31	-0.69	-0.69	0.00	0.00	0.00	
		2	65.31	116.96	0.10	0.10	0.00	0.00	0.00	
		3	182.27	49.35	-1.27	-1.27	0.00	0.00	0.00	Max.
		4	231.62	27.13	0.10	0.10	0.00	0.00	0.00	
		5	258.75	75.82	0.20	0.20	0.00	0.00	0.00	
		6	334.57	29.29	0.06	0.06	0.00	0.00	0.00	
R96_171	Dobeles Ā«oseja	1	0.00	1.91	0.06	0.06	0.00	0.00	0.00	
		2	1.91	91.23	-0.26	-0.26	0.00	0.00	0.00	Max.
		3	93.14	54.59	0.00	0.00	0.00	0.00	0.00	
		4	147.73	5.25	0.00	0.00	0.00	0.00	0.00	
		5	152.97	55.31	0.00	0.00	0.00	0.00	0.00	
		6	208.28	166.56	0.00	0.00	0.00	0.00	0.00	
		7	374.84	24.81	0.00	0.00	0.00	0.00	0.00	
		8	399.65	119.16	0.00	0.00	0.00	0.00	0.00	
		9	518.81	188.99	0.00	0.00	0.00	0.00	0.00	
		10	707.80	24.96	0.00	0.00	0.00	0.00	0.00	
		11	732.76	31.80	0.00	0.00	0.00	0.00	0.00	
R96_172	AkadĀ«mijas IĀ«dz RaiĀ«ta ielai	1	0.00	121.70	-0.57	-0.57	0.00	0.00	0.00	
		2	121.70	40.84	-0.56	-0.56	0.00	0.00	0.00	
		3	162.53	41.23	1.53	1.53	0.00	0.00	0.00	Max.
		4	203.76	85.03	0.33	0.33	0.00	0.00	0.00	
		5	288.79	9.32	0.00	0.00	0.00	0.00	0.00	
R96_173	No Dobeles IĀ«dz Lielajai (Pa pasta ielu)	1	0.00	3.08	-0.88	-0.88	0.00	0.00	0.00	Max.
		2	3.08	69.14	-0.87	-0.87	0.00	0.00	0.00	
		3	72.22	64.25	-0.06	-0.06	0.00	0.00	0.00	
		4	136.47	41.78	-0.49	-0.49	0.00	0.00	0.00	
		5	178.26	68.06	-0.08	-0.08	0.00	0.00	0.00	
		6	246.32	55.99	0.00	0.00	0.00	0.00	0.00	
R96_174	MĀ«tera IĀ«dz RaiĀ«ta ielai	1	0.00	32.83	0.45	0.45	0.00	0.00	0.00	Max.
		2	32.83	54.95	-0.04	-0.04	0.00	0.00	0.00	
		3	87.78	32.41	-0.10	-0.10	0.00	0.00	0.00	
		4	120.19	35.41	-0.08	-0.08	0.00	0.00	0.00	
		5	155.60	46.02	0.07	0.07	0.00	0.00	0.00	
		6	201.63	9.28	0.36	0.36	0.00	0.00	0.00	
		7	210.91	91.96	0.02	0.02	0.00	0.00	0.00	
R96_175	Kalpaka IĀ«dz RaiĀ«ta	1	0.00	65.50	0.00	0.00	0.00	0.00	0.00	
		2	65.50	86.47	0.00	0.00	0.00	0.00	0.00	
		3	151.98	35.35	0.00	0.00	0.00	0.00	0.00	
		4	187.32	21.47	0.00	0.00	0.00	0.00	0.00	
		5	208.79	16.71	0.00	0.00	0.00	0.00	0.00	
		6	225.51	10.54	0.00	0.00	0.00	0.00	0.00	
		7	236.05	9.29	0.00	0.00	0.00	0.00	0.00	
		8	245.34	18.93	-0.66	-0.66	0.00	0.00	0.00	
		9	264.27	24.63	-0.77	-0.77	0.00	0.00	0.00	Max.
R96_176	KatoĀ«u IĀ«dz RaiĀ«ta ielai	1	0.00	41.57	-0.75	-0.75	0.00	0.00	0.00	Max.
		2	41.57	47.43	0.00	0.00	0.00	0.00	0.00	
		3	89.00	56.20	0.00	0.00	0.00	0.00	0.00	
		4	145.20	18.98	0.00	0.00	0.00	0.00	0.00	
		5	164.18	51.23	0.00	0.00	0.00	0.00	0.00	
		6	215.41	75.19	0.00	0.00	0.00	0.00	0.00	
		7	290.60	8.83	0.00	0.00	0.00	0.00	0.00	
R96_177	Pasta iela IĀ«dz RaiĀ«ta ielai	1	0.00	47.62	-0.44	-0.44	0.00	0.00	0.00	
		2	47.62	29.13	-1.06	-1.06	0.00	0.00	0.00	

		3	76.75	14.49	-1.05	-1.05	0.00	0.00	0.00	
		4	91.24	23.49	-1.06	-1.06	0.00	0.00	0.00	Max.
		5	114.73	49.27	-0.12	-0.12	0.00	0.00	0.00	
		6	164.01	55.29	0.10	0.10	0.00	0.00	0.00	
		7	219.30	0.15	0.00	0.00	0.00	0.00	0.00	
		8	219.45	38.63	0.00	0.00	0.00	0.00	0.00	
		9	258.08	20.04	0.00	0.00	0.00	0.00	0.00	
		10	278.12	19.76	0.00	0.00	0.00	0.00	0.00	
R96_178	Jāņakstes bulvāris	1	0.00	8.16	0.15	0.15	0.00	0.00	0.00	
		2	8.16	93.22	0.06	0.06	0.00	0.00	0.00	
		3	101.38	94.55	0.39	0.39	0.00	0.00	0.00	
		4	195.93	86.56	2.00	2.00	3.50	3.50	3.50	Max.
		5	282.49	15.54	0.27	0.27	0.00	0.00	0.00	
R96_179	Rāgas iela līdz Loka magistralei	1	0.00	299.90	0.33	0.33	0.00	0.00	0.00	Max.
		2	299.90	232.32	0.00	0.00	0.00	0.00	0.00	
		3	532.22	420.60	-0.24	-0.24	0.00	0.00	0.00	
R96_180	Kalniciema ceļā līdz Loka magistralei	1	0.00	21.27	0.00	0.00	0.00	0.00	0.00	Max.
		2	21.27	56.42	0.00	0.00	0.00	0.00	0.00	
		3	77.70	77.12	0.00	0.00	0.00	0.00	0.00	
		4	154.82	1.88	0.00	0.00	0.00	0.00	0.00	
		5	156.70	69.08	0.00	0.00	0.00	0.00	0.00	
R96_181	Kalniciema ceļā līdz Rāgas ielai	1	0.00	55.74	0.00	0.00	0.00	0.00	0.00	
		2	55.74	83.89	0.00	0.00	0.00	0.00	0.00	
		3	139.63	44.33	0.00	0.00	0.00	0.00	0.00	
		4	183.96	36.67	0.41	0.41	0.00	0.00	0.00	Max.
R96_182	Kalniciema ceļā līdz Rāgas ielai	1	0.00	5.79	0.00	0.00	0.00	0.00	0.00	Max.
		2	5.79	5.96	0.00	0.00	0.00	0.00	0.00	
		3	11.75	26.20	0.00	0.00	0.00	0.00	0.00	
		4	37.95	31.81	0.00	0.00	0.00	0.00	0.00	
		5	69.76	17.36	0.00	0.00	0.00	0.00	0.00	
		6	87.12	28.99	0.00	0.00	0.00	0.00	0.00	
		7	116.11	28.51	0.00	0.00	0.00	0.00	0.00	
		8	144.62	21.25	0.00	0.00	0.00	0.00	0.00	
		9	165.88	33.95	0.00	0.00	0.00	0.00	0.00	
		10	199.82	69.28	0.00	0.00	0.00	0.00	0.00	
		11	269.11	26.64	0.00	0.00	0.00	0.00	0.00	
		12	295.74	10.72	0.00	0.00	0.00	0.00	0.00	
R96_183	Garozas iela	1	0.00	38.65	-1.52	-1.52	0.00	0.00	0.00	
		2	38.65	6.11	-1.34	-1.34	0.00	0.00	0.00	
		3	44.75	2.27	-0.31	-0.31	0.00	0.00	0.00	
		4	47.03	2.02	0.26	0.26	0.00	0.00	0.00	
		5	49.05	44.31	-0.01	-0.01	0.00	0.00	0.00	
		6	93.36	47.78	-0.30	-0.30	0.00	0.00	0.00	
		7	141.14	23.88	-5.88	-5.88	0.00	0.00	0.00	
		8	165.02	19.09	7.15	7.15	2.74	2.74	2.74	Max.
		9	184.11	16.77	1.16	1.16	0.00	0.00	0.00	
		10	200.88	39.55	1.15	1.15	0.00	0.00	0.00	
		11	240.43	61.70	0.34	0.34	0.00	0.00	0.00	
		12	302.13	2.54	0.00	0.00	0.00	0.00	0.00	
R96_184	Rāgas iela līdz Institūta ielai	1	0.00	16.09	0.00	0.00	0.00	0.00	0.00	
		2	16.09	15.08	0.00	0.00	0.00	0.00	0.00	
		3	31.17	13.24	0.00	0.00	0.00	0.00	0.00	
		4	44.41	4.94	0.00	0.00	0.00	0.00	0.00	
		5	49.35	23.62	0.00	0.00	0.00	0.00	0.00	
		6	72.97	37.21	0.00	0.00	0.00	0.00	0.00	
		7	110.18	54.34	0.00	0.00	0.00	0.00	0.00	
		8	164.52	94.41	-1.06	-1.06	0.00	0.00	0.00	Max.
		9	258.94	13.84	0.00	0.00	0.00	0.00	0.00	
		10	272.78	6.81	0.00	0.00	0.00	0.00	0.00	

		11	279.59	1.27	0.00	0.00	0.00	0.00	0.00	
		12	280.85	66.40	0.00	0.00	0.00	0.00	0.00	
		13	347.25	138.02	0.00	0.00	0.00	0.00	0.00	
		14	485.28	8.44	0.00	0.00	0.00	0.00	0.00	
		15	493.72	2.30	0.00	0.00	0.00	0.00	0.00	
		16	496.02	70.91	0.00	0.00	0.00	0.00	0.00	
		17	566.93	85.01	0.00	0.00	0.00	0.00	0.00	
		18	651.94	14.24	0.00	0.00	0.00	0.00	0.00	
		19	666.18	1.12	0.00	0.00	0.00	0.00	0.00	
R96_185	No LielĀs uz Dambja	1	0.00	24.42	-1.16	-1.16	0.00	0.00	0.00	
		2	24.42	79.57	0.64	0.64	0.00	0.00	0.00	
		3	103.99	75.73	-0.14	-0.14	0.00	0.00	0.00	
		4	179.71	7.18	-2.92	-2.92	0.00	0.00	0.00	Max.
		5	186.89	22.98	-0.94	-0.94	0.00	0.00	0.00	
		6	209.87	5.13	0.00	0.00	0.00	0.00	0.00	
		7	215.00	35.15	0.00	0.00	0.00	0.00	0.00	
		8	250.15	21.59	0.00	0.00	0.00	0.00	0.00	
		9	271.74	49.85	0.86	0.86	0.00	0.00	0.00	
R96_186	Uzvaras iela (nogrieÅoties no LielĀs)	1	0.00	5.93	0.00	0.00	0.00	0.00	0.00	Max.
		2	5.93	62.91	0.00	0.00	0.00	0.00	0.00	
		3	68.85	40.63	0.00	0.00	0.00	0.00	0.00	
		4	109.47	43.47	0.00	0.00	0.00	0.00	0.00	
		5	152.94	0.11	0.00	0.00	0.00	0.00	0.00	
		6	153.05	20.79	0.00	0.00	0.00	0.00	0.00	
		7	173.84	24.50	0.00	0.00	0.00	0.00	0.00	
		8	198.34	38.69	0.00	0.00	0.00	0.00	0.00	
		9	237.04	28.27	0.00	0.00	0.00	0.00	0.00	
		10	265.31	12.06	0.00	0.00	0.00	0.00	0.00	
		11	277.37	13.48	0.00	0.00	0.00	0.00	0.00	
		12	290.85	12.04	0.00	0.00	0.00	0.00	0.00	
		13	302.90	32.87	0.00	0.00	0.00	0.00	0.00	
		14	335.76	22.47	0.00	0.00	0.00	0.00	0.00	
		15	358.23	19.59	0.00	0.00	0.00	0.00	0.00	
		16	377.83	2.48	0.00	0.00	0.00	0.00	0.00	
		17	380.30	29.91	0.00	0.00	0.00	0.00	0.00	
R96_187	Atmodas iela	1	0.00	18.58	0.00	0.00	0.00	0.00	0.00	
		2	18.58	20.61	0.00	0.00	0.00	0.00	0.00	
		3	39.18	40.48	0.00	0.00	0.00	0.00	0.00	
		4	79.67	82.23	0.00	0.00	0.00	0.00	0.00	
		5	161.90	25.64	0.00	0.00	0.00	0.00	0.00	
		6	187.53	56.57	0.00	0.00	0.00	0.00	0.00	
		7	244.10	5.18	0.00	0.00	0.00	0.00	0.00	
		8	249.28	28.81	0.00	0.00	0.00	0.00	0.00	
		9	278.09	24.14	0.00	0.00	0.00	0.00	0.00	
		10	302.23	28.08	0.84	0.84	0.00	0.00	0.00	Max.
R96_188	Akadēmijas Iādz Katoļu (pa Lielo)	1	0.00	177.94	0.13	0.13	0.00	0.00	0.00	
		2	177.94	0.92	0.66	0.66	0.00	0.00	0.00	Max.
		3	178.86	7.21	0.63	0.63	0.00	0.00	0.00	
		4	186.07	3.23	0.63	0.63	0.00	0.00	0.00	
R96_189	No Katoļu Iādz Pasta ielai (pa Lielo)	1	0.00	147.28	0.41	0.41	0.00	0.00	0.00	Max.
R96_190	Mātera Iādz PĀtera (pa Lielo ielu)	1	0.00	48.51	0.55	0.55	0.00	0.00	0.00	
		2	48.51	6.23	1.28	1.28	0.00	0.00	0.00	Max.
		3	54.74	4.57	1.04	1.04	0.00	0.00	0.00	
		4	59.31	18.49	-0.22	-0.22	0.00	0.00	0.00	
		5	77.80	9.52	-0.84	-0.84	0.00	0.00	0.00	
		6	87.32	54.29	-0.23	-0.23	0.00	0.00	0.00	
		7	141.61	31.56	0.00	0.00	0.00	0.00	0.00	
		8	173.18	1.85	0.00	0.00	0.00	0.00	0.00	
		9	175.03	4.17	0.00	0.00	0.00	0.00	0.00	

		10	179.20	1.58	0.00	0.00	0.00	0.00	0.00	
		11	180.78	0.82	0.00	0.00	0.00	0.00	0.00	
		12	181.60	1.61	0.00	0.00	0.00	0.00	0.00	
		13	183.21	0.93	0.00	0.00	0.00	0.00	0.00	
		14	184.14	0.92	0.00	0.00	0.00	0.00	0.00	
		15	185.06	2.88	0.00	0.00	0.00	0.00	0.00	
R96_191	PĀtera IĀdz Kalpaka (pa Lielo ielu)	1	0.00	33.95	0.00	0.00	0.00	0.00	0.00	Max.
		2	33.95	10.81	0.00	0.00	0.00	0.00	0.00	
		3	44.76	16.13	0.00	0.00	0.00	0.00	0.00	
		4	60.89	72.87	0.00	0.00	0.00	0.00	0.00	
		5	133.75	23.72	0.00	0.00	0.00	0.00	0.00	
		6	157.47	10.68	0.00	0.00	0.00	0.00	0.00	
		7	168.15	51.12	0.00	0.00	0.00	0.00	0.00	
		8	219.27	15.05	0.00	0.00	0.00	0.00	0.00	
R96_192	Kalpaka IĀdz Dambja (pa Lielo)	1	0.00	14.95	0.00	0.00	0.00	0.00	0.00	
		2	14.95	30.31	0.00	0.00	0.00	0.00	0.00	
		3	45.26	24.13	0.00	0.00	0.00	0.00	0.00	
		4	69.39	18.21	0.00	0.00	0.00	0.00	0.00	
		5	87.60	37.72	-0.20	-0.20	0.00	0.00	0.00	
		6	125.32	47.27	-0.88	-0.88	0.00	0.00	0.00	Max.
		7	172.60	15.33	-0.33	-0.33	0.00	0.00	0.00	
		8	187.93	15.41	-0.22	-0.22	0.00	0.00	0.00	
		9	203.34	7.79	0.08	0.08	0.00	0.00	0.00	
R96_193	Aspazijas IĀdz Dobeles (Pa Lielo ielu)	1	0.00	2.27	0.00	0.00	0.00	0.00	0.00	
		2	2.27	4.72	-0.59	-0.59	0.00	0.00	0.00	
		3	6.99	34.96	-0.84	-0.84	0.00	0.00	0.00	
		4	41.95	23.12	0.50	0.50	0.00	0.00	0.00	
		5	65.07	15.65	1.32	1.32	0.00	0.00	0.00	Max.
		6	80.72	11.94	0.00	0.00	0.00	0.00	0.00	
		7	92.66	54.11	-0.42	-0.42	0.00	0.00	0.00	
		8	146.77	78.51	-0.74	-0.74	0.00	0.00	0.00	
		9	225.29	151.52	0.27	0.27	0.00	0.00	0.00	
		10	376.80	38.79	1.04	1.04	0.00	0.00	0.00	
R96_194	Loka maĒistrāle aiz Aviācijas ielas	1	0.00	91.83	1.75	1.75	0.00	0.00	0.00	
		2	91.83	118.70	2.29	2.29	0.57	0.57	0.57	Max.
		3	210.54	12.10	2.34	2.34	0.57	0.57	0.57	
R96_195	Loka MaĒistrāle IĀdz BĀrzu ceĒlā (50)	1	0.00	27.16	0.00	0.00	0.00	0.00	0.00	
		2	27.16	34.65	0.00	0.00	0.00	0.00	0.00	
		3	61.81	64.82	0.33	0.33	0.00	0.00	0.00	
		4	126.63	157.73	0.08	0.08	0.00	0.00	0.00	
		5	284.36	75.89	0.86	0.86	0.00	0.00	0.00	Max.
		6	360.25	110.60	0.00	0.00	0.00	0.00	0.00	
		7	470.85	51.23	0.00	0.00	0.00	0.00	0.00	
		8	522.07	38.97	0.00	0.00	0.00	0.00	0.00	
		9	561.05	59.54	0.00	0.00	0.00	0.00	0.00	
		10	620.59	65.62	0.00	0.00	0.00	0.00	0.00	
		11	686.21	56.31	-0.17	-0.17	0.00	0.00	0.00	
		12	742.52	31.44	0.30	0.30	0.00	0.00	0.00	
		13	773.96	51.37	0.00	0.00	0.00	0.00	0.00	
		14	825.33	54.17	0.00	0.00	0.00	0.00	0.00	
		15	879.50	13.10	0.00	0.00	0.00	0.00	0.00	
R96_196	BĀrzu IĀdz Kalnciema ceĒlam pa Loka maĒistrāle	1	0.00	40.21	1.57	1.57	0.00	0.00	0.00	Max.
		2	40.21	29.03	0.36	0.36	0.00	0.00	0.00	
		3	69.24	97.18	0.27	0.27	0.00	0.00	0.00	
		4	166.42	90.27	-0.51	-0.51	0.00	0.00	0.00	
		5	256.69	2.67	0.13	0.13	0.00	0.00	0.00	
		6	259.36	59.92	0.37	0.37	0.00	0.00	0.00	
		7	319.28	66.54	-0.31	-0.31	0.00	0.00	0.00	
		8	385.82	2.50	-0.76	-0.76	0.00	0.00	0.00	

		9	388.32	27.97	-0.76	-0.76	0.00	0.00	0.00	
		10	416.29	9.65	-0.76	-0.76	0.00	0.00	0.00	
		11	425.94	20.50	-0.76	-0.76	0.00	0.00	0.00	
		12	446.43	20.94	-0.45	-0.45	0.00	0.00	0.00	
		13	467.37	43.25	0.00	0.00	0.00	0.00	0.00	
		14	510.62	64.02	-0.40	-0.40	0.00	0.00	0.00	
		15	574.64	0.11	0.00	0.00	0.00	0.00	0.00	
		16	574.74	55.67	-0.50	-0.50	0.00	0.00	0.00	
R96_197	Loka MaĒistrāle IĀ«dz BĀ»rzu ceĒĀ - 70»	1	0.00	59.10	-0.97	-0.97	0.00	0.00	0.00	Max.
		2	59.10	200.15	-0.21	-0.21	0.00	0.00	0.00	
		3	259.25	87.27	0.00	0.00	0.00	0.00	0.00	
		4	346.52	15.88	0.00	0.00	0.00	0.00	0.00	
R96_198	Loka maĒistrāle IĀ«dz AviĀcijas iela»	1	0.00	56.03	-0.70	-0.70	0.00	0.00	0.00	Max.
		2	56.03	21.62	0.00	0.00	0.00	0.00	0.00	
		3	77.64	445.17	-0.22	-0.22	0.00	0.00	0.00	
		4	522.81	88.65	-0.01	-0.01	0.00	0.00	0.00	
		5	611.46	123.74	0.00	0.00	0.00	0.00	0.00	
R96_199	RĀ«gas iela posma no Instituta līdz Dobele»	1	0.00	18.34	0.00	0.00	0.00	0.00	0.00	
		2	18.34	18.04	0.00	0.00	0.00	0.00	0.00	
		3	36.38	11.18	0.00	0.00	0.00	0.00	0.00	
		4	47.56	4.91	0.00	0.00	0.00	0.00	0.00	
		5	52.47	6.08	0.00	0.00	0.00	0.00	0.00	
		6	58.55	6.05	0.00	0.00	0.00	0.00	0.00	
		7	64.60	0.36	0.00	0.00	0.00	0.00	0.00	
		8	64.96	0.46	0.00	0.00	0.00	0.00	0.00	
		9	65.42	316.28	0.00	0.00	0.00	0.00	0.00	
		10	381.70	102.30	0.00	0.00	0.00	0.00	0.00	
		11	483.99	315.71	0.05	0.05	0.00	0.00	0.00	Max.
R96_200	RĀ«gas iela posmĀ no PĀ»rnavas IĀ«da L. pasistieks»	1	0.00	67.86	0.00	0.00	0.00	0.00	0.00	
		2	67.86	64.96	1.54	1.54	0.00	0.00	0.00	Max.
		3	132.82	64.02	-0.36	-0.36	0.00	0.00	0.00	
		4	196.84	85.30	0.27	0.27	0.00	0.00	0.00	
		5	282.14	63.93	0.23	0.23	0.00	0.00	0.00	
R96_201	RĀ«gas iela posmĀ no Cukura līdz Koleģiema ceĒm»	1	0.00	21.56	-3.42	-3.42	0.00	0.00	0.00	Max.
		2	21.56	30.24	-0.87	-0.87	0.00	0.00	0.00	
		3	51.80	34.84	-0.68	-0.68	0.00	0.00	0.00	
		4	86.64	4.28	-2.40	-2.40	0.00	0.00	0.00	
		5	90.92	37.58	-1.76	-1.76	0.00	0.00	0.00	
		6	128.50	16.63	0.00	0.00	0.00	0.00	0.00	
		7	145.13	46.65	0.00	0.00	0.00	0.00	0.00	
		8	191.77	65.22	0.00	0.00	0.00	0.00	0.00	
		9	257.00	40.30	0.00	0.00	0.00	0.00	0.00	
		10	297.30	21.80	0.00	0.00	0.00	0.00	0.00	
		11	319.10	31.43	0.00	0.00	0.00	0.00	0.00	
		12	350.52	25.93	0.00	0.00	0.00	0.00	0.00	
R96_202	Lielā iela uz tilta starp nobrauktuvĒm F	1	0.00	2.72	0.00	0.00	0.00	0.00	0.00	
		2	2.72	1.30	0.00	0.00	0.00	0.00	0.00	
		3	4.02	24.54	0.00	0.00	0.00	0.00	0.00	
		4	28.56	38.35	0.00	0.00	0.00	0.00	0.00	
		5	66.91	46.54	0.00	0.00	0.00	0.00	0.00	
		6	113.45	46.50	0.81	0.81	0.00	0.00	0.00	
		7	159.95	11.98	5.19	5.19	2.74	2.74	2.74	Max.
R96_204	Dambja uz Dobeles pusi - provizorsiski	1	0.00	26.85	0.00	0.00	0.00	0.00	0.00	
		2	26.85	1.09	0.00	0.00	0.00	0.00	0.00	
		3	27.94	7.76	0.00	0.00	0.00	0.00	0.00	
		4	35.70	62.27	0.00	0.00	0.00	0.00	0.00	
		5	97.98	65.85	-0.46	-0.46	0.00	0.00	0.00	
		6	163.82	23.32	-0.74	-0.74	0.00	0.00	0.00	
		7	187.15	69.89	-0.68	-0.68	0.00	0.00	0.00	

		8	257.04	88.24	-0.05	-0.05	0.00	0.00	0.00	
		9	345.27	0.73	0.00	0.00	0.00	0.00	0.00	
		10	346.01	11.75	0.00	0.00	0.00	0.00	0.00	
		11	357.76	42.03	0.94	0.94	0.00	0.00	0.00	Max.
		12	399.79	12.55	0.33	0.33	0.00	0.00	0.00	
		13	412.34	7.37	-0.10	-0.10	0.00	0.00	0.00	
		14	419.71	0.36	0.00	0.00	0.00	0.00	0.00	
R96_205	No Uzvaras Bulvāra Iešdz Akadēmijas (no Lielās)	1	0.00	4.79	0.00	0.00	0.00	0.00	0.00	Max.
		2	4.79	52.42	0.00	0.00	0.00	0.00	0.00	
		3	57.21	3.48	0.00	0.00	0.00	0.00	0.00	
		4	60.68	1.24	0.00	0.00	0.00	0.00	0.00	
R96_207	Perspektīvā Atmosdas iela	1	0.00	8.47	0.00	0.00	0.00	0.00	0.00	
		2	8.47	6.94	0.00	0.00	0.00	0.00	0.00	
		3	15.41	26.18	2.33	2.33	2.29	2.29	2.29	Max.
		4	41.59	52.57	0.74	0.74	0.00	0.00	0.00	
		5	94.15	35.59	0.00	0.00	0.00	0.00	0.00	
		6	129.74	49.26	0.00	0.00	0.00	0.00	0.00	
		7	179.00	60.16	0.00	0.00	0.00	0.00	0.00	
		8	239.17	45.31	0.00	0.00	0.00	0.00	0.00	
		9	284.48	58.87	0.00	0.00	0.00	0.00	0.00	
		10	343.35	47.52	0.39	0.39	0.00	0.00	0.00	
		11	390.86	7.35	0.70	0.70	0.00	0.00	0.00	
		12	398.21	12.14	0.79	0.79	0.00	0.00	0.00	
		13	410.35	10.20	2.77	2.77	2.29	2.29	2.29	
		14	420.56	7.57	2.77	2.77	2.29	2.29	2.29	
		15	428.12	32.62	0.53	0.53	0.00	0.00	0.00	
		16	460.74	10.91	0.00	0.00	0.00	0.00	0.00	
		17	471.65	9.49	0.00	0.00	0.00	0.00	0.00	
		18	481.15	12.94	0.00	0.00	0.00	0.00	0.00	
		19	494.09	59.98	0.00	0.00	0.00	0.00	0.00	
		20	554.06	79.96	0.00	0.00	0.00	0.00	0.00	
		21	634.03	41.81	-0.93	-0.93	0.00	0.00	0.00	
		22	675.84	22.02	1.76	1.76	0.00	0.00	0.00	
		23	697.86	86.11	0.00	0.00	0.00	0.00	0.00	
		24	783.97	119.95	0.00	0.00	0.00	0.00	0.00	
		25	903.92	87.89	0.00	0.00	0.00	0.00	0.00	
		26	991.81	81.27	0.00	0.00	0.00	0.00	0.00	
		27	1073.08	84.45	0.00	0.00	0.00	0.00	0.00	
		28	1157.53	10.00	-0.08	-0.08	0.00	0.00	0.00	
		29	1167.53	61.53	-0.29	-0.29	0.00	0.00	0.00	
		30	1229.05	57.97	0.26	0.26	0.00	0.00	0.00	
		31	1287.02	48.99	0.06	0.06	0.00	0.00	0.00	
		32	1336.01	54.83	0.00	0.00	0.00	0.00	0.00	
		33	1390.84	12.85	0.00	0.00	0.00	0.00	0.00	
		34	1403.70	13.07	0.00	0.00	0.00	0.00	0.00	
		35	1416.77	41.75	0.17	0.17	0.00	0.00	0.00	
		36	1458.52	73.17	1.27	1.27	0.00	0.00	0.00	
		37	1531.69	36.87	-0.91	-0.91	0.00	0.00	0.00	
		38	1568.56	10.07	-2.32	-2.32	0.00	0.00	0.00	
		39	1578.63	58.26	0.73	0.73	0.00	0.00	0.00	
		40	1636.88	88.88	-0.32	-0.32	0.00	0.00	0.00	
		41	1725.76	53.56	-0.30	-0.30	0.00	0.00	0.00	
		42	1779.32	11.17	-1.61	-1.61	0.00	0.00	0.00	
R96_208	Otrā tilta daļa F K	1	0.00	151.89	0.00	0.00	0.00	0.00	0.00	Max.
R96_209	Satiksmes iela 3	1	0.00	7.66	-1.04	-1.04	0.00	0.00	0.00	Max.
		2	7.66	8.38	-1.02	-1.02	0.00	0.00	0.00	
		3	16.03	5.96	0.00	0.00	0.00	0.00	0.00	
		4	21.99	7.05	0.00	0.00	0.00	0.00	0.00	
		5	29.04	11.03	0.00	0.00	0.00	0.00	0.00	

R96_210	Satiksmes iela_1	1	0.00	34.40	0.01	0.01	0.00	0.00	0.00	
		2	34.40	27.66	0.00	0.00	0.00	0.00	0.00	
		3	62.06	99.96	-0.02	-0.02	0.00	0.00	0.00	
		4	162.02	62.03	-1.00	-1.00	0.00	0.00	0.00	
		5	224.05	4.62	-4.22	-4.22	0.00	0.00	0.00	Max.
		6	228.67	28.86	-0.58	-0.58	0.00	0.00	0.00	
		7	257.53	12.84	0.00	0.00	0.00	0.00	0.00	
R96_211	Satiksmes iela_2	1	0.00	31.19	0.00	0.00	0.00	0.00	0.00	
		2	31.19	29.33	0.00	0.00	0.00	0.00	0.00	
		3	60.52	34.40	0.00	0.00	0.00	0.00	0.00	
		4	94.92	15.37	0.00	0.00	0.00	0.00	0.00	
		5	110.29	0.08	0.00	0.00	0.00	0.00	0.00	
		6	110.38	17.49	0.00	0.00	0.00	0.00	0.00	
		7	127.87	28.48	0.67	0.67	0.00	0.00	0.00	
		8	156.34	12.80	0.75	0.75	0.00	0.00	0.00	Max.
		9	169.15	5.38	0.28	0.28	0.00	0.00	0.00	
		10	174.52	5.92	0.26	0.26	0.00	0.00	0.00	
		11	180.45	15.54	-0.10	-0.10	0.00	0.00	0.00	
		12	195.98	20.09	-0.41	-0.41	0.00	0.00	0.00	
		13	216.08	19.44	-0.29	-0.29	0.00	0.00	0.00	
		14	235.51	1.84	0.21	0.21	0.00	0.00	0.00	
R96_212	Satiksmes iela 4	1	0.00	3.26	0.00	0.00	0.00	0.00	0.00	
		2	3.26	47.39	0.00	0.00	0.00	0.00	0.00	
		3	50.65	72.68	0.00	0.00	0.00	0.00	0.00	
		4	123.33	93.97	0.00	0.00	0.00	0.00	0.00	
		5	217.30	65.95	0.00	0.00	0.00	0.00	0.00	
		6	283.25	73.88	0.00	0.00	0.00	0.00	0.00	
		7	357.13	2.21	0.00	0.00	0.00	0.00	0.00	
		8	359.34	36.16	0.00	0.00	0.00	0.00	0.00	
		9	395.50	47.29	0.00	0.00	0.00	0.00	0.00	
		10	442.79	4.98	0.23	0.23	0.00	0.00	0.00	Max.
		11	447.77	34.32	-0.03	-0.03	0.00	0.00	0.00	
		12	482.09	46.14	0.00	0.00	0.00	0.00	0.00	
R96_213	Meiju cels 70%F	1	0.00	5.86	-0.79	-0.79	0.00	0.00	0.00	
		2	5.86	4.45	-0.79	-0.79	0.00	0.00	0.00	
		3	10.31	7.87	0.33	0.33	0.00	0.00	0.00	
		4	18.18	33.06	-0.61	-0.61	0.00	0.00	0.00	
		5	51.25	12.06	-0.36	-0.36	0.00	0.00	0.00	
		6	63.31	39.34	-0.24	-0.24	0.00	0.00	0.00	
		7	102.65	32.42	1.92	1.92	0.00	0.00	0.00	Max.
		8	135.06	1.78	1.59	1.59	0.00	0.00	0.00	
		9	136.84	7.21	1.50	1.50	0.00	0.00	0.00	
		10	144.05	13.54	1.20	1.20	0.00	0.00	0.00	
		11	157.59	23.87	-1.84	-1.84	0.00	0.00	0.00	
		12	181.46	14.79	-0.30	-0.30	0.00	0.00	0.00	
		13	196.25	4.13	-0.49	-0.49	0.00	0.00	0.00	
		14	200.38	2.04	-0.49	-0.49	0.00	0.00	0.00	
		15	202.42	7.36	-0.49	-0.49	0.00	0.00	0.00	
		16	209.78	48.38	-0.44	-0.44	0.00	0.00	0.00	
		17	258.16	38.52	-0.62	-0.62	0.00	0.00	0.00	
		18	296.68	12.18	0.00	0.00	0.00	0.00	0.00	
		19	308.85	12.94	0.00	0.00	0.00	0.00	0.00	
		20	321.79	59.62	0.00	0.00	0.00	0.00	0.00	
		21	381.41	1.48	0.00	0.00	0.00	0.00	0.00	
		22	382.89	42.63	0.00	0.00	0.00	0.00	0.00	
		23	425.52	7.75	0.00	0.00	0.00	0.00	0.00	
		24	433.26	0.39	0.00	0.00	0.00	0.00	0.00	
R96_214	Satiksmes iela aiz Meiju ceļa 20%	1	0.00	169.91	-0.18	-0.18	0.00	0.00	0.00	
		2	169.91	99.94	-0.30	-0.30	0.00	0.00	0.00	

		3	269.85	57.63	-0.12	-0.12	0.00	0.00	0.00	
		4	327.48	23.36	-0.81	-0.81	0.00	0.00	0.00	
		5	350.84	22.15	-0.24	-0.24	0.00	0.00	0.00	
		6	372.99	38.98	0.32	0.32	0.00	0.00	0.00	
		7	411.97	15.86	-0.50	-0.50	0.00	0.00	0.00	
		8	427.83	15.05	-0.86	-0.86	0.00	0.00	0.00	Max.
		9	442.88	20.59	-0.01	-0.01	0.00	0.00	0.00	
R96_215	Meiju cels 70%*	1	0.00	12.63	0.00	0.00	0.00	0.00	0.00	
		2	12.63	15.64	0.00	0.00	0.00	0.00	0.00	
		3	28.27	29.27	0.00	0.00	0.00	0.00	0.00	
		4	57.54	34.07	0.00	0.00	0.00	0.00	0.00	
		5	91.60	24.27	0.00	0.00	0.00	0.00	0.00	
		6	115.87	8.33	0.00	0.00	0.00	0.00	0.00	
		7	124.20	10.69	0.00	0.00	0.00	0.00	0.00	
		8	134.89	25.73	0.00	0.00	0.00	0.00	0.00	
		9	160.62	12.91	0.00	0.00	0.00	0.00	0.00	
		10	173.53	4.63	0.00	0.00	0.00	0.00	0.00	
		11	178.16	17.33	0.00	0.00	0.00	0.00	0.00	
		12	195.49	30.35	0.00	0.00	0.00	0.00	0.00	
		13	225.84	0.06	0.00	0.00	0.00	0.00	0.00	
		14	225.90	24.60	0.00	0.00	0.00	0.00	0.00	
		15	250.50	40.10	0.83	0.83	0.00	0.00	0.00	
		16	290.60	7.03	0.68	0.68	0.00	0.00	0.00	
		17	297.63	36.49	0.49	0.49	0.00	0.00	0.00	
		18	334.12	31.07	-0.99	-0.99	0.00	0.00	0.00	
		19	365.19	24.24	-1.03	-1.03	0.00	0.00	0.00	
		20	389.43	33.23	0.00	0.00	0.00	0.00	0.00	
		21	422.66	17.12	-1.97	-1.97	0.00	0.00	0.00	Max.
		22	439.78	0.28	-1.81	-1.81	0.00	0.00	0.00	
		23	440.06	15.87	-1.11	-1.11	0.00	0.00	0.00	
		24	455.93	0.76	-0.79	-0.79	0.00	0.00	0.00	

*1): The gradient for the calculation has been entered directly.

Aprēķinu modeļa ievades dati (2021. gads nerealizējot paredzēto darbību)

Road /XP S 31-133 (66)										Variant 0						
R96_037 Label										No Lielupes tilta līdz Cukura ielai F	99999.00					
Group										Esosas ielas	Emi. variant					
Number of nodes										4	dB(A)					
Length/ m										107.82	Day (12h)					
Length/ m (2D)										107.80	Night (8h)					
Area /m²										---	Evening (4h)					
											Max gradient % (z-coord.)					
											Driving direction					
											Dist.:centreline lane - road /m					
											Road surface					
											Asphalt (obsolete)					
Emiss. variant										Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)										Continuous flow	1898.24	79.09	50.00	50.00	67.76	
Night (8h)										Continuous flow	213.55	8.90	50.00	50.00	58.27	
Evening (4h)										Continuous flow	996.58	41.52	50.00	50.00	64.96	
Rating method										Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden										-	0.0	0.0	0.0	0.0		
Rating period / Period										Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)										12.00	Day	87.8	1.00	12.00000	0.00	0.0
Evening (4h)										4.00	Evening	85.0	1.00	4.00000	0.00	0.0
Night (8h)										8.00	Night	78.3	1.00	8.00000	0.00	0.0
R96_040 Label										F Tilts pār Driksnu F K	99999.00					
Group										Esosas ielas	Emi. variant					
Number of nodes										2	dB(A)					
Length/ m										48.63	Day (12h)					
Length/ m (2D)										48.63	Night (8h)					
Area /m²										---	Evening (4h)					
											Max gradient % (z-coord.)					
											Driving direction					
											Dist.:centreline lane - road /m					
											Road surface					
											Asphalt (obsolete)					
Emiss. variant										Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)										Continuous flow	2216.26	92.34	50.00	50.00	68.43	
Night (8h)										Continuous flow	249.33	10.39	50.00	50.00	58.94	
Evening (4h)										Continuous flow	1163.53	48.48	50.00	50.00	65.63	
Rating method										Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden										-	0.0	0.0	0.0	0.0		
Rating period / Period										Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)										12.00	Day	88.4	1.00	12.00000	0.00	0.0
Evening (4h)										4.00	Evening	85.6	1.00	4.00000	0.00	0.0
Night (8h)										8.00	Night	78.9	1.00	8.00000	0.00	0.0
R96_041 Label										F No Lielupes tilta līdz Cukura ielai F	99999.00					
Group										Esosas ielas	Emi. variant					
Number of nodes										2	dB(A)					
Length/ m										58.18	Day (12h)					
Length/ m (2D)										58.17	Night (8h)					
Area /m²										---	Evening (4h)					
											Max gradient % (z-coord.)					
											Driving direction					
											Dist.:centreline lane - road /m					
											Road surface					
											Asphalt (obsolete)					
Emiss. variant										Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)										Continuous flow	1898.24	79.09	50.00	50.00	67.76	
Night (8h)										Continuous flow	213.55	8.90	50.00	50.00	58.27	
Evening (4h)										Continuous flow	996.58	41.52	50.00	50.00	64.96	
Rating method										Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden										-	0.0	0.0	0.0	0.0		
Rating period / Period										Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
Day (12h)										12.00	Day	87.8	1.00	12.00000	0.00	0.0
Evening (4h)										4.00	Evening	85.0	1.00	4.00000	0.00	0.0
Night (8h)										8.00	Night	78.3	1.00	8.00000	0.00	0.0
R96_042 Label										F No Čakstes bulvāra līdz tiltam F	99999.00					
Group										Esosas ielas	Emi. variant					
Number of nodes										2	dB(A)					
Length/ m										9.90	Day (12h)					
Length/ m (2D)										9.90	Night (8h)					
Area /m²										---	Evening (4h)					
											Max gradient % (z-coord.)					
											Driving direction					
											Dist.:centreline lane - road /m					
											Road surface					
											Asphalt (obsolete)					
Emiss. variant										Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)										Continuous flow	2216.26	92.34	50.00	50.00	71.17	
Night (8h)										Continuous flow	249.33	10.39	50.00	50.00	61.68	
Evening (4h)										Continuous flow	1163.53	48.48	50.00	50.00	68.37	

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	91.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	88.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	81.7	1.00	8.00000	0.00	0.0
R96 043	Label	No pirmā tilta līdz Pasta salas pagriezienam (no centra) F			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	2					dB(A)	
	Length/ m	44.83			Day (12h)		66.38	
	Length/ m (2D)	44.83			Night (8h)		56.89	
	Area /m²	---			Evening (4h)		63.58	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		2216.26	92.34	50.00	50.00	68.43
	Night (8h)	Continuous flow		249.33	10.39	50.00	50.00	58.94
	Evening (4h)	Continuous flow		1163.53	48.48	50.00	50.00	65.63
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	88.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	85.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	78.9	1.00	8.00000	0.00	0.0
R96 168	Label	F No Ā: akstes IĀ«dz AkadĀmijas (pa Lielo)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	4					dB(A)	
	Length/ m	92.05			Day (12h)		65.65	
	Length/ m (2D)	92.04			Night (8h)		56.16	
	Area /m²	---			Evening (4h)		62.85	
					Max gradient % (z-coord.)		-3.47	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		1873.92	78.08	50.00	50.00	67.70
	Night (8h)	Continuous flow		210.82	8.78	50.00	50.00	58.21
	Evening (4h)	Continuous flow		983.81	40.99	50.00	50.00	64.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	87.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	84.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	78.2	1.00	8.00000	0.00	0.0
R96 169	Label	F No Pasta IĀ«dz MĀķera (pa Lielo ielu)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	7					dB(A)	
	Length/ m	166.55			Day (12h)		63.56	
	Length/ m (2D)	166.54			Night (8h)		54.07	
	Area /m²	---			Evening (4h)		60.76	
					Max gradient % (z-coord.)		-1.01	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		1158.27	48.26	50.00	50.00	65.61
	Night (8h)	Continuous flow		130.31	5.43	50.00	50.00	56.12
	Evening (4h)	Continuous flow		608.09	25.34	50.00	50.00	62.81
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	85.6	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	82.8	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	76.1	1.00	8.00000	0.00	0.0
R96 170	Label	F No Atmodas līdz Aspazijas (Liela iela)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	7					dB(A)	
	Length/ m	363.87			Day (12h)		62.21	
	Length/ m (2D)	363.86			Night (8h)		52.72	
	Area /m²	---			Evening (4h)		59.41	
					Max gradient % (z-coord.)		-1.27	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	

	Emiss. variant		Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)		Continuous flow		847.94	35.33	50.00	50.00	64.26
	Night (8h)		Continuous flow		95.39	3.97	50.00	50.00	54.77
	Evening (4h)		Continuous flow		445.17	18.55	50.00	50.00	61.46
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
Lden			0.0	0.0	0.0			0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)	12.00	Day	84.3	1.00	12.00000	0.00	0.0		
Evening (4h)	4.00	Evening	81.5	1.00	4.00000	0.00	0.0		
Night (8h)	8.00	Night	74.8	1.00	8.00000	0.00	0.0		
R96_171	Label		F Dobeles Aļoseja		Action radius/m		99999.00		
	Group		Esosas ielas		Emi. variant		Emission		
	Number of nodes		13				dB(A)		
	Length/ m		764.56		Day (12h)		64.61		
	Length/ m (2D)		764.56		Night (8h)		55.12		
	Area /m²		---		Evening (4h)		61.81		
					Max gradient % (z-coord.)		-0.26		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)	Continuous flow		686.51	111.76	50.00	50.00	65.68		
Night (8h)	Continuous flow		77.23	12.57	50.00	50.00	56.20		
Evening (4h)	Continuous flow		360.42	58.67	50.00	50.00	62.89		
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
Lden			0.0	0.0	0.0			0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)	12.00	Day	85.7	1.00	12.00000	0.00	0.0		
Evening (4h)	4.00	Evening	82.9	1.00	4.00000	0.00	0.0		
Night (8h)	8.00	Night	76.2	1.00	8.00000	0.00	0.0		
R96_172	Label		Akadēmijas Iela Raiņa ielai		Action radius/m		99999.00		
	Group		Esosas ielas		Emi. variant		Emission		
	Number of nodes		6				dB(A)		
	Length/ m		298.12		Day (12h)		58.89		
	Length/ m (2D)		298.11		Night (8h)		49.40		
	Area /m²		---		Evening (4h)		56.09		
					Max gradient % (z-coord.)		1.53		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)	Continuous flow		394.62	16.44	50.00	50.00	60.93		
Night (8h)	Continuous flow		44.40	1.85	50.00	50.00	51.45		
Evening (4h)	Continuous flow		207.18	8.63	50.00	50.00	58.14		
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
Lden			0.0	0.0	0.0			0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)	12.00	Day	80.9	1.00	12.00000	0.00	0.0		
Evening (4h)	4.00	Evening	78.1	1.00	4.00000	0.00	0.0		
Night (8h)	8.00	Night	71.4	1.00	8.00000	0.00	0.0		
R96_173	Label		No Dobeles Iela Lielajai (Pa pasta ielu)		Action radius/m		99999.00		
	Group		Esosas ielas		Emi. variant		Emission		
	Number of nodes		7				dB(A)		
	Length/ m		302.31		Day (12h)		59.15		
	Length/ m (2D)		302.31		Night (8h)		49.66		
	Area /m²		---		Evening (4h)		56.35		
					Max gradient % (z-coord.)		-0.88		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
Day (12h)	Continuous flow		419.33	17.47	50.00	50.00	61.20		
Night (8h)	Continuous flow		47.17	1.97	50.00	50.00	51.71		
Evening (4h)	Continuous flow		220.15	9.17	50.00	50.00	58.40		
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
Lden			0.0	0.0	0.0			0.0	
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
Day (12h)	12.00	Day	81.2	1.00	12.00000	0.00	0.0		
Evening (4h)	4.00	Evening	78.4	1.00	4.00000	0.00	0.0		
Night (8h)	8.00	Night	71.7	1.00	8.00000	0.00	0.0		
R96_174	Label		Mārtiņģerā Iela Raiņa ielai		Action radius/m		99999.00		
	Group		Esosas ielas		Emi. variant		Emission		
	Number of nodes		8				dB(A)		
	Length/ m		302.87		Day (12h)		58.58		
	Length/ m (2D)		302.87		Night (8h)		49.09		
	Area /m²		---		Evening (4h)		55.78		

									Max gradient % (z-coord.)	0.45
									Driving direction	2 direct./driving on the right
									Dist.:centreline lane - road /m	0.00
									Road surface	Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)	
	Day (12h)	Continuous flow	367.30	15.30	50.00	50.00			60.62	
	Night (8h)	Continuous flow	41.32	1.72	50.00	50.00			51.13	
	Evening (4h)	Continuous flow	192.83	8.03	50.00	50.00			57.82	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden		0.0	0.0	0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)	
	Day (12h)	12.00	Day	80.6	1.00	12.00000	0.00		0.0	
	Evening (4h)	4.00	Evening	77.8	1.00	4.00000	0.00		0.0	
	Night (8h)	8.00	Night	71.1	1.00	8.00000	0.00		0.0	
R96 175	Label	Kalpaka IAKdz raiAfa		Action radius/m				99999.00		
	Group	Esosas ielas		Emi. variant				Emission		
	Number of nodes	10						dB(A)		
	Length/ m	288.91		Day (12h)				57.13		
	Length/ m (2D)	288.91		Night (8h)				47.64		
	Area /m ²	---		Evening (4h)				54.33		
									Max gradient % (z-coord.)	-0.77
									Driving direction	2 direct./driving on the right
									Dist.:centreline lane - road /m	0.00
									Road surface	Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)	
	Day (12h)	Continuous flow	263.49	10.98	50.00	50.00			59.18	
	Night (8h)	Continuous flow	29.64	1.24	50.00	50.00			49.69	
	Evening (4h)	Continuous flow	138.33	5.76	50.00	50.00			56.38	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden		0.0	0.0	0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)	
	Day (12h)	12.00	Day	79.2	1.00	12.00000	0.00		0.0	
	Evening (4h)	4.00	Evening	76.4	1.00	4.00000	0.00		0.0	
	Night (8h)	8.00	Night	69.7	1.00	8.00000	0.00		0.0	
R96 176	Label	KatoA4u IAKdz RaiAfa ielai		Action radius/m				99999.00		
	Group	Esosas ielas		Emi. variant				Emission		
	Number of nodes	8						dB(A)		
	Length/ m	299.43		Day (12h)				55.31		
	Length/ m (2D)	299.43		Night (8h)				45.82		
	Area /m ²	---		Evening (4h)				52.51		
									Max gradient % (z-coord.)	-0.75
									Driving direction	2 direct./driving on the right
									Dist.:centreline lane - road /m	0.00
									Road surface	Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)	
	Day (12h)	Continuous flow	172.99	7.21	50.00	50.00			57.35	
	Night (8h)	Continuous flow	19.46	0.81	50.00	50.00			47.86	
	Evening (4h)	Continuous flow	90.82	3.78	50.00	50.00			54.55	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden		0.0	0.0	0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)	
	Day (12h)	12.00	Day	77.4	1.00	12.00000	0.00		0.0	
	Evening (4h)	4.00	Evening	74.6	1.00	4.00000	0.00		0.0	
	Night (8h)	8.00	Night	67.9	1.00	8.00000	0.00		0.0	
R96 177	Label	Pasta iela IAKdz RaiAfa ielai		Action radius/m				99999.00		
	Group	Esosas ielas		Emi. variant				Emission		
	Number of nodes	11						dB(A)		
	Length/ m	297.88		Day (12h)				59.81		
	Length/ m (2D)	297.88		Night (8h)				50.32		
	Area /m ²	---		Evening (4h)				57.01		
									Max gradient % (z-coord.)	-1.06
									Driving direction	2 direct./driving on the right
									Dist.:centreline lane - road /m	0.00
									Road surface	Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)	
	Day (12h)	Continuous flow	488.13	20.34	50.00	50.00			61.86	
	Night (8h)	Continuous flow	54.91	2.29	50.00	50.00			52.37	
	Evening (4h)	Continuous flow	256.27	10.68	50.00	50.00			59.06	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden		0.0	0.0	0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)	
	Day (12h)	12.00	Day	81.9	1.00	12.00000	0.00		0.0	
	Evening (4h)	4.00	Evening	79.1	1.00	4.00000	0.00		0.0	
	Night (8h)	8.00	Night	72.4	1.00	8.00000	0.00		0.0	
R96 178	Label	JA Afa A akstes bulvA iris		Action radius/m				99999.00		
	Group	Esosas ielas		Emi. variant				Emission		

	Evening (4h)	4.00	Evening	78.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	71.8	1.00	8.00000	0.00	0.0
R96_184	Label	F_RĀgas iela IĀdz Institāta ielai			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	20					dB(A)	
	Length/ m	667.30			Day (12h)		63.42	
	Length/ m (2D)	667.30			Night (8h)		53.93	
	Area /m²	---			Evening (4h)		60.62	
					Max gradient % (z-coord.)		-1.06	
					Driving direction		2 direct/driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		1120.96	46.71	50.00	50.00	65.47
	Night (8h)	Continuous flow		126.11	5.25	50.00	50.00	55.98
	Evening (4h)	Continuous flow		588.50	24.52	50.00	50.00	62.67
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	85.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	82.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	76.0	1.00	8.00000	0.00	0.0
R96_185	Label	No Lielāis uz Dambja			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	10					dB(A)	
	Length/ m	321.60			Day (12h)		58.57	
	Length/ m (2D)	321.59			Night (8h)		49.08	
	Area /m²	---			Evening (4h)		55.77	
					Max gradient % (z-coord.)		-2.92	
					Driving direction		2 direct/driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		366.72	15.28	50.00	50.00	60.62
	Night (8h)	Continuous flow		41.26	1.72	50.00	50.00	51.13
	Evening (4h)	Continuous flow		192.53	8.02	50.00	50.00	57.82
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.6	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.8	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	71.1	1.00	8.00000	0.00	0.0
R96_186	Label	Uzvaras iela (nogriešoties no Lielāis)			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	18					dB(A)	
	Length/ m	410.21			Day (12h)		58.37	
	Length/ m (2D)	410.21			Night (8h)		48.88	
	Area /m²	---			Evening (4h)		55.57	
					Max gradient % (z-coord.)		0.00	
					Driving direction		2 direct/driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		350.46	14.60	50.00	50.00	60.42
	Night (8h)	Continuous flow		39.43	1.64	50.00	50.00	50.93
	Evening (4h)	Continuous flow		183.99	7.67	50.00	50.00	57.62
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden	-		0.0	0.0	0.0	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.9	1.00	8.00000	0.00	0.0
R96_187	Label	F_Atmodas iela			Action radius/m		99999.00	
	Group	Esosas ielas			Emi. variant		Emission	
	Number of nodes	11					dB(A)	
	Length/ m	330.31			Day (12h)		65.43	
	Length/ m (2D)	330.31			Night (8h)		55.94	
	Area /m²	---			Evening (4h)		62.63	
					Max gradient % (z-coord.)		0.84	
					Driving direction		2 direct/driving on the right	
					Dist.:centreline lane - road /m		0.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		794.94	88.33	70.00	70.00	67.30
	Night (8h)	Continuous flow		89.43	9.94	70.00	70.00	57.81
	Evening (4h)	Continuous flow		417.34	46.37	70.00	70.00	64.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	

	Lden			-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	87.3	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	84.5	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	77.8	1.00	8.00000	0.00	0.0	
R96_188	Label	F Akadā'mijas IĀkdz Katoā'u (pa Lielo)			Action radius/m			99999.00	
	Group	Esosas ielas			Emi. variant			Emission	
	Number of nodes	5						dB(A)	
	Length/ m	189.30			Day (12h)			64.51	
	Length/ m (2D)	189.30			Night (8h)			55.03	
	Area /m²	---			Evening (4h)			61.72	
					Max gradient % (z-coord.)			0.66	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		1442.11	60.09	50.00	50.00	66.56	
	Night (8h)	Continuous flow		162.24	6.76	50.00	50.00	57.07	
	Evening (4h)	Continuous flow		757.11	31.55	50.00	50.00	63.76	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	86.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	83.8	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	77.1	1.00	8.00000	0.00	0.0	
R96_189	Label	F No Katoā'u IĀkdz Pasta ielai (pa Lielo)			Action radius/m			99999.00	
	Group	Esosas ielas			Emi. variant			Emission	
	Number of nodes	2						dB(A)	
	Length/ m	147.28			Day (12h)			64.42	
	Length/ m (2D)	147.28			Night (8h)			54.93	
	Area /m²	---			Evening (4h)			61.62	
					Max gradient % (z-coord.)			0.41	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		1410.05	58.75	50.00	50.00	66.47	
	Night (8h)	Continuous flow		158.63	6.61	50.00	50.00	56.98	
	Evening (4h)	Continuous flow		740.28	30.84	50.00	50.00	63.67	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	86.5	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	83.7	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	77.0	1.00	8.00000	0.00	0.0	
R96_190	Label	F MĀ'tera IĀkdz PĀ'tera (pa Lielo ielu)			Action radius/m			99999.00	
	Group	Esosas ielas			Emi. variant			Emission	
	Number of nodes	16						dB(A)	
	Length/ m	187.95			Day (12h)			63.34	
	Length/ m (2D)	187.94			Night (8h)			53.85	
	Area /m²	---			Evening (4h)			60.54	
					Max gradient % (z-coord.)			1.28	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		1100.29	45.85	50.00	50.00	65.39	
	Night (8h)	Continuous flow		123.78	5.16	50.00	50.00	55.90	
	Evening (4h)	Continuous flow		577.65	24.07	50.00	50.00	62.59	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	85.4	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	82.6	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	75.9	1.00	8.00000	0.00	0.0	
R96_191	Label	F PĀ'tera IĀkdz Kalpaka (pa Lielo ielu)			Action radius/m			99999.00	
	Group	Esosas ielas			Emi. variant			Emission	
	Number of nodes	9						dB(A)	
	Length/ m	234.31			Day (12h)			63.16	
	Length/ m (2D)	234.31			Night (8h)			53.67	
	Area /m²	---			Evening (4h)			60.36	
					Max gradient % (z-coord.)			0.00	
					Driving direction			2 direct/driving on the right	
					Dist.:centreline lane - road /m			0.00	
					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		1055.68	43.99	50.00	50.00	65.21	

	Night (8h)	Continuous flow		118.76	4.95		50.00	50.00	55.72
	Evening (4h)	Continuous flow		554.23	23.09		50.00	50.00	62.41
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-	0.0	0.0	0.0				0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)
	Day (12h)	12.00	Day	85.2	1.00	12.00000	0.00		0.0
	Evening (4h)	4.00	Evening	82.4	1.00	4.00000	0.00		0.0
	Night (8h)	8.00	Night	75.7	1.00	8.00000	0.00		0.0
R96_192	Label	F Kalpaka IÅ«dz Dambja (pa Lielo)			Action radius/m				99999.00
	Group	Esosas ielas			Emi. variant				Emission
	Number of nodes	10							dB(A)
	Length/ m	211.14			Day (12h)				63.19
	Length/ m (2D)	211.14			Night (8h)				53.70
	Area /m²	---			Evening (4h)				60.39
					Max gradient % (z-coord.)				-0.88
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)
	Day (12h)	Continuous flow	1062.72	44.28	50.00	50.00			65.24
	Night (8h)	Continuous flow	119.56	4.98	50.00	50.00			55.75
	Evening (4h)	Continuous flow	557.93	23.25	50.00	50.00			62.44
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-	0.0	0.0	0.0				0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)
	Day (12h)	12.00	Day	85.2	1.00	12.00000	0.00		0.0
	Evening (4h)	4.00	Evening	82.4	1.00	4.00000	0.00		0.0
	Night (8h)	8.00	Night	75.7	1.00	8.00000	0.00		0.0
R96_193	Label	F Aspazijas IÅ«dz Dobeles (Pa Lielo ielu)			Action radius/m				99999.00
	Group	Esosas ielas			Emi. variant				Emission
	Number of nodes	11							dB(A)
	Length/ m	415.60			Day (12h)				62.56
	Length/ m (2D)	415.59			Night (8h)				53.07
	Area /m²	---			Evening (4h)				59.76
					Max gradient % (z-coord.)				1.32
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)
	Day (12h)	Continuous flow	918.59	38.27	50.00	50.00			64.60
	Night (8h)	Continuous flow	103.34	4.31	50.00	50.00			55.12
	Evening (4h)	Continuous flow	482.26	20.09	50.00	50.00			61.81
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-	0.0	0.0	0.0				0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)
	Day (12h)	12.00	Day	84.6	1.00	12.00000	0.00		0.0
	Evening (4h)	4.00	Evening	81.8	1.00	4.00000	0.00		0.0
	Night (8h)	8.00	Night	75.1	1.00	8.00000	0.00		0.0
R96_194	Label	F Loka maÅ«strÅ«le aiz AviÅ«cijas ielas			Action radius/m				99999.00
	Group	Esosas ielas			Emi. variant				Emission
	Number of nodes	4							dB(A)
	Length/ m	222.68			Day (12h)				62.17
	Length/ m (2D)	222.63			Night (8h)				52.68
	Area /m²	---			Evening (4h)				59.37
					Max gradient % (z-coord.)				2.34
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00
					Road surface				Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h			Leq /dB(A)
	Day (12h)	Continuous flow	395.18	39.08	70.00	70.00			64.83
	Night (8h)	Continuous flow	44.46	4.40	70.00	70.00			55.34
	Evening (4h)	Continuous flow	207.47	20.52	70.00	70.00			62.03
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-	0.0	0.0	0.0				0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)
	Day (12h)	12.00	Day	84.8	1.00	12.00000	0.00		0.0
	Evening (4h)	4.00	Evening	82.0	1.00	4.00000	0.00		0.0
	Night (8h)	8.00	Night	75.3	1.00	8.00000	0.00		0.0
R96_195	Label	F Loka maÅ«strÅ«le IÅ«dz BA'rzu ceÅ«lÅ« (50)			Action radius/m				99999.00
	Group	Esosas ielas			Emi. variant				Emission
	Number of nodes	16							dB(A)
	Length/ m	892.60			Day (12h)				56.86
	Length/ m (2D)	892.59			Night (8h)				47.37
	Area /m²	---			Evening (4h)				54.06
					Max gradient % (z-coord.)				0.86
					Driving direction				2 direct/driving on the right
					Dist.:centreline lane - road /m				0.00

							Road surface		Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
Day (12h)	Continuous flow		247.30	10.30	50.00	50.00	58.90			
Night (8h)	Continuous flow		27.82	1.16	50.00	50.00	49.42			
Evening (4h)	Continuous flow		129.83	5.41	50.00	50.00	56.11			
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB				
Lden			0.0	0.0	0.0	0.0				
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
Day (12h)	12.00	Day	78.9	1.00	12.00000	0.00	0.0			
Evening (4h)	4.00	Evening	76.1	1.00	4.00000	0.00	0.0			
Night (8h)	8.00	Night	69.4	1.00	8.00000	0.00	0.0			
R96_197 Label	F Loka maĀistrā le IĀdz BĀrzu ceĀ (70)			Action radius/m		99999.00				
Group	Esosas ielas			Emiss. variant		Emission				
Number of nodes	5					dB(A)				
Length/ m	362.41			Day (12h)		58.88				
Length/ m (2D)	362.41			Night (8h)		49.40				
Area /m²	---			Evening (4h)		56.09				
				Max gradient % (z-coord.)		-0.97				
				Driving direction		2 direct/driving on the right				
				Dist.:centreline lane - road /m		0.00				
							Road surface		Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
Day (12h)	Continuous flow		247.30	10.30	70.00	70.00	61.32			
Night (8h)	Continuous flow		27.82	1.16	70.00	70.00	51.84			
Evening (4h)	Continuous flow		129.83	5.41	70.00	70.00	58.53			
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB				
Lden			0.0	0.0	0.0	0.0				
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
Day (12h)	12.00	Day	81.3	1.00	12.00000	0.00	0.0			
Evening (4h)	4.00	Evening	78.5	1.00	4.00000	0.00	0.0			
Night (8h)	8.00	Night	71.8	1.00	8.00000	0.00	0.0			
R96_198 Label	F Loka maĀistrā le IĀdz Avīcījas ielai			Action radius/m		99999.00				
Group	Esosas ielas			Emiss. variant		Emission				
Number of nodes	6					dB(A)				
Length/ m	735.20			Day (12h)		58.04				
Length/ m (2D)	735.20			Night (8h)		48.56				
Area /m²	---			Evening (4h)		55.24				
				Max gradient % (z-coord.)		-0.70				
				Driving direction		2 direct/driving on the right				
				Dist.:centreline lane - road /m		0.00				
							Road surface		Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
Day (12h)	Continuous flow		246.45	18.55	50.00	50.00	59.68			
Night (8h)	Continuous flow		27.73	2.09	50.00	50.00	50.19			
Evening (4h)	Continuous flow		129.39	9.74	50.00	50.00	56.88			
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB				
Lden			0.0	0.0	0.0	0.0				
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
Day (12h)	12.00	Day	79.7	1.00	12.00000	0.00	0.0			
Evening (4h)	4.00	Evening	76.9	1.00	4.00000	0.00	0.0			
Night (8h)	8.00	Night	70.2	1.00	8.00000	0.00	0.0			
R96_199 Label	F RĀgas iela posma no Instituta līdz Pernavas			Action radius/m		99999.00				
Group	Esosas ielas			Emiss. variant		Emission				
Number of nodes	12					dB(A)				
Length/ m	799.70			Day (12h)		62.88				
Length/ m (2D)	799.70			Night (8h)		53.39				
Area /m²	---			Evening (4h)		60.08				
				Max gradient % (z-coord.)		0.05				
				Driving direction		2 direct/driving on the right				
				Dist.:centreline lane - road /m		0.00				
							Road surface		Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)			
Day (12h)	Continuous flow		989.25	41.22	50.00	50.00	64.93			
Night (8h)	Continuous flow		111.29	4.64	50.00	50.00	55.44			
Evening (4h)	Continuous flow		519.36	21.64	50.00	50.00	62.13			
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB				
Lden			0.0	0.0	0.0	0.0				
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)			
Day (12h)	12.00	Day	84.9	1.00	12.00000	0.00	0.0			
Evening (4h)	4.00	Evening	82.1	1.00	4.00000	0.00	0.0			
Night (8h)	8.00	Night	75.4	1.00	8.00000	0.00	0.0			
R96_200 Label	F RĀgas iela posmā no PĀrnavas IĀdz Lmagistrale			Action radius/m		99999.00				
Group	Esosas ielas			Emiss. variant		Emission				
Number of nodes	6					dB(A)				
Length/ m	346.07			Day (12h)		62.21				
Length/ m (2D)	346.07			Night (8h)		52.72				

	Area /m ²	---		Evening (4h)			59.41
				Max gradient % (z-coord.)			1.54
				Driving direction			2 direct./driving on the right
				Dist.:centreline lane - road /m			0.00
				Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	847.94	35.33	50.00	50.00	64.26
	Night (8h)	Continuous flow	95.39	3.97	50.00	50.00	54.77
	Evening (4h)	Continuous flow	445.17	18.55	50.00	50.00	61.46
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	84.3	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	81.5	1.00	4.00000	0.00
	Night (8h)	8.00	Night	74.8	1.00	8.00000	0.00
R96_201	Label	F_RĀĶgas iela posmā no Cukura līdz Kalnciema celam		Action radius/m			99999.00
	Group	Esosas ielas		Emiss. variant			Emission
	Number of nodes	13					dB(A)
	Length/ m	376.47		Day (12h)			65.54
	Length/ m (2D)	376.45		Night (8h)			56.06
	Area /m²	---		Evening (4h)			62.75
				Max gradient % (z-coord.)			-3.42
				Driving direction			2 direct./driving on the right
				Dist.:centreline lane - road /m			0.00
				Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	1827.58	76.15	50.00	50.00	67.59
	Night (8h)	Continuous flow	205.60	8.57	50.00	50.00	58.10
	Evening (4h)	Continuous flow	959.48	39.98	50.00	50.00	64.79
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	87.6	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	84.8	1.00	4.00000	0.00
	Night (8h)	8.00	Night	78.1	1.00	8.00000	0.00
R96_202	Label	F_Lielā iela uz tilta starp nobrauktuvēm F		Action radius/m			99999.00
	Group	Esosas ielas		Emiss. variant			Emission
	Number of nodes	8					dB(A)
	Length/ m	171.94		Day (12h)			65.46
	Length/ m (2D)	171.92		Night (8h)			55.97
	Area /m²	---		Evening (4h)			62.66
				Max gradient % (z-coord.)			5.19
				Driving direction			2 direct./driving on the right
				Dist.:centreline lane - road /m			0.00
				Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	1792.26	74.68	50.00	50.00	70.25
	Night (8h)	Continuous flow	201.63	8.40	50.00	50.00	60.76
	Evening (4h)	Continuous flow	940.93	39.21	50.00	50.00	67.45
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	90.2	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	87.5	1.00	4.00000	0.00
	Night (8h)	8.00	Night	80.8	1.00	8.00000	0.00
R96_204	Label	F_Dambja uz Dobeles pusi - provizorsiski		Action radius/m			99999.00
	Group	Esosas ielas		Emiss. variant			Emission
	Number of nodes	15					dB(A)
	Length/ m	420.08		Day (12h)			62.88
	Length/ m (2D)	420.07		Night (8h)			53.39
	Area /m²	---		Evening (4h)			60.08
				Max gradient % (z-coord.)			0.94
				Driving direction			2 direct./driving on the right
				Dist.:centreline lane - road /m			0.00
				Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	989.57	41.23	50.00	50.00	64.93
	Night (8h)	Continuous flow	111.33	4.64	50.00	50.00	55.44
	Evening (4h)	Continuous flow	519.52	21.65	50.00	50.00	62.13
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	84.9	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	82.1	1.00	4.00000	0.00
	Night (8h)	8.00	Night	75.4	1.00	8.00000	0.00
R96_205	Label	F_No Uzvaras Bulvāra IĀ«dz Akadēmijas (pa Lielo ie		Action radius/m			99999.00

Group	Esosas ielas		Emi. variant				Emission	
Number of nodes	5						dB(A)	
Length/ m	61.92		Day (12h)				64.87	
Length/ m (2D)	61.92		Night (8h)				55.38	
Area /m ²	---		Evening (4h)				62.07	
			Max gradient % (z-coord.)				0.00	
			Driving direction				2 direct./driving on the right	
			Dist.:centreline lane - road /m				0.00	
			Road surface				Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow		1565.38	65.22	50.00	50.00	66.92	
Night (8h)	Continuous flow		176.10	7.34	50.00	50.00	57.43	
Evening (4h)	Continuous flow		821.82	34.24	50.00	50.00	64.12	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden			0.0	0.0	0.0	0.0		
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	86.9	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	84.1	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	77.4	1.00	8.00000	0.00	0.0	
R96_208 Label	F Otrā tilta daļa F K		Action radius/m				99999.00	
Group	Esosas ielas		Emi. variant				Emission	
Number of nodes	2						dB(A)	
Length/ m	151.89		Day (12h)				65.71	
Length/ m (2D)	151.89		Night (8h)				56.22	
Area /m ²	---		Evening (4h)				62.91	
			Max gradient % (z-coord.)				0.00	
			Driving direction				2 direct./driving on the right	
			Dist.:centreline lane - road /m				0.00	
			Road surface				Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow		1898.24	79.09	50.00	50.00	67.76	
Night (8h)	Continuous flow		213.55	8.90	50.00	50.00	58.27	
Evening (4h)	Continuous flow		996.58	41.52	50.00	50.00	64.96	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden			0.0	0.0	0.0	0.0		
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	87.8	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	85.0	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	78.3	1.00	8.00000	0.00	0.0	
R96_209 Label	F Kalnciema ceļā A101 Ieņģu RA gas ielai		Action radius/m				99999.00	
Group	Esosas ielas		Emi. variant				Emission	
Number of nodes	32						dB(A)	
Length/ m	1496.47		Day (12h)				57.44	
Length/ m (2D)	1496.47		Night (8h)				47.94	
Area /m ²	---		Evening (4h)				54.64	
			Max gradient % (z-coord.)				-1.46	
			Driving direction				2 direct./driving on the right	
			Dist.:centreline lane - road /m				0.00	
			Road surface				Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow		282.62	11.78	50.00	50.00	59.49	
Night (8h)	Continuous flow		31.80	1.32	50.00	50.00	49.99	
Evening (4h)	Continuous flow		148.38	6.18	50.00	50.00	56.69	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden			0.0	0.0	0.0	0.0		
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	79.5	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	76.7	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	70.0	1.00	8.00000	0.00	0.0	
R96_210 Label	F Kalnciema ceļā A101 Ieņģu Loka maģistrāle		Action radius/m				99999.00	
Group	Esosas ielas		Emi. variant				Emission	
Number of nodes	20						dB(A)	
Length/ m	1004.22		Day (12h)				58.04	
Length/ m (2D)	1004.22		Night (8h)				48.55	
Area /m ²	---		Evening (4h)				55.24	
			Max gradient % (z-coord.)				0.00	
			Driving direction				2 direct./driving on the right	
			Dist.:centreline lane - road /m				0.00	
			Road surface				Asphalt (obsolete)	
Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow		203.65	8.49	70.00	70.00	60.48	
Night (8h)	Continuous flow		22.91	0.95	70.00	70.00	50.99	
Evening (4h)	Continuous flow		106.92	4.45	70.00	70.00	57.68	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden			0.0	0.0	0.0	0.0		
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	

	Day (12h)	12.00	Day	80.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	71.0	1.00	8.00000	0.00	0.0
R96 212	Label	F BA'rzu IA'kdz Kalnciema ceA'¼am pa Loka maA'EstRA'li			Action radius/m	99999.00		
	Group	Esosas ielas			Emi. variant	Emission		
	Number of nodes	17				dB(A)		
	Length/ m	603.62			Day (12h)	55.49		
	Length/ m (2D)	603.61			Night (8h)	46.00		
	Area /m²	---			Evening (4h)	52.69		
					Max gradient % (z-coord.)	1.57		
					Driving direction	2 direct./driving on the right		
					Dist.:centreline lane - road /m	0.00		
					Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		113.09	4.71	70.00	70.00	57.93
	Night (8h)	Continuous flow		12.72	0.53	70.00	70.00	48.44
	Evening (4h)	Continuous flow		59.37	2.47	70.00	70.00	55.13
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	77.9	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	75.1	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	68.4	1.00	8.00000	0.00	0.0
R96 214	Label	F BA'rzu IA'kdz Kalnciema ceA'¼am pa Loka maA'EstRA'li			Action radius/m	99999.00		
	Group	Esosas ielas			Emi. variant	Emission		
	Number of nodes	4				dB(A)		
	Length/ m	112.55			Day (12h)	53.46		
	Length/ m (2D)	112.54			Night (8h)	43.97		
	Area /m²	---			Evening (4h)	50.66		
					Max gradient % (z-coord.)	0.87		
					Driving direction	2 direct./driving on the right		
					Dist.:centreline lane - road /m	0.00		
					Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		113.09	4.71	50.00	50.00	55.51
	Night (8h)	Continuous flow		12.72	0.53	50.00	50.00	46.02
	Evening (4h)	Continuous flow		59.37	2.47	50.00	50.00	52.71
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	75.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	72.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	66.0	1.00	8.00000	0.00	0.0
R96 215	Label	Atmodas ielas aplis			Action radius/m	99999.00		
	Group	Atmodas planota			Emi. variant	Emission		
	Number of nodes	3				dB(A)		
	Length/ m	6.07			Day (12h)	60.23		
	Length/ m (2D)	6.06			Night (8h)	50.74		
	Area /m²	---			Evening (4h)	57.43		
					Max gradient % (z-coord.)	6.00		
					Driving direction	2 direct./driving on the right		
					Dist.:centreline lane - road /m	0.00		
					Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		133.33	39.71	50.00	50.00	61.98
	Night (8h)	Continuous flow		15.00	4.47	50.00	50.00	52.50
	Evening (4h)	Continuous flow		70.00	20.85	50.00	50.00	59.19
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	82.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	79.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	72.5	1.00	8.00000	0.00	0.0
R96 216	Label	Atmodas ielas aplis			Action radius/m	99999.00		
	Group	Atmodas planota			Emi. variant	Emission		
	Number of nodes	3				dB(A)		
	Length/ m	6.07			Day (12h)	60.23		
	Length/ m (2D)	6.06			Night (8h)	50.74		
	Area /m²	---			Evening (4h)	57.43		
					Max gradient % (z-coord.)	-7.73		
					Driving direction	2 direct./driving on the right		
					Dist.:centreline lane - road /m	0.00		
					Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		133.33	39.71	50.00	50.00	60.23
	Night (8h)	Continuous flow		15.00	4.47	50.00	50.00	50.74
	Evening (4h)	Continuous flow		70.00	20.85	50.00	50.00	57.43

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0
R96 217	Label	Atmodas ielas aplis			Action radius/m			99999.00
	Group	Atmodas planota			Emi. variant			Emission
	Number of nodes	3						dB(A)
	Length/ m	6.06			Day (12h)			60.23
	Length/ m (2D)	6.06			Night (8h)			50.74
	Area /m²	---			Evening (4h)			57.43
					Max gradient % (z-coord.)			0.00
					Driving direction			2 direct./driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		133.33	39.71	50.00	50.00	60.23
	Night (8h)	Continuous flow		15.00	4.47	50.00	50.00	50.74
	Evening (4h)	Continuous flow		70.00	20.85	50.00	50.00	57.43
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0
R96 218	Label	Atmodas ielas aplis			Action radius/m			99999.00
	Group	Atmodas planota			Emi. variant			Emission
	Number of nodes	3						dB(A)
	Length/ m	6.06			Day (12h)			60.23
	Length/ m (2D)	6.06			Night (8h)			50.74
	Area /m²	---			Evening (4h)			57.43
					Max gradient % (z-coord.)			0.00
					Driving direction			2 direct./driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		133.33	39.71	50.00	50.00	60.23
	Night (8h)	Continuous flow		15.00	4.47	50.00	50.00	50.74
	Evening (4h)	Continuous flow		70.00	20.85	50.00	50.00	57.43
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0
R96 219	Label	Perspektīvā Atmodas iela F			Action radius/m			99999.00
	Group	Atmodas planota			Emi. variant			Emission
	Number of nodes	31						dB(A)
	Length/ m	1375.04			Day (12h)			64.45
	Length/ m (2D)	1375.02			Night (8h)			54.96
	Area /m²	---			Evening (4h)			61.65
					Max gradient % (z-coord.)			2.77
					Driving direction			2 direct./driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		443.33	93.33	50.00	50.00	64.45
	Night (8h)	Continuous flow		49.88	10.50	50.00	50.00	54.96
	Evening (4h)	Continuous flow		232.75	49.00	50.00	50.00	61.65
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	84.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	81.6	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	75.0	1.00	8.00000	0.00	0.0
R96 220	Label	yPlānotā Atmodas iela			Action radius/m			99999.00
	Group	Atmodas planota			Emi. variant			Emission
	Number of nodes	16						dB(A)
	Length/ m	74.32			Day (12h)			60.23
	Length/ m (2D)	74.30			Night (8h)			50.74
	Area /m²	---			Evening (4h)			57.43
					Max gradient % (z-coord.)			-5.22
					Driving direction			2 direct./driving on the right
					Dist.:centreline lane - road /m			0.00
					Road surface			Asphalt (obsolete)

	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	133.33	39.71	50.00	50.00	60.23	
	Night (8h)	Continuous flow	15.00	4.47	50.00	50.00	50.74	
	Evening (4h)	Continuous flow	70.00	20.85	50.00	50.00	57.43	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0
R96 221	Label	Plānotā Atmodas iela		Action radius/m			99999.00	
	Group	Atmodas planota		Emi. variant			Emission	
	Number of nodes	44						
	Length/ m	73.73		Day (12h)			60.23	
	Length/ m (2D)	73.69		Night (8h)			50.74	
	Area /m²	---		Evening (4h)			57.43	
				Max gradient % (z-coord.)			-11.08	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	133.33	39.71	50.00	50.00	60.23	
	Night (8h)	Continuous flow	15.00	4.47	50.00	50.00	50.74	
	Evening (4h)	Continuous flow	70.00	20.85	50.00	50.00	57.43	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0
R96 222	Label	Atmodas ielas aplis		Action radius/m			99999.00	
	Group	Atmodas planota		Emi. variant			Emission	
	Number of nodes	8						
	Length/ m	21.22		Day (12h)			60.23	
	Length/ m (2D)	21.20		Night (8h)			50.74	
	Area /m²	---		Evening (4h)			57.43	
				Max gradient % (z-coord.)			-7.50	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	133.33	39.71	50.00	50.00	61.98	
	Night (8h)	Continuous flow	15.00	4.47	50.00	50.00	52.50	
	Evening (4h)	Continuous flow	70.00	20.85	50.00	50.00	59.19	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	82.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	79.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	72.5	1.00	8.00000	0.00	0.0
R96 223	Label	Atmodas ielas aplis		Action radius/m			99999.00	
	Group	Atmodas planota		Emi. variant			Emission	
	Number of nodes	8						
	Length/ m	21.22		Day (12h)			60.23	
	Length/ m (2D)	21.20		Night (8h)			50.74	
	Area /m²	---		Evening (4h)			57.43	
				Max gradient % (z-coord.)			6.33	
				Driving direction			2 direct./driving on the right	
				Dist.:centreline lane - road /m			0.00	
				Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow	133.33	39.71	50.00	50.00	60.23	
	Night (8h)	Continuous flow	15.00	4.47	50.00	50.00	50.74	
	Evening (4h)	Continuous flow	70.00	20.85	50.00	50.00	57.43	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		0.0	0.0	0.0		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0
R96 224	Label	Atmodas ielas aplis		Action radius/m			99999.00	
	Group	Atmodas planota		Emi. variant			Emission	
	Number of nodes	8						
	Length/ m	21.20		Day (12h)			60.23	
	Length/ m (2D)	21.20		Night (8h)			50.74	
	Area /m²	---		Evening (4h)			57.43	

							Max gradient % (z-coord.)	0.00
							Driving direction	2 direct./driving on the right
							Dist.:centreline lane - road /m	0.00
							Road surface	Asphalt (obsolete)
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	133.33		39.71	50.00	50.00	60.23	
Night (8h)	Continuous flow	15.00		4.47	50.00	50.00	50.74	
Evening (4h)	Continuous flow	70.00		20.85	50.00	50.00	57.43	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden			0.0	0.0	0.0	0.0		
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0	
R96 225	Label	Atmodas ielas aplis		Action radius/m		99999.00		
	Group	Atmodas planota		Emi. variant		Emission		
	Number of nodes	8				dB(A)		
	Length/ m	21.20		Day (12h)		60.23		
	Length/ m (2D)	21.20		Night (8h)		50.74		
	Area /m²	---		Evening (4h)		57.43		
				Max gradient % (z-coord.)		0.00		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	133.33		39.71	50.00	50.00	60.23	
Night (8h)	Continuous flow	15.00		4.47	50.00	50.00	50.74	
Evening (4h)	Continuous flow	70.00		20.85	50.00	50.00	57.43	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden			0.0	0.0	0.0	0.0		
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0	
R96 226	Label	Uz ziemeļiem no Atmodas ielas apla		Action radius/m		99999.00		
	Group	Atmodas planota		Emi. variant		Emission		
	Number of nodes	50				dB(A)		
	Length/ m	74.82		Day (12h)		60.23		
	Length/ m (2D)	74.81		Night (8h)		50.74		
	Area /m²	---		Evening (4h)		57.43		
				Max gradient % (z-coord.)		4.03		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	133.33		39.71	50.00	50.00	60.23	
Night (8h)	Continuous flow	15.00		4.47	50.00	50.00	50.74	
Evening (4h)	Continuous flow	70.00		20.85	50.00	50.00	57.43	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden			0.0	0.0	0.0	0.0		
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0	
R96 227	Label	Uz ziemeļiem no Atmodas ielas apla		Action radius/m		99999.00		
	Group	Atmodas planota		Emi. variant		Emission		
	Number of nodes	16				dB(A)		
	Length/ m	73.13		Day (12h)		60.23		
	Length/ m (2D)	73.12		Night (8h)		50.74		
	Area /m²	---		Evening (4h)		57.43		
				Max gradient % (z-coord.)		2.48		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
Emiss. variant	Traffic flow	Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
Day (12h)	Continuous flow	133.33		39.71	50.00	50.00	60.23	
Night (8h)	Continuous flow	15.00		4.47	50.00	50.00	50.74	
Evening (4h)	Continuous flow	70.00		20.85	50.00	50.00	57.43	
Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB		
Lden			0.0	0.0	0.0	0.0		
Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
Day (12h)	12.00	Day	80.2	1.00	12.00000	0.00	0.0	
Evening (4h)	4.00	Evening	77.4	1.00	4.00000	0.00	0.0	
Night (8h)	8.00	Night	70.7	1.00	8.00000	0.00	0.0	
R96 228	Label	uSatiksmes iela_F		Action radius/m		99999.00		
	Group	Satiksmes iela		Emi. variant		Emission		

	Evening (4h)	4.00	Evening	76.5	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	69.8	1.00	8.00000	0.00	0.0
R96_232	Label	Meiju cels 70%		Action radius/m		99999.00		
	Group	Satiksmes iela		Emi. variant		Emission		
	Number of nodes	25				dB(A)		
	Length/ m	456.70		Day (12h)		54.67		
	Length/ m (2D)	456.69		Night (8h)		45.18		
	Area /m²	---		Evening (4h)		51.87		
				Gradient % (direct)		0.00		
				Driving direction		Flat (gradient < 2%)		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		123.67	0.00	50.00	50.00	54.67
	Night (8h)	Continuous flow		13.91	0.00	50.00	50.00	45.18
	Evening (4h)	Continuous flow		64.93	0.00	50.00	50.00	51.87
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	74.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	71.9	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	65.2	1.00	8.00000	0.00	0.0
R96_233	Label	Satiksmes iela_F		Action radius/m		99999.00		
	Group	Satiksmes iela		Emi. variant		Emission		
	Number of nodes	6				dB(A)		
	Length/ m	40.07		Day (12h)		51.87		
	Length/ m (2D)	40.07		Night (8h)		42.38		
	Area /m²	---		Evening (4h)		49.07		
				Gradient % (direct)		0.00		
				Driving direction		Flat (gradient < 2%)		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		176.67	0.00	30.00	30.00	51.87
	Night (8h)	Continuous flow		19.88	0.00	30.00	30.00	42.38
	Evening (4h)	Continuous flow		92.75	0.00	30.00	30.00	49.07
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	71.9	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	69.1	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	62.4	1.00	8.00000	0.00	0.0
R96_234	Label	Satiksmes iela aiz Meiju ceļa 20%_F		Action radius/m		99999.00		
	Group	Satiksmes iela		Emi. variant		Emission		
	Number of nodes	10				dB(A)		
	Length/ m	463.48		Day (12h)		49.23		
	Length/ m (2D)	463.48		Night (8h)		39.74		
	Area /m²	---		Evening (4h)		46.43		
				Gradient % (direct)		0.00		
				Driving direction		Flat (gradient < 2%)		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		35.33	0.00	50.00	50.00	49.23
	Night (8h)	Continuous flow		3.98	0.00	50.00	50.00	39.74
	Evening (4h)	Continuous flow		18.55	0.00	50.00	50.00	46.43
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	69.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	66.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	59.7	1.00	8.00000	0.00	0.0
R96_235	Label	F Dobeles Ārīoseja planota uz industriālo		Action radius/m		99999.00		
	Group	Atmodas planota		Emi. variant		Emission		
	Number of nodes	13				dB(A)		
	Length/ m	764.56		Day (12h)		62.39		
	Length/ m (2D)	764.56		Night (8h)		52.90		
	Area /m²	---		Evening (4h)		59.59		
				Max gradient % (z-coord.)		-0.26		
				Driving direction		2 direct/driving on the right		
				Dist.:centreline lane - road /m		0.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	93.33	50.00	50.00	62.39
	Night (8h)	Continuous flow		0.00	10.50	50.00	50.00	52.90
	Evening (4h)	Continuous flow		0.00	49.00	50.00	50.00	59.59
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.00	49.00	50.00	50.00	59.59

	Lden			-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	82.4	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	79.6	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	72.9	1.00	8.00000	0.00	0.0	
R96_236	Label	xxPerspektīvā Atmodas iela F			Action radius/m	99999.00			
	Group	Atmodas planota			Emi. variant	Emission			
	Number of nodes	14				dB(A)			
	Length/ m	415.48			Day (12h)	63.24			
	Length/ m (2D)	415.47			Night (8h)	53.75			
	Area /m²	---			Evening (4h)	60.44			
					Max gradient % (z-coord.)	2.77			
					Driving direction	2 direct/driving on the right			
					Dist.:centreline lane - road /m	0.00			
					Road surface	Asphalt (obsolete)			
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)		
	Day (12h)	Continuous flow	266.67	79.43	50.00	50.00	64.99		
	Night (8h)	Continuous flow	30.00	8.94	50.00	50.00	55.51		
	Evening (4h)	Continuous flow	140.00	41.70	50.00	50.00	62.20		
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB			
	Lden		0.0	0.0	0.0	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	85.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	82.2	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	75.5	1.00	8.00000	0.00	0.0	

Gradients and gradient correction DStg for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Dstg /dB	Dstg /dB	Dstg /dB	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening (4h)	
R96_037	F_No Lielupes tilta līdz Cukura ielai F	1	0.00	40.84	-0.80	-0.80	0.00	0.00	0.00	
		2	40.84	41.17	-2.31	-2.31	0.00	0.00	0.00	
		3	82.01	25.79	-2.80	-2.80	0.00	0.00	0.00	Max.
R96_040	F_Tilts pār Driksnu F K	1	0.00	48.63	0.00	0.00	0.00	0.00	0.00	Max.
R96_041	F_No Lielupes tilta līdz Cukura ielai F	1	0.00	58.17	-1.72	-1.72	0.00	0.00	0.00	Max.
R96_042	F_No Čakstes bulvāra līdz tiltam F	1	0.00	9.90	2.06	2.06	2.74	2.74	2.74	Max.
R96_043	No pirmā tilta līdz Pasta salas	1	0.00	44.83	0.00	0.00	0.00	0.00	0.00	Max.
R96_168	F_No Ārārkstes IĀ«dz AkadĀ«mijas (pa Lielu)	1	0.00	14.27	-3.47	-3.47	0.00	0.00	0.00	Max.
		2	14.27	17.79	-1.69	-1.69	0.00	0.00	0.00	
		3	32.06	59.98	0.00	0.00	0.00	0.00	0.00	
R96_169	F_No Pasta IĀ«dz MĀ«tera (pa Lielo)	1	0.00	25.83	-0.36	-0.36	0.00	0.00	0.00	
		2	25.83	4.32	-0.95	-0.95	0.00	0.00	0.00	
		3	30.14	11.30	-0.51	-0.51	0.00	0.00	0.00	
		4	41.45	120.96	-0.69	-0.69	0.00	0.00	0.00	
		5	162.41	2.13	-1.01	-1.01	0.00	0.00	0.00	
		6	164.53	2.01	-1.01	-1.01	0.00	0.00	0.00	Max.
R96_170	F_No Atmodas līdz Aspazijas (Liela iela)	1	0.00	65.31	-0.69	-0.69	0.00	0.00	0.00	
		2	65.31	116.96	0.10	0.10	0.00	0.00	0.00	
		3	182.27	49.35	-1.27	-1.27	0.00	0.00	0.00	Max.
		4	231.62	27.13	0.10	0.10	0.00	0.00	0.00	
		5	258.75	75.82	0.20	0.20	0.00	0.00	0.00	
		6	334.57	29.29	0.06	0.06	0.00	0.00	0.00	
R96_171	F_Dobeles Ā«oseja	1	0.00	1.91	0.06	0.06	0.00	0.00	0.00	
		2	1.91	91.23	-0.26	-0.26	0.00	0.00	0.00	Max.
		3	93.14	54.59	0.00	0.00	0.00	0.00	0.00	
		4	147.73	5.25	0.00	0.00	0.00	0.00	0.00	
		5	152.97	55.31	0.00	0.00	0.00	0.00	0.00	
		6	208.28	79.61	0.00	0.00	0.00	0.00	0.00	
		7	287.89	86.94	0.00	0.00	0.00	0.00	0.00	
		8	374.84	24.81	0.00	0.00	0.00	0.00	0.00	
		9	399.65	119.16	0.00	0.00	0.00	0.00	0.00	
		10	518.81	188.99	0.00	0.00	0.00	0.00	0.00	
		11	707.80	24.96	0.00	0.00	0.00	0.00	0.00	
		12	732.76	31.80	0.00	0.00	0.00	0.00	0.00	
R96_172	AkadĀ«mijas IĀ«dz RaiĀ«ta ielai	1	0.00	121.70	-0.57	-0.57	0.00	0.00	0.00	
		2	121.70	40.84	-0.56	-0.56	0.00	0.00	0.00	

		3	162.53	41.23	1.53	1.53	0.00	0.00	0.00	Max.
		4	203.76	85.03	0.33	0.33	0.00	0.00	0.00	
		5	288.79	9.32	0.00	0.00	0.00	0.00	0.00	
R96_173	No Dobeles IĀ«dz Lielajai (Pa pasta ielu)	1	0.00	3.08	-0.88	-0.88	0.00	0.00	0.00	Max.
		2	3.08	69.14	-0.87	-0.87	0.00	0.00	0.00	
		3	72.22	64.25	-0.06	-0.06	0.00	0.00	0.00	
		4	136.47	41.78	-0.49	-0.49	0.00	0.00	0.00	
		5	178.26	68.06	-0.08	-0.08	0.00	0.00	0.00	
		6	246.32	55.99	0.00	0.00	0.00	0.00	0.00	
R96_174	MĀ«tera IĀ«dz RaiĀ«ta ielai	1	0.00	32.83	0.45	0.45	0.00	0.00	0.00	Max.
		2	32.83	54.95	-0.04	-0.04	0.00	0.00	0.00	
		3	87.78	32.41	-0.10	-0.10	0.00	0.00	0.00	
		4	120.19	35.41	-0.08	-0.08	0.00	0.00	0.00	
		5	155.60	46.02	0.07	0.07	0.00	0.00	0.00	
		6	201.63	9.28	0.36	0.36	0.00	0.00	0.00	
		7	210.91	91.96	0.02	0.02	0.00	0.00	0.00	
R96_175	Kalpaka IĀ«dz raiĀ«ta	1	0.00	65.50	0.00	0.00	0.00	0.00	0.00	
		2	65.50	86.47	0.00	0.00	0.00	0.00	0.00	
		3	151.98	35.35	0.00	0.00	0.00	0.00	0.00	
		4	187.32	21.47	0.00	0.00	0.00	0.00	0.00	
		5	208.79	16.71	0.00	0.00	0.00	0.00	0.00	
		6	225.51	10.54	0.00	0.00	0.00	0.00	0.00	
		7	236.05	9.29	0.00	0.00	0.00	0.00	0.00	
		8	245.34	18.93	-0.66	-0.66	0.00	0.00	0.00	
		9	264.27	24.63	-0.77	-0.77	0.00	0.00	0.00	Max.
R96_176	KatoĀ«u IĀ«dz RaiĀ«ta ielai	1	0.00	41.57	-0.75	-0.75	0.00	0.00	0.00	Max.
		2	41.57	47.43	0.00	0.00	0.00	0.00	0.00	
		3	89.00	56.20	0.00	0.00	0.00	0.00	0.00	
		4	145.20	18.98	0.00	0.00	0.00	0.00	0.00	
		5	164.18	51.23	0.00	0.00	0.00	0.00	0.00	
		6	215.41	75.19	0.00	0.00	0.00	0.00	0.00	
		7	290.60	8.83	0.00	0.00	0.00	0.00	0.00	
R96_177	Pasta iela IĀ«dz RaiĀ«ta ielai	1	0.00	47.62	-0.44	-0.44	0.00	0.00	0.00	
		2	47.62	29.13	-1.06	-1.06	0.00	0.00	0.00	
		3	76.75	14.49	-1.05	-1.05	0.00	0.00	0.00	
		4	91.24	23.49	-1.06	-1.06	0.00	0.00	0.00	Max.
		5	114.73	49.27	-0.12	-0.12	0.00	0.00	0.00	
		6	164.01	55.29	0.10	0.10	0.00	0.00	0.00	
		7	219.30	0.15	0.00	0.00	0.00	0.00	0.00	
		8	219.45	38.63	0.00	0.00	0.00	0.00	0.00	
		9	258.08	20.04	0.00	0.00	0.00	0.00	0.00	
		10	278.12	19.76	0.00	0.00	0.00	0.00	0.00	
R96_178	JĀ«Ā«ta Ā«akstes bulvĀ«ris	1	0.00	8.16	0.15	0.15	0.00	0.00	0.00	
		2	8.16	93.22	0.06	0.06	0.00	0.00	0.00	
		3	101.38	94.55	0.39	0.39	0.00	0.00	0.00	
		4	195.93	86.56	2.00	2.00	3.50	3.50	3.50	Max.
		5	282.49	15.54	0.27	0.27	0.00	0.00	0.00	
R96_179	F_RĀ«gas iela IĀ«dz Loka magistralei	1	0.00	299.90	0.33	0.33	0.00	0.00	0.00	Max.
		2	299.90	232.32	0.00	0.00	0.00	0.00	0.00	
		3	532.22	420.60	-0.24	-0.24	0.00	0.00	0.00	
R96_182	FKalniciema ceĀ«u IĀ«dz RĀ«gas ielai	1	0.00	5.79	0.00	0.00	0.00	0.00	0.00	Max.
		2	5.79	5.96	0.00	0.00	0.00	0.00	0.00	
		3	11.75	26.20	0.00	0.00	0.00	0.00	0.00	
		4	37.95	31.81	0.00	0.00	0.00	0.00	0.00	
		5	69.76	17.36	0.00	0.00	0.00	0.00	0.00	
		6	87.12	28.99	0.00	0.00	0.00	0.00	0.00	
		7	116.11	28.51	0.00	0.00	0.00	0.00	0.00	
		8	144.62	21.25	0.00	0.00	0.00	0.00	0.00	
		9	165.88	33.95	0.00	0.00	0.00	0.00	0.00	

		10	199.82	69.28	0.00	0.00	0.00	0.00	0.00	
		11	269.11	26.64	0.00	0.00	0.00	0.00	0.00	
		12	295.74	10.72	0.00	0.00	0.00	0.00	0.00	
R96_183	FGarozas iela	1	0.00	38.65	-1.52	-1.52	0.00	0.00	0.00	
		2	38.65	6.11	-1.34	-1.34	0.00	0.00	0.00	
		3	44.75	2.27	-0.31	-0.31	0.00	0.00	0.00	
		4	47.03	2.02	0.26	0.26	0.00	0.00	0.00	
		5	49.05	44.31	-0.01	-0.01	0.00	0.00	0.00	
		6	93.36	47.78	-0.30	-0.30	0.00	0.00	0.00	
		7	141.14	23.88	-5.88	-5.88	0.00	0.00	0.00	
		8	165.02	19.09	7.15	7.15	2.74	2.74	2.74	Max.
		9	184.11	16.77	1.16	1.16	0.00	0.00	0.00	
		10	200.88	39.55	1.15	1.15	0.00	0.00	0.00	
		11	240.43	61.70	0.34	0.34	0.00	0.00	0.00	
		12	302.13	2.54	0.00	0.00	0.00	0.00	0.00	
R96_184	F_RĀ«gas iela IĀ«dz InstitĀ«ta ielai	1	0.00	16.09	0.00	0.00	0.00	0.00	0.00	
		2	16.09	15.08	0.00	0.00	0.00	0.00	0.00	
		3	31.17	13.24	0.00	0.00	0.00	0.00	0.00	
		4	44.41	4.94	0.00	0.00	0.00	0.00	0.00	
		5	49.35	23.62	0.00	0.00	0.00	0.00	0.00	
		6	72.97	37.21	0.00	0.00	0.00	0.00	0.00	
		7	110.18	54.34	0.00	0.00	0.00	0.00	0.00	
		8	164.52	94.41	-1.06	-1.06	0.00	0.00	0.00	Max.
		9	258.94	13.84	0.00	0.00	0.00	0.00	0.00	
		10	272.78	6.81	0.00	0.00	0.00	0.00	0.00	
		11	279.59	1.27	0.00	0.00	0.00	0.00	0.00	
		12	280.85	66.40	0.00	0.00	0.00	0.00	0.00	
		13	347.25	138.02	0.00	0.00	0.00	0.00	0.00	
		14	485.28	8.44	0.00	0.00	0.00	0.00	0.00	
		15	493.72	2.30	0.00	0.00	0.00	0.00	0.00	
		16	496.02	70.91	0.00	0.00	0.00	0.00	0.00	
		17	566.93	85.01	0.00	0.00	0.00	0.00	0.00	
		18	651.94	14.24	0.00	0.00	0.00	0.00	0.00	
		19	666.18	1.12	0.00	0.00	0.00	0.00	0.00	
R96_185	No LielĀ«s uz Dambja	1	0.00	24.42	-1.16	-1.16	0.00	0.00	0.00	
		2	24.42	79.57	0.64	0.64	0.00	0.00	0.00	
		3	103.99	75.73	-0.14	-0.14	0.00	0.00	0.00	
		4	179.71	7.18	-2.92	-2.92	0.00	0.00	0.00	Max.
		5	186.89	22.98	-0.94	-0.94	0.00	0.00	0.00	
		6	209.87	5.13	0.00	0.00	0.00	0.00	0.00	
		7	215.00	35.15	0.00	0.00	0.00	0.00	0.00	
		8	250.15	21.59	0.00	0.00	0.00	0.00	0.00	
		9	271.74	49.85	0.86	0.86	0.00	0.00	0.00	
R96_186	Uzvaras iela (nogieĀ«oties no LielĀ«s)	1	0.00	5.93	0.00	0.00	0.00	0.00	0.00	Max.
		2	5.93	62.91	0.00	0.00	0.00	0.00	0.00	
		3	68.85	40.63	0.00	0.00	0.00	0.00	0.00	
		4	109.47	43.47	0.00	0.00	0.00	0.00	0.00	
		5	152.94	0.11	0.00	0.00	0.00	0.00	0.00	
		6	153.05	20.79	0.00	0.00	0.00	0.00	0.00	
		7	173.84	24.50	0.00	0.00	0.00	0.00	0.00	
		8	198.34	38.69	0.00	0.00	0.00	0.00	0.00	
		9	237.04	28.27	0.00	0.00	0.00	0.00	0.00	
		10	265.31	12.06	0.00	0.00	0.00	0.00	0.00	
		11	277.37	13.48	0.00	0.00	0.00	0.00	0.00	
		12	290.85	12.04	0.00	0.00	0.00	0.00	0.00	
		13	302.90	32.87	0.00	0.00	0.00	0.00	0.00	
		14	335.76	22.47	0.00	0.00	0.00	0.00	0.00	
		15	358.23	19.59	0.00	0.00	0.00	0.00	0.00	
		16	377.83	2.48	0.00	0.00	0.00	0.00	0.00	

		17	380.30	29.91	0.00	0.00	0.00	0.00	0.00	
R96_187	F_Atmodas iela	1	0.00	18.58	0.00	0.00	0.00	0.00	0.00	
		2	18.58	20.61	0.00	0.00	0.00	0.00	0.00	
		3	39.18	40.48	0.00	0.00	0.00	0.00	0.00	
		4	79.67	82.23	0.00	0.00	0.00	0.00	0.00	
		5	161.90	25.64	0.00	0.00	0.00	0.00	0.00	
		6	187.53	56.57	0.00	0.00	0.00	0.00	0.00	
		7	244.10	5.18	0.00	0.00	0.00	0.00	0.00	
		8	249.28	28.81	0.00	0.00	0.00	0.00	0.00	
		9	278.09	24.14	0.00	0.00	0.00	0.00	0.00	
		10	302.23	28.08	0.84	0.84	0.00	0.00	0.00	Max.
R96_188	F_Akadēmijas Iādz Katoļu (pa Lielo)	1	0.00	177.94	0.13	0.13	0.00	0.00	0.00	
		2	177.94	0.92	0.66	0.66	0.00	0.00	0.00	Max.
		3	178.86	7.21	0.63	0.63	0.00	0.00	0.00	
		4	186.07	3.23	0.63	0.63	0.00	0.00	0.00	
R96_189	F_No Katoļu Iādz Pasta ielai (pa Lielo)	1	0.00	147.28	0.41	0.41	0.00	0.00	0.00	Max.
R96_190	F_Māģera Iādz Pātera (pa Lielo ielu)	1	0.00	48.51	0.55	0.55	0.00	0.00	0.00	
		2	48.51	6.23	1.28	1.28	0.00	0.00	0.00	Max.
		3	54.74	4.57	1.04	1.04	0.00	0.00	0.00	
		4	59.31	18.49	-0.22	-0.22	0.00	0.00	0.00	
		5	77.80	9.52	-0.84	-0.84	0.00	0.00	0.00	
		6	87.32	54.29	-0.23	-0.23	0.00	0.00	0.00	
		7	141.61	31.56	0.00	0.00	0.00	0.00	0.00	
		8	173.18	1.85	0.00	0.00	0.00	0.00	0.00	
		9	175.03	4.17	0.00	0.00	0.00	0.00	0.00	
		10	179.20	1.58	0.00	0.00	0.00	0.00	0.00	
		11	180.78	0.82	0.00	0.00	0.00	0.00	0.00	
		12	181.60	1.61	0.00	0.00	0.00	0.00	0.00	
		13	183.21	0.93	0.00	0.00	0.00	0.00	0.00	
		14	184.14	0.92	0.00	0.00	0.00	0.00	0.00	
		15	185.06	2.88	0.00	0.00	0.00	0.00	0.00	
R96_191	F_Pātera Iādz Kalpaka (pa Lielo ielu)	1	0.00	33.95	0.00	0.00	0.00	0.00	0.00	Max.
		2	33.95	10.81	0.00	0.00	0.00	0.00	0.00	
		3	44.76	16.13	0.00	0.00	0.00	0.00	0.00	
		4	60.89	72.87	0.00	0.00	0.00	0.00	0.00	
		5	133.75	23.72	0.00	0.00	0.00	0.00	0.00	
		6	157.47	10.68	0.00	0.00	0.00	0.00	0.00	
		7	168.15	51.12	0.00	0.00	0.00	0.00	0.00	
		8	219.27	15.05	0.00	0.00	0.00	0.00	0.00	
R96_192	F_Kalpaka Iādz Dambja (pa Lielo)	1	0.00	14.95	0.00	0.00	0.00	0.00	0.00	
		2	14.95	30.31	0.00	0.00	0.00	0.00	0.00	
		3	45.26	24.13	0.00	0.00	0.00	0.00	0.00	
		4	69.39	18.21	0.00	0.00	0.00	0.00	0.00	
		5	87.60	37.72	-0.20	-0.20	0.00	0.00	0.00	
		6	125.32	47.27	-0.88	-0.88	0.00	0.00	0.00	Max.
		7	172.60	15.33	-0.33	-0.33	0.00	0.00	0.00	
		8	187.93	15.41	-0.22	-0.22	0.00	0.00	0.00	
		9	203.34	7.79	0.08	0.08	0.00	0.00	0.00	
R96_193	F_Aspazijas Iādz Dobeles (Pa Lielo ielu)	1	0.00	2.27	0.00	0.00	0.00	0.00	0.00	
		2	2.27	4.72	-0.59	-0.59	0.00	0.00	0.00	
		3	6.99	34.96	-0.84	-0.84	0.00	0.00	0.00	
		4	41.95	23.12	0.50	0.50	0.00	0.00	0.00	
		5	65.07	15.65	1.32	1.32	0.00	0.00	0.00	Max.
		6	80.72	11.94	0.00	0.00	0.00	0.00	0.00	
		7	92.66	54.11	-0.42	-0.42	0.00	0.00	0.00	
		8	146.77	78.51	-0.74	-0.74	0.00	0.00	0.00	
		9	225.29	151.52	0.27	0.27	0.00	0.00	0.00	
		10	376.80	38.79	1.04	1.04	0.00	0.00	0.00	
R96_194	F_Loka maģistrāle aiz Aviācijas ielas	1	0.00	91.83	1.75	1.75	0.00	0.00	0.00	

		2	91.83	118.70	2.29	2.29	0.71	0.71	0.71	Max.
		3	210.54	12.10	2.34	2.34	0.71	0.71	0.71	
R96_195	F_Loka MaĀĒistrĀle IĀ«dz BĀ»rzu	1	0.00	27.16	0.00	0.00	0.00	0.00	0.00	
		2	27.16	34.65	0.00	0.00	0.00	0.00	0.00	
		3	61.81	64.82	0.33	0.33	0.00	0.00	0.00	
		4	126.63	157.73	0.08	0.08	0.00	0.00	0.00	
		5	284.36	75.89	0.86	0.86	0.00	0.00	0.00	Max.
		6	360.25	110.60	0.00	0.00	0.00	0.00	0.00	
		7	470.85	51.23	0.00	0.00	0.00	0.00	0.00	
		8	522.07	38.97	0.00	0.00	0.00	0.00	0.00	
		9	561.05	59.54	0.00	0.00	0.00	0.00	0.00	
		10	620.59	65.62	0.00	0.00	0.00	0.00	0.00	
		11	686.21	56.31	-0.17	-0.17	0.00	0.00	0.00	
		12	742.52	31.44	0.30	0.30	0.00	0.00	0.00	
		13	773.96	51.37	0.00	0.00	0.00	0.00	0.00	
		14	825.33	54.17	0.00	0.00	0.00	0.00	0.00	
		15	879.50	13.10	0.00	0.00	0.00	0.00	0.00	
R96_197	F_Loka MaĀĒistrĀle IĀ«dz BĀ»rzu	1	0.00	59.10	-0.97	-0.97	0.00	0.00	0.00	Max.
		2	59.10	200.15	-0.21	-0.21	0.00	0.00	0.00	
		3	259.25	87.27	0.00	0.00	0.00	0.00	0.00	
		4	346.52	15.88	0.00	0.00	0.00	0.00	0.00	
R96_198	F_Loka maĀĒistrĀle IĀ«dz AviĀ»cijas	1	0.00	56.03	-0.70	-0.70	0.00	0.00	0.00	Max.
		2	56.03	21.62	0.00	0.00	0.00	0.00	0.00	
		3	77.64	445.17	-0.22	-0.22	0.00	0.00	0.00	
		4	522.81	88.65	-0.01	-0.01	0.00	0.00	0.00	
		5	611.46	123.74	0.00	0.00	0.00	0.00	0.00	
R96_199	F_RĀ«gas iela posma no Instituta līdz	1	0.00	18.34	0.00	0.00	0.00	0.00	0.00	
		2	18.34	18.04	0.00	0.00	0.00	0.00	0.00	
		3	36.38	11.18	0.00	0.00	0.00	0.00	0.00	
		4	47.56	4.91	0.00	0.00	0.00	0.00	0.00	
		5	52.47	6.08	0.00	0.00	0.00	0.00	0.00	
		6	58.55	6.05	0.00	0.00	0.00	0.00	0.00	
		7	64.60	0.36	0.00	0.00	0.00	0.00	0.00	
		8	64.96	0.46	0.00	0.00	0.00	0.00	0.00	
		9	65.42	316.28	0.00	0.00	0.00	0.00	0.00	
		10	381.70	102.30	0.00	0.00	0.00	0.00	0.00	
		11	483.99	315.71	0.05	0.05	0.00	0.00	0.00	Max.
R96_200	F_RĀ«gas iela posmā no PĀ»mavas	1	0.00	67.86	0.00	0.00	0.00	0.00	0.00	
		2	67.86	64.96	1.54	1.54	0.00	0.00	0.00	Max.
		3	132.82	64.02	-0.36	-0.36	0.00	0.00	0.00	
		4	196.84	85.30	0.27	0.27	0.00	0.00	0.00	
		5	282.14	63.93	0.23	0.23	0.00	0.00	0.00	
R96_201	F_RĀ«gas iela posmā no Cukura līdz	1	0.00	21.56	-3.42	-3.42	0.00	0.00	0.00	Max.
		2	21.56	30.24	-0.87	-0.87	0.00	0.00	0.00	
		3	51.80	34.84	-0.68	-0.68	0.00	0.00	0.00	
		4	86.64	4.28	-2.40	-2.40	0.00	0.00	0.00	
		5	90.92	37.58	-1.76	-1.76	0.00	0.00	0.00	
		6	128.50	16.63	0.00	0.00	0.00	0.00	0.00	
		7	145.13	46.65	0.00	0.00	0.00	0.00	0.00	
		8	191.77	65.22	0.00	0.00	0.00	0.00	0.00	
		9	257.00	40.30	0.00	0.00	0.00	0.00	0.00	
		10	297.30	21.80	0.00	0.00	0.00	0.00	0.00	
		11	319.10	31.43	0.00	0.00	0.00	0.00	0.00	
		12	350.52	25.93	0.00	0.00	0.00	0.00	0.00	
R96_202	F_Lielā iela uz tilta starp nobrauktuvēm	1	0.00	2.72	0.00	0.00	0.00	0.00	0.00	
		2	2.72	1.30	0.00	0.00	0.00	0.00	0.00	
		3	4.02	24.54	0.00	0.00	0.00	0.00	0.00	
		4	28.56	38.35	0.00	0.00	0.00	0.00	0.00	
		5	66.91	46.54	0.00	0.00	0.00	0.00	0.00	

		6	113.45	46.50	0.81	0.81	0.00	0.00	0.00	
		7	159.95	11.98	5.19	5.19	2.74	2.74	2.74	Max.
R96_204	F_Dambja uz Dobeles pusi - prezidents	1	0.00	26.85	0.00	0.00	0.00	0.00	0.00	
		2	26.85	1.09	0.00	0.00	0.00	0.00	0.00	
		3	27.94	7.76	0.00	0.00	0.00	0.00	0.00	
		4	35.70	62.27	0.00	0.00	0.00	0.00	0.00	
		5	97.98	65.85	-0.46	-0.46	0.00	0.00	0.00	
		6	163.82	23.32	-0.74	-0.74	0.00	0.00	0.00	
		7	187.15	69.89	-0.68	-0.68	0.00	0.00	0.00	
		8	257.04	88.24	-0.05	-0.05	0.00	0.00	0.00	
		9	345.27	0.73	0.00	0.00	0.00	0.00	0.00	
		10	346.01	11.75	0.00	0.00	0.00	0.00	0.00	
		11	357.76	42.03	0.94	0.94	0.00	0.00	0.00	Max.
		12	399.79	12.55	0.33	0.33	0.00	0.00	0.00	
		13	412.34	7.37	-0.10	-0.10	0.00	0.00	0.00	
		14	419.71	0.36	0.00	0.00	0.00	0.00	0.00	
R96_205	F_No Uzvaras Bulvāra Ikdz Kārtotājs (pa Lielu)	1	0.00	4.79	0.00	0.00	0.00	0.00	0.00	Max.
		2	4.79	52.42	0.00	0.00	0.00	0.00	0.00	
		3	57.21	3.48	0.00	0.00	0.00	0.00	0.00	
		4	60.68	1.24	0.00	0.00	0.00	0.00	0.00	
R96_208	F_Otrā tīta daļa F K	1	0.00	151.89	0.00	0.00	0.00	0.00	0.00	Max.
R96_209	F_Kalnciema ceļā Ikdz Rāgas tīti	1	0.00	86.64	0.00	0.00	0.00	0.00	0.00	
		2	86.64	55.31	0.00	0.00	0.00	0.00	0.00	
		3	141.94	83.89	0.00	0.00	0.00	0.00	0.00	
		4	225.83	44.33	0.00	0.00	0.00	0.00	0.00	
		5	270.17	255.91	0.17	0.17	0.00	0.00	0.00	
		6	526.08	29.94	-1.46	-1.46	0.00	0.00	0.00	Max.
		7	556.01	115.17	0.00	0.00	0.00	0.00	0.00	
		8	671.18	16.33	0.00	0.00	0.00	0.00	0.00	
		9	687.51	19.56	0.00	0.00	0.00	0.00	0.00	
		10	707.07	25.35	0.00	0.00	0.00	0.00	0.00	
		11	732.42	3.87	0.00	0.00	0.00	0.00	0.00	
		12	736.30	33.92	0.00	0.00	0.00	0.00	0.00	
		13	770.22	39.81	0.00	0.00	0.00	0.00	0.00	
		14	810.03	1.79	0.00	0.00	0.00	0.00	0.00	
		15	811.83	0.05	0.00	0.00	0.00	0.00	0.00	
		16	811.88	65.22	0.00	0.00	0.00	0.00	0.00	
		17	877.09	81.34	0.00	0.00	0.00	0.00	0.00	
		18	958.44	28.38	0.00	0.00	0.00	0.00	0.00	
		19	986.82	103.83	0.00	0.00	0.00	0.00	0.00	
		20	1090.65	105.15	0.00	0.00	0.00	0.00	0.00	
		21	1195.80	5.96	0.00	0.00	0.00	0.00	0.00	
		22	1201.76	26.20	0.00	0.00	0.00	0.00	0.00	
		23	1227.96	31.81	0.00	0.00	0.00	0.00	0.00	
		24	1259.77	17.36	0.00	0.00	0.00	0.00	0.00	
		25	1277.13	28.99	0.00	0.00	0.00	0.00	0.00	
		26	1306.12	28.51	0.00	0.00	0.00	0.00	0.00	
		27	1334.63	21.25	0.00	0.00	0.00	0.00	0.00	
		28	1355.89	33.95	0.00	0.00	0.00	0.00	0.00	
		29	1389.83	69.28	0.00	0.00	0.00	0.00	0.00	
		30	1459.12	26.64	0.00	0.00	0.00	0.00	0.00	
		31	1485.75	10.72	0.00	0.00	0.00	0.00	0.00	
R96_210	F_Kalnciema ceļā Ikdz Loka Kārtotājs	1	0.00	45.34	0.00	0.00	0.00	0.00	0.00	Max.
		2	45.34	128.25	0.00	0.00	0.00	0.00	0.00	
		3	173.59	11.00	0.00	0.00	0.00	0.00	0.00	
		4	184.59	3.11	0.00	0.00	0.00	0.00	0.00	
		5	187.70	47.08	0.00	0.00	0.00	0.00	0.00	
		6	234.78	41.56	0.00	0.00	0.00	0.00	0.00	
		7	276.34	42.39	0.00	0.00	0.00	0.00	0.00	

		8	318.73	21.49	0.00	0.00	0.00	0.00	0.00	
		9	340.22	83.77	0.00	0.00	0.00	0.00	0.00	
		10	423.99	30.22	0.00	0.00	0.00	0.00	0.00	
		11	454.21	79.38	0.00	0.00	0.00	0.00	0.00	
		12	533.59	68.96	0.00	0.00	0.00	0.00	0.00	
		13	602.55	62.13	0.00	0.00	0.00	0.00	0.00	
		14	664.68	58.22	0.00	0.00	0.00	0.00	0.00	
		15	722.90	56.42	0.00	0.00	0.00	0.00	0.00	
		16	779.32	79.00	0.00	0.00	0.00	0.00	0.00	
		17	858.32	1.66	0.00	0.00	0.00	0.00	0.00	
		18	859.98	133.72	0.00	0.00	0.00	0.00	0.00	
		19	993.71	10.51	0.00	0.00	0.00	0.00	0.00	
R96_212	F_BÅrzu lÅdz Kalnciema ceÅam pa Lako meÅCietÅ	1	0.00	40.21	1.57	1.57	0.00	0.00	0.00	Max.
		2	40.21	29.03	0.36	0.36	0.00	0.00	0.00	
		3	69.24	97.18	0.27	0.27	0.00	0.00	0.00	
		4	166.42	90.27	-0.51	-0.51	0.00	0.00	0.00	
		5	256.69	2.67	0.13	0.13	0.00	0.00	0.00	
		6	259.36	59.92	0.37	0.37	0.00	0.00	0.00	
		7	319.28	66.54	-0.31	-0.31	0.00	0.00	0.00	
		8	385.82	2.50	-0.76	-0.76	0.00	0.00	0.00	
		9	388.32	27.97	-0.76	-0.76	0.00	0.00	0.00	
		10	416.29	9.65	-0.76	-0.76	0.00	0.00	0.00	
		11	425.94	20.50	-0.76	-0.76	0.00	0.00	0.00	
		12	446.43	20.94	-0.45	-0.45	0.00	0.00	0.00	
		13	467.37	43.25	0.00	0.00	0.00	0.00	0.00	
		14	510.62	64.02	-0.40	-0.40	0.00	0.00	0.00	
		15	574.64	0.11	0.00	0.00	0.00	0.00	0.00	
		16	574.74	28.86	-0.54	-0.54	0.00	0.00	0.00	
R96_214	F_BÅrzu lÅdz Kalnciema ceÅam pa Lako meÅCietÅ	1	0.00	17.57	-0.56	-0.56	0.00	0.00	0.00	
		2	17.57	58.07	0.87	0.87	0.00	0.00	0.00	Max.
		3	75.64	36.91	0.00	0.00	0.00	0.00	0.00	
R96_215	Atmodas ielas aplis	1	0.00	3.03	4.60	4.60	1.76	1.76	1.76	Max.
		2	3.03	3.03	6.00	6.00	1.76	1.76	1.76	
R96_216	Atmodas ielas aplis	1	0.00	3.03	-5.69	-5.69	0.00	0.00	0.00	
		2	3.03	3.03	-7.73	-7.73	0.00	0.00	0.00	Max.
R96_217	Atmodas ielas aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
R96_218	Atmodas ielas aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
R96_219	Perspektīvā Atmodas iela_F	1	0.00	5.09	2.77	2.77	1.94	1.94	1.94	Max.
		2	5.09	7.57	2.77	2.77	1.94	1.94	1.94	
		3	12.65	32.62	0.53	0.53	0.00	0.00	0.00	
		4	45.27	10.91	0.00	0.00	0.00	0.00	0.00	
		5	56.18	9.49	0.00	0.00	0.00	0.00	0.00	
		6	65.67	12.94	0.00	0.00	0.00	0.00	0.00	
		7	78.62	59.98	0.00	0.00	0.00	0.00	0.00	
		8	138.59	79.96	0.00	0.00	0.00	0.00	0.00	
		9	218.56	41.81	-0.93	-0.93	0.00	0.00	0.00	
		10	260.37	22.02	1.76	1.76	0.00	0.00	0.00	
		11	282.39	86.11	0.00	0.00	0.00	0.00	0.00	
		12	368.50	119.95	0.00	0.00	0.00	0.00	0.00	
		13	488.45	87.89	0.00	0.00	0.00	0.00	0.00	
		14	576.34	81.27	0.00	0.00	0.00	0.00	0.00	
		15	657.61	84.45	0.00	0.00	0.00	0.00	0.00	
		16	742.06	10.00	-0.08	-0.08	0.00	0.00	0.00	
		17	752.05	61.53	-0.29	-0.29	0.00	0.00	0.00	
		18	813.58	57.97	0.26	0.26	0.00	0.00	0.00	
		19	871.55	48.99	0.06	0.06	0.00	0.00	0.00	
		20	920.54	54.83	0.00	0.00	0.00	0.00	0.00	

		21	975.37	12.85	0.00	0.00	0.00	0.00	0.00	
		22	988.22	13.07	0.00	0.00	0.00	0.00	0.00	
		23	1001.30	41.75	0.17	0.17	0.00	0.00	0.00	
		24	1043.05	73.17	1.27	1.27	0.00	0.00	0.00	
		25	1116.22	36.87	-0.91	-0.91	0.00	0.00	0.00	
		26	1153.09	10.07	-2.32	-2.32	0.00	0.00	0.00	
		27	1163.16	58.26	0.73	0.73	0.00	0.00	0.00	
		28	1221.41	88.88	-0.32	-0.32	0.00	0.00	0.00	
		29	1310.29	53.56	-0.30	-0.30	0.00	0.00	0.00	
		30	1363.85	11.17	-1.61	-1.61	0.00	0.00	0.00	
R96_220	yPlānotā Atmodas iela	1	0.00	1.81	-4.77	-4.77	0.00	0.00	0.00	
		2	1.81	1.50	-4.57	-4.57	0.00	0.00	0.00	
		3	3.31	2.33	-5.22	-5.22	0.00	0.00	0.00	Max.
		4	5.65	2.33	-3.41	-3.41	0.00	0.00	0.00	
		5	7.98	2.33	-3.32	-3.32	0.00	0.00	0.00	
		6	10.32	2.33	-0.10	-0.10	0.00	0.00	0.00	
		7	12.65	2.33	-1.45	-1.45	0.00	0.00	0.00	
		8	14.98	0.42	-2.05	-2.05	0.00	0.00	0.00	
		9	15.40	2.97	-2.48	-2.48	0.00	0.00	0.00	
		10	18.37	5.73	-4.16	-4.16	0.00	0.00	0.00	
		11	24.09	0.02	0.00	0.00	0.00	0.00	0.00	
		12	24.11	2.92	-3.08	-3.08	0.00	0.00	0.00	
		13	27.03	19.04	-1.10	-1.10	0.00	0.00	0.00	
		14	46.07	1.86	-1.34	-1.34	0.00	0.00	0.00	
		15	47.93	26.37	0.00	0.00	0.00	0.00	0.00	
R96_221	Plānotā Atmodas iela	1	0.00	0.34	-7.71	-7.71	0.00	0.00	0.00	
		2	0.34	2.27	-7.71	-7.71	0.00	0.00	0.00	
		3	2.60	0.30	-7.76	-7.76	0.00	0.00	0.00	
		4	2.90	0.30	-7.75	-7.75	0.00	0.00	0.00	
		5	3.20	0.30	-7.74	-7.74	0.00	0.00	0.00	
		6	3.51	0.30	-7.73	-7.73	0.00	0.00	0.00	
		7	3.81	0.30	-7.72	-7.72	0.00	0.00	0.00	
		8	4.11	0.30	-7.70	-7.70	0.00	0.00	0.00	
		9	4.41	0.30	-8.94	-8.94	0.00	0.00	0.00	
		10	4.71	0.30	-10.45	-10.45	0.00	0.00	0.00	
		11	5.02	0.30	-10.59	-10.59	0.00	0.00	0.00	
		12	5.32	0.30	-10.72	-10.72	0.00	0.00	0.00	
		13	5.62	0.30	-10.85	-10.85	0.00	0.00	0.00	
		14	5.92	0.30	-10.98	-10.98	0.00	0.00	0.00	
		15	6.22	0.30	-11.08	-11.08	0.00	0.00	0.00	Max.
		16	6.53	0.30	-10.13	-10.13	0.00	0.00	0.00	
		17	6.83	0.30	0.00	0.00	0.00	0.00	0.00	
		18	7.13	0.30	0.00	0.00	0.00	0.00	0.00	
		19	7.43	0.30	0.00	0.00	0.00	0.00	0.00	
		20	7.73	0.30	-3.76	-3.76	0.00	0.00	0.00	
		21	8.04	0.30	-3.89	-3.89	0.00	0.00	0.00	
		22	8.34	0.30	-3.91	-3.91	0.00	0.00	0.00	
		23	8.64	0.30	-3.93	-3.93	0.00	0.00	0.00	
		24	8.94	0.30	-3.95	-3.95	0.00	0.00	0.00	
		25	9.24	0.30	-3.96	-3.96	0.00	0.00	0.00	
		26	9.55	0.30	-3.97	-3.97	0.00	0.00	0.00	
		27	9.85	0.30	-3.99	-3.99	0.00	0.00	0.00	
		28	10.15	0.30	-4.00	-4.00	0.00	0.00	0.00	
		29	10.45	0.30	-4.01	-4.01	0.00	0.00	0.00	
		30	10.75	0.30	-4.02	-4.02	0.00	0.00	0.00	
		31	11.06	0.30	-4.02	-4.02	0.00	0.00	0.00	
		32	11.36	0.30	-4.03	-4.03	0.00	0.00	0.00	
		33	11.66	0.30	-4.03	-4.03	0.00	0.00	0.00	
		34	11.96	0.30	-4.04	-4.04	0.00	0.00	0.00	

		35	12.26	0.30	-4.04	-4.04	0.00	0.00	0.00	
		36	12.57	0.30	-4.04	-4.04	0.00	0.00	0.00	
		37	12.87	0.87	-4.04	-4.04	0.00	0.00	0.00	
		38	13.74	3.20	-3.78	-3.78	0.00	0.00	0.00	
		39	16.94	0.64	-3.02	-3.02	0.00	0.00	0.00	
		40	17.58	5.97	-3.37	-3.37	0.00	0.00	0.00	
		41	23.55	36.66	-1.14	-1.14	0.00	0.00	0.00	
		42	60.21	3.08	0.00	0.00	0.00	0.00	0.00	
		43	63.29	10.40	0.00	0.00	0.00	0.00	0.00	
R96_222	Atmodas ielas aplis	1	0.00	3.03	-7.50	-7.50	0.00	0.00	0.00	
		2	3.03	3.03	-7.04	-7.04	0.00	0.00	0.00	
		3	6.06	3.03	-1.94	-1.94	0.00	0.00	0.00	
		4	9.09	3.03	-1.27	-1.27	0.00	0.00	0.00	
		5	12.11	3.03	-0.79	-0.79	0.00	0.00	0.00	
		6	15.14	3.03	0.17	0.17	0.00	0.00	0.00	
		7	18.17	3.03	2.57	2.57	1.76	1.76	1.76	Max.
R96_223	Atmodas ielas aplis	1	0.00	3.03	6.19	6.19	1.76	1.76	1.76	Max.
		2	3.03	3.03	6.33	6.33	1.76	1.76	1.76	
		3	6.06	3.03	6.10	6.10	1.76	1.76	1.76	
		4	9.09	3.03	0.00	0.00	0.00	0.00	0.00	
		5	12.11	3.03	0.00	0.00	0.00	0.00	0.00	
		6	15.14	3.03	0.00	0.00	0.00	0.00	0.00	
		7	18.17	3.03	0.00	0.00	0.00	0.00	0.00	
R96_224	Atmodas ielas aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
		3	6.06	3.03	0.00	0.00	0.00	0.00	0.00	
		4	9.09	3.03	0.00	0.00	0.00	0.00	0.00	
		5	12.11	3.03	0.00	0.00	0.00	0.00	0.00	
		6	15.14	3.03	0.00	0.00	0.00	0.00	0.00	
		7	18.17	3.03	0.00	0.00	0.00	0.00	0.00	
R96_225	Atmodas ielas aplis	1	0.00	3.03	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.03	3.03	0.00	0.00	0.00	0.00	0.00	
		3	6.06	3.03	0.00	0.00	0.00	0.00	0.00	
		4	9.09	3.03	0.00	0.00	0.00	0.00	0.00	
		5	12.11	3.03	0.00	0.00	0.00	0.00	0.00	
		6	15.14	3.03	0.00	0.00	0.00	0.00	0.00	
		7	18.17	3.03	0.00	0.00	0.00	0.00	0.00	
R96_226	Uz ziemeļiem no Atmodas ielas apļa	1	0.00	1.06	0.00	0.00	0.00	0.00	0.00	
		2	1.06	2.35	0.00	0.00	0.00	0.00	0.00	
		3	3.40	0.30	0.00	0.00	0.00	0.00	0.00	
		4	3.71	0.30	3.68	3.68	1.76	1.76	1.76	Max.
		5	4.01	0.30	-0.96	-0.96	0.00	0.00	0.00	
		6	4.31	0.30	-2.37	-2.37	0.00	0.00	0.00	
		7	4.61	0.30	-0.35	-0.35	0.00	0.00	0.00	
		8	4.91	0.30	0.00	0.00	0.00	0.00	0.00	
		9	5.21	0.30	0.00	0.00	0.00	0.00	0.00	
		10	5.52	0.30	0.00	0.00	0.00	0.00	0.00	
		11	5.82	0.30	0.00	0.00	0.00	0.00	0.00	
		12	6.12	0.30	0.00	0.00	0.00	0.00	0.00	
		13	6.42	0.30	0.00	0.00	0.00	0.00	0.00	
		14	6.72	0.30	0.00	0.00	0.00	0.00	0.00	
		15	7.03	0.30	0.00	0.00	0.00	0.00	0.00	
		16	7.33	0.30	0.00	0.00	0.00	0.00	0.00	
		17	7.63	0.30	0.00	0.00	0.00	0.00	0.00	
		18	7.93	0.30	0.00	0.00	0.00	0.00	0.00	
		19	8.23	0.30	0.00	0.00	0.00	0.00	0.00	
		20	8.54	0.30	0.00	0.00	0.00	0.00	0.00	
		21	8.84	0.30	0.34	0.34	0.00	0.00	0.00	
		22	9.14	0.30	3.32	3.32	1.76	1.76	1.76	

		23	9.44	0.30	3.52	3.52	1.76	1.76	1.76	
		24	9.74	0.30	3.71	3.71	1.76	1.76	1.76	
		25	10.05	0.30	3.90	3.90	1.76	1.76	1.76	
		26	10.35	0.30	4.03	4.03	1.76	1.76	1.76	
		27	10.65	0.30	3.83	3.83	1.76	1.76	1.76	
		28	10.95	0.30	4.02	4.02	1.76	1.76	1.76	
		29	11.25	0.30	2.39	2.39	1.76	1.76	1.76	
		30	11.56	0.30	2.19	2.19	1.76	1.76	1.76	
		31	11.86	0.30	3.17	3.17	1.76	1.76	1.76	
		32	12.16	0.30	3.33	3.33	1.76	1.76	1.76	
		33	12.46	0.30	3.51	3.51	1.76	1.76	1.76	
		34	12.76	0.30	3.68	3.68	1.76	1.76	1.76	
		35	13.07	0.30	3.41	3.41	1.76	1.76	1.76	
		36	13.37	0.30	0.00	0.00	0.00	0.00	0.00	
		37	13.67	0.30	0.00	0.00	0.00	0.00	0.00	
		38	13.97	0.30	0.34	0.34	0.00	0.00	0.00	
		39	14.27	0.30	0.53	0.53	0.00	0.00	0.00	
		40	14.58	0.30	0.70	0.70	0.00	0.00	0.00	
		41	14.88	0.30	0.88	0.88	0.00	0.00	0.00	
		42	15.18	0.30	1.06	1.06	0.00	0.00	0.00	
		43	15.48	0.29	0.00	0.00	0.00	0.00	0.00	
		44	15.77	0.01	0.00	0.00	0.00	0.00	0.00	
		45	15.79	3.01	-1.82	-1.82	0.00	0.00	0.00	
		46	18.79	4.36	-0.27	-0.27	0.00	0.00	0.00	
		47	23.16	1.46	1.92	1.92	0.00	0.00	0.00	
		48	24.62	29.24	0.37	0.37	0.00	0.00	0.00	
		49	53.86	20.96	1.12	1.12	0.00	0.00	0.00	
R96_227	Uz ziemeļiem no Atmodas ielas apļa	1	0.00	0.68	0.00	0.00	0.00	0.00	0.00	
		2	0.68	3.74	0.00	0.00	0.00	0.00	0.00	
		3	4.42	2.33	0.00	0.00	0.00	0.00	0.00	
		4	6.75	2.33	0.00	0.00	0.00	0.00	0.00	
		5	9.08	2.33	0.00	0.00	0.00	0.00	0.00	
		6	11.41	0.64	0.00	0.00	0.00	0.00	0.00	
		7	12.05	1.34	0.00	0.00	0.00	0.00	0.00	
		8	13.39	0.35	0.00	0.00	0.00	0.00	0.00	
		9	13.74	0.45	0.00	0.00	0.00	0.00	0.00	
		10	14.20	8.65	0.00	0.00	0.00	0.00	0.00	
		11	22.85	10.50	-1.42	-1.42	0.00	0.00	0.00	
		12	33.35	9.48	0.42	0.42	0.00	0.00	0.00	
		13	42.83	9.16	1.19	1.19	0.00	0.00	0.00	
		14	51.99	16.35	2.48	2.48	1.76	1.76	1.76	Max.
		15	68.33	4.79	1.11	1.11	0.00	0.00	0.00	
R96_228	uSatiksmes iela_F	1	0.00	34.40	0.01	0.00	0.00	0.00	0.00	*1) Max.
		2	34.40	27.66	0.00	0.00	0.00	0.00	0.00	
		3	62.06	99.96	-0.02	0.00	0.00	0.00	0.00	
		4	162.02	62.03	-1.00	0.00	0.00	0.00	0.00	
		5	224.05	4.62	-4.22	0.00	0.00	0.00	0.00	
		6	228.67	28.86	-0.58	0.00	0.00	0.00	0.00	
		7	257.53	12.84	0.00	0.00	0.00	0.00	0.00	
R96_229	Satiksmes iela_F	1	0.00	3.26	0.00	0.00	0.00	0.00	0.00	*1) Max.
		2	3.26	47.39	0.00	0.00	0.00	0.00	0.00	
		3	50.65	72.68	0.00	0.00	0.00	0.00	0.00	
		4	123.33	93.97	0.00	0.00	0.00	0.00	0.00	
		5	217.30	65.95	0.00	0.00	0.00	0.00	0.00	
		6	283.25	73.88	0.00	0.00	0.00	0.00	0.00	
		7	357.13	2.21	0.00	0.00	0.00	0.00	0.00	
		8	359.34	36.16	0.00	0.00	0.00	0.00	0.00	
		9	395.50	47.29	0.00	0.00	0.00	0.00	0.00	
		10	442.79	4.98	0.23	0.00	0.00	0.00	0.00	

		11	447.77	34.32	-0.03	0.00	0.00	0.00	0.00	
		12	482.09	46.14	0.00	0.00	0.00	0.00	0.00	
R96_230	Satiksmes iela_F	1	0.00	31.19	0.00	0.00	0.00	0.00	0.00	*1) Max.
		2	31.19	29.33	0.00	0.00	0.00	0.00	0.00	
		3	60.52	34.40	0.00	0.00	0.00	0.00	0.00	
		4	94.92	15.37	0.00	0.00	0.00	0.00	0.00	
		5	110.29	0.08	0.00	0.00	0.00	0.00	0.00	
		6	110.38	17.49	0.00	0.00	0.00	0.00	0.00	
		7	127.87	28.48	0.67	0.00	0.00	0.00	0.00	
		8	156.34	12.80	0.75	0.00	0.00	0.00	0.00	
		9	169.15	5.38	0.28	0.00	0.00	0.00	0.00	
		10	174.52	5.92	0.26	0.00	0.00	0.00	0.00	
		11	180.45	15.54	-0.10	0.00	0.00	0.00	0.00	
		12	195.98	20.09	-0.41	0.00	0.00	0.00	0.00	
		13	216.08	19.44	-0.29	0.00	0.00	0.00	0.00	
		14	235.51	1.84	0.21	0.00	0.00	0.00	0.00	
R96_231	Meiju cels 70%F	1	0.00	5.86	-0.79	0.00	0.00	0.00	0.00	*1) Max.
		2	5.86	4.45	-0.79	0.00	0.00	0.00	0.00	
		3	10.31	7.87	0.33	0.00	0.00	0.00	0.00	
		4	18.18	33.06	-0.61	0.00	0.00	0.00	0.00	
		5	51.25	12.06	-0.36	0.00	0.00	0.00	0.00	
		6	63.31	39.34	-0.24	0.00	0.00	0.00	0.00	
		7	102.65	32.42	1.92	0.00	0.00	0.00	0.00	
		8	135.06	1.78	1.59	0.00	0.00	0.00	0.00	
		9	136.84	7.21	1.50	0.00	0.00	0.00	0.00	
		10	144.05	13.54	1.20	0.00	0.00	0.00	0.00	
		11	157.59	23.87	-1.84	0.00	0.00	0.00	0.00	
		12	181.46	14.79	-0.30	0.00	0.00	0.00	0.00	
		13	196.25	4.13	-0.49	0.00	0.00	0.00	0.00	
		14	200.38	2.04	-0.49	0.00	0.00	0.00	0.00	
		15	202.42	7.36	-0.49	0.00	0.00	0.00	0.00	
		16	209.78	48.38	-0.44	0.00	0.00	0.00	0.00	
		17	258.16	38.52	-0.62	0.00	0.00	0.00	0.00	
		18	296.68	12.18	0.00	0.00	0.00	0.00	0.00	
		19	308.85	12.94	0.00	0.00	0.00	0.00	0.00	
		20	321.79	59.62	0.00	0.00	0.00	0.00	0.00	
		21	381.41	1.48	0.00	0.00	0.00	0.00	0.00	
		22	382.89	42.63	0.00	0.00	0.00	0.00	0.00	
		23	425.52	7.75	0.00	0.00	0.00	0.00	0.00	
		24	433.26	0.39	0.00	0.00	0.00	0.00	0.00	
R96_232	Meiju cels 70%	1	0.00	12.63	0.00	0.00	0.00	0.00	0.00	*1) Max.
		2	12.63	15.64	0.00	0.00	0.00	0.00	0.00	
		3	28.27	29.27	0.00	0.00	0.00	0.00	0.00	
		4	57.54	34.07	0.00	0.00	0.00	0.00	0.00	
		5	91.60	24.27	0.00	0.00	0.00	0.00	0.00	
		6	115.87	8.33	0.00	0.00	0.00	0.00	0.00	
		7	124.20	10.69	0.00	0.00	0.00	0.00	0.00	
		8	134.89	25.73	0.00	0.00	0.00	0.00	0.00	
		9	160.62	12.91	0.00	0.00	0.00	0.00	0.00	
		10	173.53	4.63	0.00	0.00	0.00	0.00	0.00	
		11	178.16	17.33	0.00	0.00	0.00	0.00	0.00	
		12	195.49	30.35	0.00	0.00	0.00	0.00	0.00	
		13	225.84	0.06	0.00	0.00	0.00	0.00	0.00	
		14	225.90	24.60	0.00	0.00	0.00	0.00	0.00	
		15	250.50	40.10	0.83	0.00	0.00	0.00	0.00	
		16	290.60	7.03	0.68	0.00	0.00	0.00	0.00	
		17	297.63	36.49	0.49	0.00	0.00	0.00	0.00	
		18	334.12	31.07	-0.99	0.00	0.00	0.00	0.00	
		19	365.19	24.24	-1.03	0.00	0.00	0.00	0.00	

		20	389.43	33.23	0.00	0.00	0.00	0.00	0.00	
		21	422.66	17.12	-1.97	0.00	0.00	0.00	0.00	
		22	439.78	0.28	-1.81	0.00	0.00	0.00	0.00	
		23	440.06	15.87	-1.11	0.00	0.00	0.00	0.00	
		24	455.93	0.76	-0.79	0.00	0.00	0.00	0.00	
R96_233	Satiksmes iela_F	1	0.00	7.66	-1.04	0.00	0.00	0.00	0.00	*1) Max.
		2	7.66	8.38	-1.02	0.00	0.00	0.00	0.00	
		3	16.03	5.96	0.00	0.00	0.00	0.00	0.00	
		4	21.99	7.05	0.00	0.00	0.00	0.00	0.00	
		5	29.04	11.03	0.00	0.00	0.00	0.00	0.00	
R96_234	Satiksmes iela aiz Meiju ceļa 20%_F	1	0.00	169.91	-0.18	0.00	0.00	0.00	0.00	*1) Max.
		2	169.91	99.94	-0.30	0.00	0.00	0.00	0.00	
		3	269.85	57.63	-0.12	0.00	0.00	0.00	0.00	
		4	327.48	23.36	-0.81	0.00	0.00	0.00	0.00	
		5	350.84	22.15	-0.24	0.00	0.00	0.00	0.00	
		6	372.99	38.98	0.32	0.00	0.00	0.00	0.00	
		7	411.97	15.86	-0.50	0.00	0.00	0.00	0.00	
		8	427.83	15.05	-0.86	0.00	0.00	0.00	0.00	
		9	442.88	20.59	-0.01	0.00	0.00	0.00	0.00	
R96_235	F_Dobeles Aģoseja_planota uz industriālo	1	0.00	1.91	0.06	0.06	0.00	0.00	0.00	
		2	1.91	91.23	-0.26	-0.26	0.00	0.00	0.00	Max.
		3	93.14	54.59	0.00	0.00	0.00	0.00	0.00	
		4	147.73	5.25	0.00	0.00	0.00	0.00	0.00	
		5	152.97	55.31	0.00	0.00	0.00	0.00	0.00	
		6	208.28	79.61	0.00	0.00	0.00	0.00	0.00	
		7	287.89	86.94	0.00	0.00	0.00	0.00	0.00	
		8	374.84	24.81	0.00	0.00	0.00	0.00	0.00	
		9	399.65	119.16	0.00	0.00	0.00	0.00	0.00	
		10	518.81	188.99	0.00	0.00	0.00	0.00	0.00	
		11	707.80	24.96	0.00	0.00	0.00	0.00	0.00	
		12	732.76	31.80	0.00	0.00	0.00	0.00	0.00	
R96_236	xxPerspektīvā Atmodas iela_F	1	0.00	8.47	0.00	0.00	0.00	0.00	0.00	
		2	8.47	6.94	0.00	0.00	0.00	0.00	0.00	
		3	15.41	26.18	2.33	2.33	1.76	1.76	1.76	Max.
		4	41.59	52.57	0.74	0.74	0.00	0.00	0.00	
		5	94.15	35.59	0.00	0.00	0.00	0.00	0.00	
		6	129.74	49.26	0.00	0.00	0.00	0.00	0.00	
		7	179.00	60.16	0.00	0.00	0.00	0.00	0.00	
		8	239.17	45.31	0.00	0.00	0.00	0.00	0.00	
		9	284.48	58.87	0.00	0.00	0.00	0.00	0.00	
		10	343.35	47.52	0.39	0.39	0.00	0.00	0.00	
		11	390.86	7.35	0.70	0.70	0.00	0.00	0.00	
		12	398.21	12.14	0.79	0.79	0.00	0.00	0.00	
		13	410.35	5.12	2.77	2.77	1.76	1.76	1.76	

*1): The gradient for the calculation has been entered directly.